2020 PRODUCTION
Cross Reference Table
by Machine Manufacturer

an Italian CAPOLAVORO

CERLIANI®

ITALY - Shuttles - Hooks & Bobbin Cases

Reference Table by Machine Manufacturer

ABLE

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
HB-100	130.01.124	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
HB-150	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
HB-300	130.05.479	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
HB-330	130.05.479	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
HB-380	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
HB-480	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
HB-500	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
HB-630	130.16.005	KH		For corner stitch use KP-130.17.000 - for basting stitch use KP-130.17.015	130.17.000	KP	w/o NBL		130.18.005
					130.17.015	KP	w/o NBL		130.18.006
HBS-2700	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
HBS-5000	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LT2-220 BF	130.15.016	KL							
LT2-220 ML	130.11.084	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

ALFA

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
102	130.01.052	KH			130.06.056	KP	w/o NBL		
109	130.01.052	KH			130.06.056	KP	w/o NBL		
112					130.06.251	KP	w/o NBL		
119					130.06.251	KP	w/o NBL		
127	130.01.031	KH			130.06.128	KP	MF		
157	130.01.031	KH			130.06.128	KP	MF		
184-303	130.08.050	KK			130.08.014	KP	w/o NBL		
185-303	130.08.304	KK			130.08.014	KP	w/o NBL		
185-503	130.08.304	KK			130.08.014	KP	w/o NBL		
201~209	130.05.073	KH			130.06.128	KP	MF		
214~217	130.05.073	KH			130.06.128	KP	MF		
3842					130.06.251	KP	w/o NBL		
3847					130.06.251	KP	w/o NBL		
3940					130.06.251	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

ALTIN

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
8332	130.05.410	KH							
8334	130.05.412	KH							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

AMF-REECE

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
38	130.15.030	KL		Under trimming mach.					
	130.15.030R	KL		Under trimming mach., regulating needle guard					
Atlas	130.15.030	KL		Under trimming mach.					
	130.15.030R	KL		Under trimming mach., regulating needle guard					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

ANKER-PHOENIX

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
29	130.01.046	KH			130.06.348	KP	w/o NBL		
	130.02.030	KH		Jam Proof					
39	130.01.046	KH			130.06.348	KP	w/o NBL		
	130.02.030	KH		Jam Proof					
49	130.01.039	KH			130.06.348	KP	w/o NBL		
280~388	120.00.027	KH							
429	130.01.039	KH			130.06.348	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

ATTILIO FORTE

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
AF 6	130.03.017	KH			130.06.106	KP	w/o NBL		130.00.066
					130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.341
AF 6LG	130.09.000	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
AF 7	130.08.000	KK			130.08.014	KP	w/o NBL		
	130.08.304	KK			130.08.014	KP	w/o NBL		
AF 7 LG	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.08.240	KK			130.08.246	KP	w/o NBL		
	130.08.240R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
AF 7 LG Mod.for Heavy Thread	130.08.690R	KK		Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL		
AF 7 R	130.08.000	KK			130.08.014	KP	w/o NBL		
	130.08.304	KK			130.08.014	KP	w/o NBL		
AF 7.2	130.08.000	KK			130.08.014	KP	w/o NBL		
	130.08.304	KK			130.08.014	KP	w/o NBL		
AF 7.2 LG	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.08.240	KK			130.08.246	KP	w/o NBL		
	130.08.240R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
AF 7.2 LG Mod.for Heavy Thread	130.08.690R	KK		Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL		
AF 8 AR	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		New type, full gib, regulating needle guard	130.08.014	KP	w/o NBL		
AF 8 BLG	130.09.000	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
AF 8 BLGDT	130.09.000	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
AF 8 CF	130.08.497	KK			130.08.499	KP	w/o NBL		
	130.08.682	KK		Thick thread	130.08.686	KP	NBL		
	130.08.688	KK			130.08.686	KP	NBL		
AF 8 CFEL	130.08.497	KK			130.08.499	KP	w/o NBL		
AF 8 CFELCA	130.08.497	KK			130.08.499	KP	w/o NBL		
AF 8 EL	130.08.682	KK		Thick thread	130.08.686	KP	NBL		
	130.08.688	KK			130.08.686	KP	NBL		
AF 8 GIR	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

ATTILIO FORTE (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
AF 8 LG	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.08.240	KK			130.08.246	KP	w/o NBL		
	130.08.240R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.08.682	KK		Thick thread	130.08.686	KP	NBL		
	130.08.688	KK			130.08.686	KP	NBL		
AF 8 LG Mod.for Heavy Thread	130.08.690R	KK		Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL		
AF 8.2	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		New type, full gib, regulating needle guard	130.08.014	KP	w/o NBL		
AF 8.2 CF	130.08.497	KK			130.08.499	KP	w/o NBL		
AF 8.7	130.08.000	KK			130.08.014	KP	w/o NBL		
	130.08.304	KK			130.08.014	KP	w/o NBL		
AF 8.7 AR	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		New type, full gib, regulating needle guard	130.08.014	KP	w/o NBL		
AF 8.7 S	130.08.000	KK			130.08.014	KP	w/o NBL		
	130.08.304	KK			130.08.014	KP	w/o NBL		
AF 10	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.08.240	KK			130.08.246	KP	w/o NBL		
	130.08.240R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
AF 10 Mod.for Heavy Thread	130.08.690R	KK		Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL		
AF 10.2	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.08.240	KK			130.08.246	KP	w/o NBL		
	130.08.240R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
AF 10.2 Mod.for Heavy Thread	130.08.690R	KK		Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL		
AF 2011LG	130.08.100	KK			130.08.109	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

BAOJA

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
BJ 845	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
BJ 1508 NH	130.15.010	KL							
BJ 1560	130.19.020	KH			130.20.000	KP	w/o NBL		130.21.020
BJ 1565	130.19.020	KH			130.20.000	KP	w/o NBL		130.21.020
BJ 8700	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
BJ 8700-7	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC24810	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
GC24820	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

BAOMA

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC0318-1	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC0328	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC06028	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC128 M	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC158-B	130.05.517	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC158-BD	130.05.521	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC158-M	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC158-MD	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC2018	130.11.075	KL							
GC2318	130.11.075	KL							
GC2328	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC2618	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC2638-1	130.08.776	KK		Short gib, cap system	130.08.766	KP	w/o NBL		
GC2638-2	130.11.076	KL							
GC20508-C	130.15.016	KL							
GC20508-M	130.11.084	KL							
GC20538-C	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
GC20538-M	130.16.062	KH		Special hard treatment	130.17.025	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BAOMA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC20608-1	130.15.024	KL							
GC20608-2	130.15.024	KL							
HG 128	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
HG 128 B	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
HG 128 M	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

BAOYU

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
BML-5550	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
BML-8500	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
BML-8500H	130.05.517	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
BML-8700	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

BARATTO

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
158 Serie	130.30.100	KK		Scalloping machine	130.30.120	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

BARUDAN

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
BEAM series	130.01.357	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.357TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.103	KH			130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.103TS	KH		TS coated	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
BEAM	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
BEAT series	130.01.357	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.357TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.103	KH			130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.103TS	KH		TS coated	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
BEAT	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS Coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
BEDR	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BARUDAN (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
BEDSH series	130.01.357	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.357TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.415	KH		Elliptical	130.06.240	KP	NBL		
	130.09.103	KH			130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.103TS	KH		TS coated	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
BEDS	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
BEDSH	130.01.408TS	KH		Under trimming mach., TS Coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
BEDSHE	130.01.408TS	KH		Under trimming mach., TS Coated	130.06.240	KP	NBL		
BEDSME	130.01.408TS	KH		Under trimming mach., TS Coated	130.06.240	KP	NBL		
BEDT	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
BEDX	130.01.408	KH		Under trimming mach., TS Coated	130.06.240	KP	NBL		
BEDYH	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
	130.01.408TS	KH		Under trimming mach., TS Coated	130.06.240	KP	NBL		
BEDYH series	130.01.415	KH		Elliptical	130.06.240	KP	NBL		
BEDY	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
BEDYHE	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
	130.01.408TS	KH		Under trimming mach., TS Coated	130.06.240	KP	NBL		
BEDYHE series	130.01.415	KH		Elliptical	130.06.240	KP	NBL		
BEDYN	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
	130.01.408TS	KH		Under trimming mach., TS Coated	130.06.240	KP	NBL		
BEDYN series	130.01.415	KH		Elliptical	130.06.240	KP	NBL		
Various classes	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.415	KH		Elliptical	130.06.240	KP	NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BARUDAN (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
BEMR series	130.01.357	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.357TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.103	KH			130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.103TS	KH		TS coated	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
BEMR	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS Coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
BEMS series	130.01.357	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.357TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.103	KH			130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.103TS	KH		TS coated	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
BEMS	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS Coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BARUDAN (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
BEMX series	130.01.357	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.357TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.103	KH			130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.103TS	KH		TS coated	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
BEMX	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS Coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
BENR series	130.01.357	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.357TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.103	KH			130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.103TS	KH		TS coated	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
BENR	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS Coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
BENS series	130.01.357	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.357TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.103	KH			130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.103TS	KH		TS coated	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BARUDAN (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
BENS	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS Coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
BENT series	130.01.357	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.357TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.103	KH			130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.103TS	KH		TS coated	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
BENT	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS Coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
BESR series	130.01.357	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.357TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.103	KH			130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.103TS	KH		TS coated	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
BESR	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS Coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
ELITE	130.01.408	KH		Under trimming mach., TS Coated	130.06.240	KP	NBL		
BHDYHE	130.01.408	KH		Under trimming mach.	130.06.348	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

BERNINA

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
Various classes	115.00.250	KH			115.00.050	KP	w/o NBL		
121	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
217	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
217N	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
217N-C	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
317	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
517	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
540	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
542	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
544	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
640	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
740	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
741	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
742	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
744	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
750	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
840	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
841	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
842	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
850	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
851	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
852	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
940	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
950	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

BEYOUNG

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
BM-0318-1	130.09.210	KH			130.10.000	KP	w/o NBL		
BM-8B	130.11.075	KL							
BM-8B-2	130.11.075	KL							
BM-244	130.05.496	KH			130.06.380	KP	NBL		
BM-244V	130.05.496	KH			130.06.380	KP	NBL		
BM-246	130.09.180	KH			130.10.052	KP	NBL		
BM-246V	130.09.180	KH			130.10.052	KP	NBL		
BM-335BH	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
BM-652	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
BM-810	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
BM-810H	130.11.187	KL							
BM-820	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
BM-820H	130.11.187	KL							
BM-842E-003	130.11.084	KL							
BM-842E-005	130.11.084	KL							
BM-872E-005	130.15.016	KL							
BM-1340	130.11.075	KL							
BM-1340V	130.11.075	KL							
BM-1341	130.08.758	KK			130.08.766	KP	w/o NBL		
BM-1341V	130.08.758	KK			130.08.766	KP	w/o NBL		
BM-1510	130.15.010	KL							
BM-1560	130.15.010	KL							
BM-9910	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
BM-9920	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
DB-J706	130.05.271	KH			130.06.019	KP	w/o NBL		
DB-J806	130.09.210	KH			130.10.000	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

BORDA

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
BS-901	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
BS-902	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
BS-906S	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

BOSZE

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DDL-551-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5550N	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5550N-3/7	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5600	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DDL-5600-D3	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-8500	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

BRAMAC

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
N1A	130.08.100	KK			130.08.109	KP	w/o NBL		
N2A	130.08.100	KK			130.08.109	KP	w/o NBL		
N1AR	130.08.697	KK		Under trimming mach.	130.08.701	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

BROTHER

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
BAS-23	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
BAS-36	130.09.082	KH		Full gib	130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.228	KH		Short gib	130.10.007	KP	MF		
					130.10.045	KP	NBL		
BAS-300-G-484	130.09.539	KH		X-thick thread, 3 times large capacity hook	130.10.515	KP	w/o NBL		
	130.09.539L	KH		X-thick thread, noiseless system	130.10.515	KP	w/o NBL		
BAS-300G-01	115.10.011	KH		Hard chromium plated; thick thread	115.11.026	KP	NBL		
BAS-300G-02	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
BAS-300G-03	115.10.011	KH		Hard chromium plated; thick thread	115.11.026	KP	NBL		
BAS-302	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
BAS-304	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
	115.10.011	KH		Hard chromium plated; thick thread	115.11.026	KP	NBL		
BAS-310	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
	115.10.011	KH		Hard chromium plated; thick thread	115.11.026	KP	NBL		
BAS-311	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
	115.10.011	KH		Hard chromium plated; thick thread	115.11.026	KP	NBL		
BAS-311F-01	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
	115.10.011	KH		Hard chromium plated; thick thread	115.11.026	KP	NBL		
BAS-311F-02	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
	115.10.011	KH		Hard chromium plated; thick thread	115.11.026	KP	NBL		
BAS-311F-03	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
	115.10.011	KH		Hard chromium plated; thick thread	115.11.026	KP	NBL		
BAS-311F-F1	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
BAS-311G-01	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
	115.10.011	KH		Hard chromium plated; thick thread	115.11.026	KP	NBL		
BAS-311G-02	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
	115.10.011	KH		Hard chromium plated; thick thread	115.11.026	KP	NBL		
BAS-311G-03	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
	115.10.011	KH		Hard chromium plated; thick thread	115.11.026	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
BAS-314	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
	115.10.011	KH		Hard chromium plated; thick thread	115.11.026	KP	NBL		
BAS-326	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
	115.10.011	KH		Hard chromium plated; thick thread	115.11.026	KP	NBL		
BAS-326F-01	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
BAS-326F-02	115.10.011	KH		Hard chromium plated; thick thread	115.11.026	KP	NBL		
BAS-341	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
	115.10.011	KH		Hard chromium plated; thick thread	115.11.026	KP	NBL		
BAS-342F	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
	115.10.011	KH		Hard chromium plated; thick thread	115.11.026	KP	NBL		
BAS-341F-01	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
BAS-342F-01	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
BAS-350	130.09.082	KH		Full gib	130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.228	KH		Short gib	130.10.007	KP	MF		
					130.10.045	KP	NBL		
BAS-360	130.09.082	KH		Full gib	130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.228	KH		Short gib	130.10.007	KP	MF		
					130.10.045	KP	NBL		
BAS-400	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
BAS-412	130.09.193	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
BAS-416	130.09.193	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
BAS-423	130.09.193	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
BAS-500	130.12.084	KH			130.14.040	KP	NBL		
BAS-610	130.19.045	KH		Cap system, under trimming mach.	130.20.040	KP	w/o NBL		130.21.046
BAS-611	130.19.045	KH		Cap system, under trimming mach.	130.20.040	KP	w/o NBL		130.21.046
BAS-612	130.19.050	KH			130.20.035	KP	w/o NBL		130.21.048
BAS-613	130.19.050	KH			130.20.035	KP	w/o NBL		130.21.048
BAS-701	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
	115.10.011	KH		Hard chromium plated; thick thread	115.11.026	KP	NBL		
BAS-805	130.12.084	KH			130.14.040	KP	NBL		
BAS-810	130.12.084	KH			130.14.040	KP	NBL		
BAS-6150					130.20.030	KP	w/o NBL		
BAS-6200					130.20.030	KP	w/o NBL		
BAS-7050	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
	115.10.011	KH		Hard chromium plated; thick thread	115.11.026	KP	NBL		
BE-0101B-AC	130.09.193	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
BE-438D	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
BE-1204	130.09.235	KH		Elliptical	130.10.039	KP	NBL		
BE-1206	130.09.235	KH		Elliptical	130.10.039	KP	NBL		
BES-940	130.09.242DC20	KH		DC20 coated	130.10.039	KP	NBL		
BES-941	130.09.242DC20	KH		DC20 coated	130.10.039	KP	NBL		
BES-960	130.09.242DC20	KH		DC20 coated	130.10.039	KP	NBL		
BES-961	130.09.242DC20	KH		DC20 coated	130.10.039	KP	NBL		
BES-962	130.09.242DC20	KH		DC20 coated	130.10.039	KP	NBL		
BES-963	130.09.242DC20	KH		DC20 coated	130.10.039	KP	NBL		
BES-1210AC	130.09.193	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
BES-1240	130.09.242DC20	KH		DC20 coated	130.10.039	KP	NBL		
BES-1241	130.09.242DC20	KH		DC20 coated	130.10.039	KP	NBL		
BES-1260	130.09.242DC20	KH		DC20 coated	130.10.039	KP	NBL		
BES-1261	130.09.242DC20	KH		DC20 coated	130.10.039	KP	NBL		
BES-1262	130.09.242DC20	KH		DC20 coated	130.10.039	KP	NBL		
BES-1263	130.09.242DC20	KH		DC20 coated	130.10.039	KP	NBL		
DB1-B755-1	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB1-B760-5	130.01.124	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B705-1	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B705-3	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B705-5	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B705-7	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B706-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B706-3	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B706-5	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.481	KH		X-thick thread	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B707-3	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB2-B714-3	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B714-5	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.481	KH		X-thick thread	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B715-1	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B715-3	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B716-1	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B716-3	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B724	130.09.256	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB2-B735	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B735-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B735-3	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B736	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B736-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB2-B736-3	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B737-1	130.05.414	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B737-3	130.05.414	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B737-5	130.05.543	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B738-3	130.05.414	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B741-3	130.09.082	KH		Full gib	130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB2-B745-5	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB2-B745-7	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB2-B746-5	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB2-B746-7	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB2-B746-8	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB2-B746A	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB2-B748-307	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB2-B748A	130.09.256	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB2-B753	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB2-B755-1	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B755-3	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B755-5	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.481	KH		X-thick thread	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B757	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B757-3-0	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B757-3	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B757-4	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B757-5	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B757-103	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B757-105	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B757-203	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B757-205	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B757-403	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B757-405	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B757-503	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B757-505	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B758	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB2-B760-5	130.01.124	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B767	130.01.124	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B767-5	130.01.124	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B771	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB2-B773	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B774	130.05.414	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B777-3	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B777A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B778	130.05.414	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B781-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B781-2	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B781-3	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B781-3-0	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B781-4	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B781-103	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B781-104	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B781-203	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B781-204	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB2-B781-803	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
					130.06.298	KP	NBL		
DB2-B781-804	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
					130.06.298	KP	NBL		
DB2-B790	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B790-3-0	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B791-3-333	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B792-003	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B792-013	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B792-015	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B792-017	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B792-3	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B792-3-0	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B792-400	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B792-503	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B792-613	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B793	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B793-015	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B793-017	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B793-3	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB2-B793-303	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B793-305	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B795	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B795-013	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B795-313	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B797	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB2-B797-5	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB2-B798	130.09.256	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB2-B7740	130.05.414	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B7741	130.05.414	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-DD-7000	130.05.376DC20	KH		Under Trimming Mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.414	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-DD-7100	130.05.414	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
HE-800A	130.12.218TTN	KH		TTN coated	130.14.058	KP	NBL		
HE-800E	130.12.193	KH		Standard execution	130.14.058	KP	NBL		
	130.12.193TTN	KH		TTN coated	130.14.058	KP	NBL		
	130.12.218TTN	KH		TTN coated	130.14.058	KP	NBL		
HE-8000	130.12.193	KH		Standard execution	130.14.058	KP	NBL		
	130.12.193TTN	KH		TTN coated	130.14.058	KP	NBL		
	130.12.218TTN	KH		TTN coated	130.14.058	KP	NBL		
HE-8000-2	130.12.193	KH		Standard execution	130.14.058	KP	NBL		
	130.12.193TTN	KH		TTN coated	130.14.058	KP	NBL		
	130.12.218TTN	KH		TTN coated	130.14.058	KP	NBL		
HE-8000-3	130.12.193	KH		Standard execution	130.14.058	KP	NBL		
	130.12.193TTN	KH		TTN coated	130.14.058	KP	NBL		
	130.12.218TTN	KH		TTN coated	130.14.058	KP	NBL		
HE-8000-5	130.12.193	KH		Standard execution	130.14.058	KP	NBL		
	130.12.193TTN	KH		TTN coated	130.14.058	KP	NBL		
	130.12.218TTN	KH		TTN coated	130.14.058	KP	NBL		
KE-430C	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
KE-430C-1	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
	115.10.010	KH			115.11.026	KP	NBL		
KE-430C-2	115.00.276	KH							
	115.10.011	KH			115.11.026	KP	NBL		
KE-430C-7	115.00.275	KH			115.00.310	KP	NBL		
KE-430D-01	115.10.010	KH		Hard chromium plated; light thread	115.11.026	KP	NBL		
KE-430D-02	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
	115.10.011	KH		Hard chromium plated; thick thread	115.11.026	KP	NBL		
KE-430D-07	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
KE-430D-0F	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
KE-431C-2	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
	115.10.010	KH			115.11.026	KP	NBL		
KE-431C-3	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
	115.10.010	KH			115.11.026	KP	NBL		
KE-432C	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
	115.10.010	KH			115.11.026	KP	NBL		
KE-484C	130.09.500	KH		Short gib, thick thread, 3 times large capacity hook, FA	130.10.500	KP	NBL		
					130.10.510	KP	w/o NBL		
					130.10.515	KP	w/o NBL		
	130.09.506	KH		Full gib, light-medium thread, 3 times large capacity hook, FA	130.10.510	KP	w/o NBL		
					130.10.515	KP	w/o NBL		
	130.09.511	KH		Short gib, w/ long hook point, 3 times large capacity hook, FA	130.10.510	KP	w/o NBL		
					130.10.515	KP	w/o NBL		
	130.09.514	KH		Short gib, X-thick thread, 3 times large capacity hook, FB	130.10.510	KP	w/o NBL		
					130.10.515	KP	w/o NBL		
	130.09.539	KH		X-thick thread, FB	130.10.510	KP	w/o NBL		
					130.10.515	KP	w/o NBL		
	130.09.539L	KH		X-thick thread, FB, noiseless system	130.10.510	KP	w/o NBL		
					130.10.515	KP	w/o NBL		
KE-484C-X	130.09.514	KH		Short gib, X-thick thread, 3 times large capacity hook, FB	130.10.510	KP	w/o NBL		
					130.10.515	KP	w/o NBL		
	130.09.539	KH		X-thick thread, FB	130.10.510	KP	w/o NBL		
					130.10.515	KP	w/o NBL		
	130.09.539L	KH		X-thick thread, FB, noiseless system	130.10.510	KP	w/o NBL		
					130.10.515	KP	w/o NBL		
LE2-B861-1	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
LE2-B861-7	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
LH4-800E	130.12.193	KH		Standard execution	130.14.058	KP	NBL		
	130.12.193TTN	KH		TTN coated	130.14.058	KP	NBL		
LH4-B814	130.12.091	KH			130.14.015	KP	NBL		130.12.090

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LH4-B814-2	130.12.091	KH			130.14.015	KP	NBL		130.12.090
LH4-B814-3	130.12.091	KH			130.14.015	KP	NBL		130.12.090
LH4-B814-4	130.12.091	KH			130.14.015	KP	NBL		130.12.090
LH4-B815	130.12.084	KH			130.14.040	KP	NBL		
LK3-B430-1	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
LK3-B430-2	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
LK3-B430-3	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
LK3-B430-4	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
LK3-B430-5	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
LK3-B430-6	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
LK3-B430-7	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
LK3-B430-8	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
LK3-B430-9	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
LK3-B430E	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
LK3-B431E	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
LK3-B432E	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
LK3-B433E	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
LK3-B434E	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
LK3-B435	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
LK3-B436	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
LK3-B438E	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
LK3-B441	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LK3-B484	130.09.500	KH		Short gib, thick thread, 3 times large capacity hook, FA	130.10.500	KP	NBL		
					130.10.510	KP	w/o NBL		
					130.10.515	KP	w/o NBL		
	130.09.506	KH		Full gib, light-medium thread, 3 times large capacity hook, FA	130.10.510	KP	w/o NBL		
					130.10.515	KP	w/o NBL		
	130.09.511	KH		Short gib, w/ long hook point, 3 times large capacity hook, FA	130.10.510	KP	w/o NBL		
					130.10.515	KP	w/o NBL		
	130.09.514	KH		Short gib, X-thick thread, 3 times large capacity hook, FB	130.10.510	KP	w/o NBL		
					130.10.515	KP	w/o NBL		
	130.09.539	KH		X-thick thread, FB	130.10.510	KP	w/o NBL		
					130.10.515	KP	w/o NBL		
	130.09.539L	KH		X-thick thread, FB, noiseless system	130.10.510	KP	w/o NBL		
					130.10.515	KP	w/o NBL		
LK3-B4300E	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
LK3-B4310E	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
LK3-B4320E	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
LK3-B4330E	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
LK3-B4340E	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
LK3-B4350E	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
LK3-B4380E	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
LS2-B883	130.19.045	KH		Standard execution, under trimming mach.	130.20.040	KP	w/o NBL		130.21.046
LS2-B891	130.13.291	KL		Under trimming mach.					
	130.13.400	KL		Under trimming mach., thick thread					
LT2-B831	130.11.078	KL							
	130.11.201	KL							
LT2-B831-1	130.11.078	KL							
LT2-B831-3	130.11.078	KL							
LT2-B831-5	130.11.116	KL							
LT2-B832	130.11.201	KL							
LT2-B832-1	130.11.078	KL							
LT2-B832-3	130.11.078	KL							
LT2-B832-3-0	130.11.201	KL							
LT2-B832-5	130.11.116	KL		Cap system					
	130.11.201	KL		Drop-in version					
LT2-B832-401	130.11.201	KL							
LT2-B832-403	130.11.201	KL							
LT2-B833	130.11.078	KL							
LT2-B835-3	130.16.000	KH			130.17.000	KP	w/o NBL		130.18.000
LT2-B835-5	130.16.000	KH			130.17.000	KP	w/o NBL		130.18.000
LT2-B835-800	130.16.000	KH			130.17.000	KP	w/o NBL		130.18.000
LT2-B836	130.19.015	KH			130.20.010	KP	w/o NBL		130.21.015
LT2-B836-3	130.19.015	KH			130.20.010	KP	w/o NBL		130.21.015

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LT2-B837	130.15.050	KL							
	130.15.155	KL							
LT2-B837-5	130.15.050	KL							
	130.15.155	KL							
LT2-B838	130.15.061	KL							
LT2-B838-5	130.15.061	KL							
LT2-B841	130.11.216	KL							
	130.16.055	KH		Cap system	130.17.035	KP	w/o NBL		130.18.055
LT2-B841-1	130.16.055	KH		Cap system	130.17.035	KP	w/o NBL		130.18.055
LT2-B841-3	130.11.216	KL		Standard execution					
LT2-B841-5	130.11.131	KL		Standard execution					
LT2-B842	130.11.219	KL		Drop-in version					
	130.16.061	KH		Cap system, thick thread	130.17.035	KP	w/o NBL		130.18.061
LT2-B842-1	130.11.216	KL		Standard execution					
LT2-B842-3	130.11.216	KL		Standard execution					
LT2-B842-5	130.11.131	KL		Standard execution					
LT2-B842-403	130.11.219	KL		Drop-in version					
	130.16.061	KH		Cap system	130.17.035	KP	w/o NBL		130.18.061
LT2-B842-405	130.11.219	KL		Drop-in version					
	130.16.061	KH		Cap system					
LT2-B842-903	130.11.219	KL		Drop-in version					
	130.16.061	KH		Cap system	130.17.035	KP	w/o NBL		130.18.061
LT2-B842-905	130.11.219	KL		Drop-in version					
	130.16.061	KH		Cap system	130.17.035	KP	w/o NBL		130.18.061
LT2-B845	130.16.053	KH		Cap system	130.17.025	KP	w/o NBL		130.18.053
	130.16.059	KH		Under trimming mach., cap system	130.17.030	KP	w/o NBL		130.18.059
LT2-B845-3	130.16.053	KH		Cap system	130.17.025	KP	w/o NBL		130.18.053
LT2-B845-5	130.16.053	KH		Cap system	130.17.025	KP	w/o NBL		130.18.053
LT2-B845-7	130.16.053	KH		Cap system	130.17.025	KP	w/o NBL		130.18.053
LT2-B845-403	130.16.059	KH		Under trimming mach., cap system	130.17.030	KP	w/o NBL		130.18.059
	130.16.061	KH			130.17.030	KP	w/o NBL		
LT2-B845-405	130.16.059	KH		Under trimming mach., cap system	130.17.030	KP	w/o NBL		130.18.059
	130.16.061	KH			130.17.030	KP	w/o NBL		
LT2-B845-407	130.16.059	KH		Under trimming mach., cap system	130.17.030	KP	w/o NBL		130.18.059
	130.16.061	KH			130.17.030	KP	w/o NBL		
LT2-B845-903	130.16.059	KH		Under trimming mach., cap system	130.17.030	KP	w/o NBL		130.18.059
	130.16.061	KH			130.17.030	KP	w/o NBL		
LT2-B845-905	130.16.059	KH		Under trimming mach., cap system	130.17.030	KP	w/o NBL		130.18.059
	130.16.061	KH			130.17.030	KP	w/o NBL		
LT2-B845-907	130.16.059	KH		Under trimming mach., cap system	130.17.030	KP	w/o NBL		130.18.059
	130.16.061	KH			130.17.030	KP	w/o NBL		
LT2-B847	130.11.216	KL		Drop-in version, standard execution					
	130.11.219	KL		Drop-in version, standard execution					
	130.16.055	KH		Cap system, standard execution	130.17.035	KP	w/o NBL		130.18.055
	130.16.061	KH		Cap system	130.17.035	KP	w/o NBL		130.18.061

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LT2-B847-1	130.11.216	KL		Standard execution					
	130.16.055	KH		Cap system, standard execution	130.17.035	KP	w/o NBL		130.18.055
LT2-B847-401	130.11.219	KL		Drop-in version					
	130.16.061	KH			130.17.035	KP	w/o NBL		130.18.061
LT2-B847-901	130.11.219	KL		Drop-in version					
	130.16.061	KH			130.17.035	KP	w/o NBL		130.18.061
LT2-B848	130.16.053	KH		Cap system	130.17.025	KP	w/o NBL		130.18.053
	130.16.059	KH		Under trimming mach., cap system	130.17.030	KP	w/o NBL		130.18.059
LT2-B848-1	130.16.053	KH		Cap system	130.17.025	KP	w/o NBL		130.18.053
LT2-B848-401	130.16.059	KH		Under trimming mach., cap system	130.17.030	KP	w/o NBL		130.18.059
	130.16.061	KH			130.17.030	KP	w/o NBL		
LT2-B872	130.15.128	KL		Drop-in version					
	130.19.045	KH		Cap system, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
LT2-B872-3	130.15.128	KL		Drop-in version					
	130.19.045	KH		Cap system, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
LT2-B872-5	130.15.128	KL		Drop-in version					
	130.19.045	KH		Cap system, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
LT2-B872-403	130.15.128	KL		Drop-in version					
	130.19.045	KH		Cap system, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
LT2-B872-405	130.15.128	KL		Drop-in version					
	130.19.045	KH		Cap system, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
LT2-B872-903	130.15.128	KL		Drop-in version					
	130.19.045	KH		Cap system, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
LT2-B872-905	130.15.128	KL		Drop-in version					
	130.19.045	KH		Cap system, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
LT2-B875	130.19.045	KH		Cap system, under trimming mach.	130.20.040	KP	w/o NBL		130.21.046
	130.19.050	KH			130.20.035	KP	w/o NBL		130.21.048
LT2-B875-3	130.19.050	KH			130.20.035	KP	w/o NBL		130.21.048
LT2-B875-5	130.19.050	KH			130.20.035	KP	w/o NBL		130.21.048
LT2-B875-7	130.19.050	KH			130.20.035	KP	w/o NBL		130.21.048
LT2-B875-403	130.19.045	KH		Cap system, under trimming mach.	130.20.040	KP	w/o NBL		130.21.046
LT2-B875-405	130.19.045	KH		Cap system, under trimming mach.	130.20.040	KP	w/o NBL		130.21.046
LT2-B875-407	130.19.045	KH		Cap system, under trimming mach.	130.20.040	KP	w/o NBL		130.21.046
LT2-B875-903	130.19.045	KH		Cap system, under trimming mach.	130.20.040	KP	w/o NBL		130.21.046
LT2-B875-905	130.19.045	KH		Cap system, under trimming mach.	130.20.040	KP	w/o NBL		130.21.046
LT2-B882	130.15.090	KL							
LT2-B892	130.13.291	KL		Under trimming mach.					
	130.13.400	KL		Under trimming mach., thick thread					
LZ2-B852	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LZ2-B853	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
LZ2-B854	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
S-6200DD-403	130.05.543	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
S-6200DD-405	130.05.543	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
S-7200A	130.05.376DC20	KH		Under Trimming Mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
S-7200A-403	130.05.414	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
S-7200A-405	130.05.543	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
S-7200A-433	130.05.414	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
S-7200B	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
S-7200B-305	130.05.543	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
S-7220B-405	130.05.543	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
SL-737A-5	130.05.543	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
SL-737A series	130.05.414	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
SL-746A	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
SL-746A-5	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
SL-777A-3	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
SL-778A-3	130.05.414	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
SL-1010-3	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
SL-2010-3	130.05.414	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
SN-771A-3	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
SN-7230-5	130.09.256	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
SN-7240-5	130.09.256	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
T-8420A-003	130.11.216	KL							
T-8420A-005	130.11.131	KL		Standard execution					
T-8420A-00F	130.11.216	KL							
T-8420A-033	130.11.216	KL							
T-8420A-03F	130.11.216	KL							
T-8421A	130.11.216	KL							
T-8421A-T03	130.11.216	KL							
	130.16.055	KH		Cap system	130.17.035	KP	w/o NBL		130.18.055
T-8421A-T05	130.11.131	KL		Standard execution					
T-8421A-T33	130.11.216	KL							
T-8421A-T3F	130.11.216	KL							
T-8422A	130.11.219	KL		Drop-in version					
T-8422A-403	130.11.219	KL		Drop-in version					
	130.16.061	KH		Cap system	130.17.035	KP	w/o NBL		130.18.061
T-8422A-405	130.11.219	KL		Drop-in version					
T-8422A-433	130.11.219	KL		Drop-in version					
T-8450A-003	130.16.053	KH		Cap system	130.17.025	KP	w/o NBL		130.18.053
T-8450A-005	130.16.053	KH		Cap system	130.17.025	KP	w/o NBL		130.18.053
T-8450A-033	130.16.053	KH		Cap system	130.17.025	KP	w/o NBL		130.18.053
T-8452A-403	130.16.059	KH		Under trimming mach., cap system	130.17.030	KP	w/o NBL		130.18.059
T-8452A-405	130.16.059	KH		Under trimming mach., cap system	130.17.030	KP	w/o NBL		130.18.059
T-8452A-406	130.16.059	KH		Under trimming mach., cap system	130.17.030	KP	w/o NBL		130.18.059
T-8452A-433	130.16.059	KH		Under trimming mach., cap system	130.17.030	KP	w/o NBL		130.18.059
T-8720A-003	130.15.128	KL		Drop-in version					
T-8720A-005	130.15.128	KL		Drop-in version					
T-8722A-403	130.19.045	KH		Cap system, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
T-8722A-405	130.19.045	KH		Cap system, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
T-8750A-003	130.19.050	KH			130.20.035	KP	w/o NBL		130.21.048
T-8750A-005	130.19.050	KH			130.20.035	KP	w/o NBL		130.21.048
T-8752A-403	130.19.045	KH		Cap system, under trimming mach.	130.20.040	KP	w/o NBL		130.21.046
T-8752A-405	130.19.045	KH		Cap system, under trimming mach.	130.20.040	KP	w/o NBL		130.21.046
TL-847A	130.11.216	KL							
TL-847B	130.11.219	KL		Drop-in version					
TL-848A	130.16.053	KH		Cap system	130.17.025	KP	w/o NBL		130.18.053
TL-848B	130.16.061	KH			130.17.030	KP	w/o NBL		
TN-842A-003	130.11.216	KL							
TN-842A-005	130.11.131	KL		Standard execution					
TN-842A-00F	130.11.216	KL							
TN-842B-403	130.11.219	KL		Drop-in version					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
TN-842B-405	130.11.219	KL		Drop-in version					
TN-842B-40F	130.11.219	KL		Drop-in version					
	130.16.061	KH			130.17.035	KP	w/o NBL		130.18.061
TN-845A-003	130.16.053	KH		Cap system	130.17.025	KP	w/o NBL		130.18.053
TN-845A-005	130.16.053	KH		Cap system	130.17.025	KP	w/o NBL		130.18.053
TN-845A-403	130.16.059	KH		Cap system	130.17.030	KP	w/o NBL		130.18.059
TN-845A-405	130.16.059	KH		Cap system	130.17.030	KP	w/o NBL		130.18.059
TN-845B	130.16.059	KH		Cap system	130.17.030	KP	w/o NBL		130.18.059
TN-845B-003	130.16.053	KH		Cap system	130.17.025	KP	w/o NBL		130.18.053
TN-845B-005	130.16.053	KH		Cap system	130.17.025	KP	w/o NBL		130.18.053
TN-845B-401	130.16.059	KH		Under trimming mach., cap system	130.17.030	KP	w/o NBL		130.18.059
TN-845B-403	130.16.059	KH		Under trimming mach., cap system	130.17.030	KP	w/o NBL		130.18.059
TN-845B-405	130.16.059	KH		Under trimming mach., cap system	130.17.030	KP	w/o NBL		130.18.059
TN-872A-003	130.15.128	KL		Drop-in version					
TN-872A-005	130.15.128	KL		Drop-in version					
TN-872A-3	130.15.128	KL		Drop-in version					
TN-872A-5	130.15.128	KL		Drop-in version					
TN-872B-3	130.19.045	KH		Cap system, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
TN-872B-5	130.19.045	KH		Cap system, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
TN-872B-403	130.19.045	KH		Cap system, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
TN-872B-405	130.19.045	KH		Cap system, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
TN-875A-3	130.19.050	KH			130.20.035	KP	w/o NBL		130.21.048
TN-875A-5	130.19.050	KH			130.20.035	KP	w/o NBL		130.21.048
TN-875A-7	130.19.050	KH			130.20.035	KP	w/o NBL		130.21.048
TN-875A-003	130.19.050	KH			130.20.035	KP	w/o NBL		130.21.048
TN-875A-005	130.19.050	KH			130.20.035	KP	w/o NBL		130.21.048
TZ1-B651	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
TZ1-B652	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
Z series	130.12.223TTN	KH		TTN coated	130.14.060	KP	NBL		
ZE series	130.12.223TTN	KH		TTN coated	130.14.060	KP	NBL		
Z-8560A-431-018	130.12.223TTN	KH		TTN coated					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

BUTTERFLY

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC16-1	130.12.091	KH			130.14.015	KP	NBL		130.12.090
GC2-1	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GC25-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC25-2	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC57-1	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GC2601	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GG2-1	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GG3-1	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
GG305-1	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GG305-2	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GY4-1	130.12.186	KH			130.14.050	KP	w/o NBL		
					130.14.052	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

C.M.C.I.

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
C997/M0 cp	130.03.017	KH			130.06.172	KP	MF		
C997/M0-0 cp	130.03.017	KH			130.06.172	KP	MF		
C997/M0-0-CA cp	130.03.017	KH			130.06.172	KP	MF		
C997/M0-0/TD cp	130.03.017	KH			130.06.172	KP	MF		
C997/M0-CA cp	130.03.017	KH			130.06.172	KP	MF		
C997/M0-R cp	130.03.017	KH			130.06.172	KP	MF		
C997/M0-R-CA cp	130.03.017	KH			130.06.172	KP	MF		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

CADDIE

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DL-810	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
DL-820	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
DL-845-3	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
DL-845-5	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
DL-875-3	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
DL-875-5					130.20.035	KP	w/o NBL		
DL-1508 NH	130.15.010	KL							
DL-1565	130.19.020	KH			130.20.000	KP	w/o NBL		130.21.020
DL-8365	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
DL-8500	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

CHANDLER

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
267	130.09.180	KH			130.10.052	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

CHIKON

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CK-8BL	130.09.123	KH			130.10.052	KP	NBL		
	130.09.123L	KH		Noiseless system	130.10.052	KP	NBL		
CK-8BL-1	130.09.123	KH			130.10.052	KP	NBL		
	130.09.123L	KH		Noiseless system	130.10.052	KP	NBL		
CK-563	130.15.010	KL							
CK-1461	112.00.050	KK							
CK-1508	130.15.010	KL							
CK-1541	130.09.180	KH			130.10.052	KP	NBL		
CK-1541-25	130.09.180	KH			130.10.052	KP	NBL		
CK-1560	130.15.010	KL							
STH-8BL	130.09.123	KH			130.10.052	KP	NBL		
	130.09.123L	KH		Noiseless system	130.10.052	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

CHINA (various china manufacturers)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
335	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
430	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
810	130.11.075	KL							
	130.11.165	KL		Peripheral needle guards					
	130.11.165R	KL		Regulating needle guard					
	130.11.205	KL		Thick thread					
820	130.11.075	KL							
	130.11.165	KL		Peripheral needle guards					
	130.11.165R	KL		Regulating needle guard					
	130.11.205	KL		Thick thread					
845	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
	130.16.053	KH		Standard execution	130.17.025	KP	w/o NBL		130.18.053
872	130.15.128	KL		Light thread					
875	130.19.050	KH		Light thread	130.20.035	KP	w/o NBL		130.21.048
5550	130.05.376	KH		Light thread	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		Light thread, DC20 coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
6850	130.05.271	KH		Light thread	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
8500	130.05.235	KH		Light thread	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
8700	130.05.235	KH		Light thread	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
G 15-1	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
G 15-2	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

CHINA (various china manufacturers) (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
G 15-4	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
G 16-1	130.12.068	KH			130.14.010	KP	w/o NBL		130.12.067
					130.14.015	KP	NBL		130.12.066
GC 1-1~4	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 1-23	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 2-2	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6-1-D3	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6-5 Quilting	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 15-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 15-2	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 28-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 30-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

CHINA (various china manufacturers) (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 30-2	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 30-3	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 34	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 212-3	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GG 0801	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GG 0802	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GG 0803	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GG 0805	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GG 1-1	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GG 2-1	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GG 2-2	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GG 4	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GG 12-1	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GG 12-11	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GY-embroidery	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

CHIYODA

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LZ-201	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

CHRCH - CHURCHILL

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
QJ 0302	130.09.009	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
QJ 781	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
QJ 842-3	130.11.216	KL		Standard execution					
QJ 842-5	130.11.131	KL		Standard execution					
QJ 845	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
QJ 872	130.15.128	KL		Standard execution					
QJ 875	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
QJ 2230 B	130.15.016	KL							
QJ 2230 M	130.11.084	KL							
QJ 2250	130.16.053	KH		Standard execution	130.17.000	KP	w/o NBL		
	130.16.062	KH		Special hard treatment	130.17.025	KP	w/o NBL		
QJ 2250 B	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
QJ 5200	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
QJ 5550	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
QJ 8700	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
QJ 8700 -N	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
QJ 8900	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

CHUANG NENG

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CN-110	130.05.271	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CN-915-3	130.09.023	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.023TS	KH		TS coated	130.10.013	KP	MF		
					130.10.050	KP	NBL		
CN-915-5	130.09.023	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.023TS	KH		TS coated	130.10.013	KP	MF		
					130.10.050	KP	NBL		
CN-990-3	130.05.235	KH		Full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CN-990-5	130.05.271	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CN-990-7	130.05.271	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CN-991-3	130.05.376	KH		Full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		Full gib, DC20 coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.479	KH		Short gib	130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

CHUANG NENG (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CN-991-5	130.05.376	KH		Full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		Full gib, DC20 coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.479	KH		Short gib	130.06.125	KP	MF		
					130.06.298	KP	NBL		
CN-991-7	130.05.376	KH		Full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		Full gib, DC20 coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.479	KH		Short gib	130.06.125	KP	MF		
					130.06.298	KP	NBL		
CN-992-3	130.05.376	KH		Full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		Full gib, DC20 coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.479	KH		Short gib	130.06.125	KP	MF		
					130.06.298	KP	NBL		
CN-992-5	130.05.376	KH		Full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		Full gib, DC20 coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.479	KH		Short gib	130.06.125	KP	MF		
					130.06.298	KP	NBL		
CN-992-7	130.05.376	KH		Full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		Full gib, DC20 coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.479	KH		Short gib	130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

CIUCANI

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
201-11A	112.00.050	KK							
MC-06	130.08.478	KK			130.08.491	KP	w/o NBL		
MC-88	130.08.478	KK			130.08.491	KP	w/o NBL		
MC-89	130.08.478	KK			130.08.491	KP	w/o NBL		
MC-99	130.08.478	KK			130.08.491	KP	w/o NBL		
MC-747	130.08.478	KK			130.08.491	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

COLUMBIA

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
N 430	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
N 430-2	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

CONSEW

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
18	115.00.018	KH			115.00.019	KP	w/o NBL		
30	115.00.110	KH			115.00.111	KP	w/o NBL		
98	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
99	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
100	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
101	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
103	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
105	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
118	115.00.018	KH			115.00.019	KP	w/o NBL		
120	130.09.000	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
133 A	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
137	130.11.000	KL							
139	130.11.000	KL							
139 R-1	130.11.000	KL							
145 RB	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
146 RB	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
146 RBL	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
175 RB	130.09.023	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
	130.09.023TS	KH		TS coated	130.10.013	KP	MF		
					130.10.050	KP	NBL		
176	130.09.009	KH		Under trimming mach.	130.10.015	KP	MF		
					130.10.048	KP	NBL		
199 R	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
199 RB	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

CONSEW (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
199 RBL	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
205 RB	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.039	KP	NBL		
					130.10.045	KP	NBL		
206 RB	130.09.123	KH			130.10.039	KP	NBL		
					130.10.052	KP	NBL		
	130.09.123L	KH		Noiseless system	130.10.039	KP	NBL		
					130.10.052	KP	NBL		
206 RB-5	130.09.123	KH			130.10.052	KP	NBL		
	130.09.123L	KH		Noiseless system	130.10.052	KP	NBL		
206 RBL-25	130.09.123	KH			130.10.052	KP	NBL		
	130.09.123L	KH		Noiseless system	130.10.052	KP	NBL		
206 RBLATCL	130.09.123	KH			130.10.052	KP	NBL		
	130.09.123L	KH		Noiseless system	130.10.052	KP	NBL		
207	130.11.076	KL		Full gib					
210	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
210B	130.05.250	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
218	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
219	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
223	130.11.076	KL		Full gib					
223 R	130.11.076	KL		Full gib					
223 R-1	130.11.076	KL		Full gib					
224	130.11.000	KL							
224 R-1	130.11.000	KL							
225	130.11.000	KL							
225 VM	130.11.000	KL							
225 VMG	130.11.000	KL							
226	130.11.000	KL							
226 R-2	130.11.000	KL							
226 RVM 2	130.11.000	KL							
227 series	130.11.076	KL							
228	130.11.075	KL		Short gib, forked tension spring					
228-11	130.11.075	KL		Short gib, forked tension spring					
228 R-1	130.11.075	KL		Short gib, forked tension spring					
	130.11.205	KL		Thick thread					
228 R-11	130.11.075	KL		Short gib, forked tension spring					
	130.11.205	KL		Thick thread					
229	130.11.075	KL		Short gib, forked tension spring					
229 R	130.11.075	KL		Short gib, forked tension spring					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

CONSEW (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
229 R-1	130.11.075	KL		Short gib, forked tension spring					
230	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
230 B	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
231 R	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
231 RH	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
237	130.11.000	KL							
238	130.11.065	KL		Short gib					
	130.11.075	KL		Short gib, forked tension spring					
238R-1	130.11.065	KL		Short gib					
	130.11.075	KL		Short gib, forked tension spring					
239	130.11.000	KL							
244	130.15.050	KL							
	130.15.155	KL							
244 B	130.15.050	KL							
244 BL	130.15.050	KL							
244 RB	130.15.050	KL							
244 RB-1	130.15.050	KL							
244 RBL-1	130.15.050	KL							
245	130.11.000	KL							
254 B	130.15.050	KL							
	130.15.155	KL							
254 BH	130.15.050	KL							
254 RB-1	130.15.050	KL							
254 RB-2	130.15.050	KL							
254 RBH-1	130.15.050	KL							
254 RBL-2	130.15.050	KL							
255	130.15.050	KL							
	130.15.155	KL							
255 B	130.15.050	KL							
255 BL	130.15.050	KL							
255 BV	130.15.050	KL							
255 RB	130.15.050	KL							
255 RB-1	130.15.050	KL							
255 RBL-1	130.15.050	KL							
255 RBV-1	130.15.050	KL							
255 RB-2	130.15.050	KL							
255 RB-2S	130.15.050	KL							
255 RBL-3	130.15.050	KL							
255 RB+2TA	130.15.050	KL							
266 R-1	130.11.000	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

CONSEW (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
277 R	130.03.040	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
277 R-2	130.03.040	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
277 RB	130.03.040	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
277 RFS	130.03.040	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
278 R-1	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
278 RB-1	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
278 RBL-1	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
278 RBLH-1	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
282	130.11.065	KL		Short gib					
	130.11.075	KL		Short gib, forked tension spring					
282 R-1	130.11.065	KL		Short gib					
	130.11.075	KL		Short gib, forked tension spring					
282 RB-1	130.15.075	KL							
287	130.11.076	KL							
287 R-1	130.11.076	KL							
288 R-1	130.11.065	KL		Short gib					
288 RB-1	130.15.075	KL							
289	130.11.065	KL		Short gib					
	130.11.075	KL		Short gib, forked tension spring					
289 B	130.15.075	KL							
289 R-1	130.11.065	KL		Short gib					
289 RB-1	130.15.075	KL							
290	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
290 R	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

CONSEW (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
290 RATCW	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
290 RTC	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
290 RTCW	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
291 R	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
291 RH	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
291 RATCW	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
306 RB	130.09.123	KH			130.10.052	KP	NBL		
	130.09.123L	KH		Noiseless system	130.10.052	KP	NBL		
310	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
312 RATC	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
314 RATC	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

CONSEW (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
315 R	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
315-1R	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
315-1RH	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
315-1RATC	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
318 R	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
318-1 RATC	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
318-1 RH	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
327 R-1	130.16.000	KH			130.17.000	KP	w/o NBL		130.18.000
327 RB-1	130.19.035	KH		Full gib	130.20.020	KP	w/o NBL		130.21.035
	130.19.040	KH		Short gib	130.20.020	KP	w/o NBL		130.21.040
328 RB-1	130.19.035	KH		Full gib	130.20.020	KP	w/o NBL		130.21.035
	130.19.040	KH		Short gib	130.20.020	KP	w/o NBL		130.21.040
329 RB-1	130.15.075	KL							
332	130.11.078	KL							
332 R	130.11.078	KL							
332 R-1	130.11.078	KL							
332 RK-1	130.11.078	KL							
333	130.15.061	KL							
333 B	130.15.061	KL							
333 BL	130.15.061	KL							
333 R	130.15.061	KL							
333 RB1	130.15.061	KL							
333 RBL-1	130.15.061	KL							
339	130.15.061	KL							
339 B	130.15.061	KL							
339 BL	130.15.061	KL							
339 R	130.15.061	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

CONSEW (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
339 RB-2	130.15.061	KL							
339 RBL-3	130.15.061	KL							
347R	130.12.150	KH			130.14.017	KP	w/o NBL		130.12.160
					130.14.021	KP	NBL		
347R-1A	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
347R-2A	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
347R-3A	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
357	130.11.075	KL							
357 R-1	130.11.187	KL							
358	130.11.075	KL							
358 R-1	130.11.187	KL							
359	130.11.075	KL		Short gib, forked tension spring					
359 R-1	130.11.187	KL							
362	130.11.065	KL		Short gib					
	130.11.075	KL		Short gib, forked tension spring					
369 RB-1	130.15.075	KL							
382	130.11.065	KL		Short gib					
	130.11.075	KL		Short gib, forked tension spring					
	130.11.076	KL		Full gib					
382 R	130.11.065	KL		Short gib					
	130.11.075	KL		Short gib, forked tension spring					
	130.11.076	KL		Full gib					
382 R-1	130.11.065	KL		Short gib					
	130.11.075	KL		Short gib, forked tension spring					
	130.11.076	KL		Full gib					
	130.11.187	KL							
382 RB-1	130.15.075	KL		Short gib					
388	130.11.065	KL		Short gib					
	130.11.075	KL		Short gib, forked tension spring					
	130.11.076	KL		Full gib					
388 R-1	130.11.065	KL		Short gib					
	130.11.075	KL		Short gib, forked tension spring					
	130.11.076	KL		Full gib					
388 RB-1	130.15.075	KL		Short gib					
389	130.11.065	KL		Short gib					
	130.11.075	KL		Short gib, forked tension spring					
	130.11.076	KL		Full gib					
389 R-1	130.11.065	KL		Short gib					
	130.11.075	KL		Short gib, forked tension spring					
	130.11.076	KL		Full gib					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

CONSEW (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
389 RB-1	130.15.064	KL							
389 RB-HP-1	130.15.064	KL							
457G	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
701 ATC	130.08.507	KK			130.08.505	KP	w/o NBL		
722	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
757	112.00.050	KK							
825	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
5457R	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
5457R-3	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
5457R-43	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
7360R	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
7360RB	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
7360RH	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
7360RH-R	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

CONSEW (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CM-1201CLT	130.01.408	KH		Embroidery, under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408DC20	KH		Embroidery, DC20 coated, under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
CW series	130.11.076	KL							
DLS600	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

CORNELY

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
10	130.16.063	KH			130.17.020	KP	w/o NBL		130.18.063
12	130.16.063	KH			130.17.020	KP	w/o NBL		130.18.063

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

DADILI

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB2-B111-3	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B111-5	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LT2-B842-3	130.11.216	KL		Standard execution					
LT2-B842-5	130.11.131	KL		Standard execution					
LT2-B845-3	130.16.053	KH		Cap system	130.17.025	KP	w/o NBL		130.18.053
					130.17.040	KP	w/o NBL		130.18.058
LT2-B845-5	130.16.053	KH		Cap system, standard execution	130.17.025	KP	w/o NBL		130.18.053
					130.17.040	KP	w/o NBL		130.18.058
LT2-B872-3	130.15.128	KL		Drop-in version					
LT2-B872-5	130.15.128	KL		Drop-in version					
LT2-B875-3	130.19.050	KH		Cap system	130.20.035	KP	w/o NBL		130.21.048
LT2-B875-5	130.19.050	KH		Cap system	130.20.035	KP	w/o NBL		130.21.048

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

DALIAN

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
G18	130.12.186	KH			130.14.050	KP	w/o NBL		
					130.14.052	KP	NBL		
GD 2308	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
GI3	130.12.068	KH			130.14.010	KP	w/o NBL		130.12.067

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

DAMEI

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GY09-902~920 (ALL CLASSES)	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

DAYANG

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DY-430	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
DY-845A	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

DIAMOND

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
TB-335	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
TB-471	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
TB-491	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
TB-545	130.08.100	KK			130.08.109	KP	w/o NBL		
TB-546	130.08.100	KK			130.08.109	KP	w/o NBL		
TB-810	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
TB-820	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
TB-1245	130.08.273	KK			130.08.109	KP	w/o NBL		
TB-1246	130.08.273	KK			130.08.109	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

DÜRKOPP-ADLER

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
37	115.00.110	KH			115.00.111	KP	w/o NBL		
67	130.08.341	KK		Full gib	130.08.342	KP	w/o NBL		
	130.08.343	KK		Short gib, thick thread	130.08.344	KP	w/o NBL		
68	130.08.341	KK		Full gib, light thread	130.08.342	KP	w/o NBL		
	130.08.343	KK		Short gib	130.08.344	KP	w/o NBL		
69	130.03.040	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
91	130.12.026	KH			130.14.015	KP	NBL		130.12.042
96	130.01.000	KH			130.06.019	KP	w/o NBL		
	130.01.025	KH			130.06.019	KP	w/o NBL		
					130.06.065	KP	w/o NBL		
98	130.12.026	KH			130.14.015	KP	NBL		130.12.042
104	112.00.025	KK							
105	112.00.025	KK							
165	112.00.025	KK							
166	112.00.025	KK							
167	130.08.240	KK		Short gib, thick thread	130.08.246	KP	w/o NBL		
	130.08.240R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.08.638	KK		Full gib	130.08.246	KP	w/o NBL		
	130.22.000	KL		Drop-in version					
	130.22.000R	KL		Drop-in version, regulating needle guard					
167 Mod.for Heavy Thread	130.08.690R	KK		Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL		
	130.22.052R	KL		Drop-in version, for thread bigger than 1mm diameter					
167FA	130.08.642	KK		Short gib, under trimming mach.	130.08.646	KP	NBL		
	130.08.648	KK		Full gib, under trimming mach.	130.08.646	KP	NBL		
168	130.08.240	KK		Short gib	130.08.246	KP	w/o NBL		
	130.08.240R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.08.638	KK		Full gib	130.08.246	KP	w/o NBL		
	130.22.000	KL		Drop-in version					
	130.22.000R	KL		Drop-in version, regulating needle guard					
168 Mod.for Heavy Thread	130.08.690R	KK		Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL		
	130.22.052R	KL		Drop-in version, for thread bigger than 1mm diameter					
169	130.08.662	KK			130.08.246	KP	w/o NBL		
	130.08.662R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.22.044R	KL		Drop-in version, regulating needle guard					
169 Mod.for Heavy Thread	130.08.801R	KK		Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

DÜRKOPP-ADLER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
204	112.00.050	KK							
205	112.00.050	KK							
211	130.05.083	KH			130.06.110	KP	w/o NBL		
					130.06.128	KP	MF		
					130.06.166	KP	MF		
212	130.05.247	KH			130.06.110	KP	w/o NBL		
					130.06.166	KP	MF		
213	130.05.083	KH			130.06.110	KP	w/o NBL		
					130.06.166	KP	MF		
214	130.05.083	KH			130.06.110	KP	w/o NBL		
					130.06.166	KP	MF		
215	130.05.083	KH			130.06.110	KP	w/o NBL		
					130.06.166	KP	MF		
218	130.05.083	KH			130.06.110	KP	w/o NBL		
					130.06.166	KP	MF		
219	130.05.083	KH			130.06.110	KP	w/o NBL		
					130.06.166	KP	MF		
228	130.13.122	KK			130.13.129	KP	w/o NBL		
238	130.13.122	KK			130.13.129	KP	w/o NBL		
238-line 13000	130.13.134	KK			130.13.140	KP	NBL		
238-line 15000	130.13.134	KK			130.13.140	KP	NBL		
239	130.13.122	KK			130.13.129	KP	w/o NBL		
239-105	130.13.115	KL							
239-106	130.13.115	KL							
239-115	130.13.115	KL							
239-116	130.13.115	KL							
239-125	130.13.115	KL							
239-126	130.13.115	KL							
239-135	130.13.115	KL							
239-136	130.13.115	KL							
239-line 13000	130.13.134	KK			130.13.140	KP	NBL		
241	130.13.122	KK			130.13.129	KP	w/o NBL		
241-5	130.13.115	KL							
241-15	130.13.115	KL							
241-16	130.13.115	KL							
241-25	130.13.115	KL							
241-line 13000	130.13.134	KK			130.13.140	KP	NBL		
245	130.13.100	KL							
245-30	130.13.115	KL							
245-130	130.13.115	KL							
247	130.13.122	KK			130.13.129	KP	w/o NBL		
249	130.13.122	KK			130.13.129	KP	w/o NBL		
249-13315	130.13.157	KK			130.13.140	KP	NBL		
249-15315	130.13.157	KK			130.13.140	KP	NBL		
249-line 13000	130.13.134	KK			130.13.140	KP	NBL		
252	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042
253	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

DÜRKOPP-ADLER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
254	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042
255	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042
264	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042
265	130.05.222	KH			130.06.110	KP	w/o NBL		
					130.06.166	KP	MF		
265-101	130.05.222	KH			130.06.110	KP	w/o NBL		
					130.06.166	KP	MF		
265-15135	130.05.222	KH			130.06.110	KP	w/o NBL		
					130.06.166	KP	MF		
265-203	130.05.332	KH			130.06.110	KP	w/o NBL		
					130.06.166	KP	MF		
265-4103	130.05.332	KH			130.06.110	KP	w/o NBL		
					130.06.166	KP	MF		
265-18103	130.05.332	KH			130.06.110	KP	w/o NBL		
					130.06.166	KP	MF		
265-25407	130.05.332	KH			130.06.110	KP	w/o NBL		
					130.06.166	KP	MF		
265-115203	130.05.332	KH			130.06.110	KP	w/o NBL		
					130.06.166	KP	MF		
267	130.08.240	KK		Short gib	130.08.246	KP	w/o NBL		
	130.08.240R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.08.638	KK		Full gib	130.08.246	KP	w/o NBL		
	130.22.000	KL		Drop-in version					
	130.22.000R	KL		Drop-in version, regulating needle guard					
267 Adler (K267 990055 VG-373)	130.08.343	KK		Small capacity hook	130.08.344	KP	w/o NBL		
267 Mod.for Heavy Thread	130.08.690R	KK		Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL		
	130.22.052R	KL		Drop-in version, for thread bigger than 1mm diameter					
267FA	130.08.642	KK		Short gib, under trimming mach.	130.08.646	KP	NBL		
	130.08.648	KK		Full gib, under trimming mach.	130.08.646	KP	NBL		
267FA-262BH1	130.08.657	KK							
267FA-273NH1	130.08.654	KK							
267LS-262NH1	130.08.653	KK			130.08.651	KP	w/o NBL		
267LS-263NH1	130.08.650	KK			130.08.651	KP	w/o NBL		
	130.08.650R	KK		Regulating needle guard	130.08.651	KP	w/o NBL		
268	130.08.240	KK		Short gib	130.08.246	KP	w/o NBL		
	130.08.240R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.08.638	KK		Full gib	130.08.246	KP	w/o NBL		
	130.22.000	KL		Drop-in version					
	130.22.000R	KL		Drop-in version, regulating needle guard					
268 Mod.for Heavy Thread	130.08.690R	KK		Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL		
	130.22.052R	KL		Drop-in version, for thread bigger than 1mm diameter					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

DÜRKOPP-ADLER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
268FA	130.08.658	KK		Short gib	130.08.659	KP	NBL		
	130.08.658R	KK		Short gib, regulating needle guard	130.08.659	KP	NBL		
	130.08.661	KK		Full gib	130.08.659	KP	NBL		
	130.22.010	KL		Drop-in version					
	130.22.010R	KL		Drop-in version, regulating needle guard					
268-FAP-273-1	130.22.010	KL		Drop-in version					
	130.22.010R	KL		Drop-in version, regulating needle guard					
268-FAP-73-1	130.22.010	KL		Drop-in version					
	130.22.010R	KL		Drop-in version, regulating needle guard					
269	130.08.662	KK			130.08.246	KP	w/o NBL		
	130.08.662R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.22.044R	KL		Drop-in version, regulating needle guard					
269 Mod.for Heavy Thread	130.08.801R	KK		Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL		
269 Mod.for Trimming	130.08.821R	KK		Regulating needle guard, under trimming mach.	130.08.659	KP	NBL		
271	130.05.311	KH		Old type, under trimming mach.	130.06.229	KP	MF		
	130.05.494	KH		Under trimming mach.	130.06.376	KP	MF		
	130.05.494DC20	KH		DC20 coated, under trimming mach.	130.06.376	KP	MF		
	130.09.050	KH		Large capacity	130.10.023	KP	MF		
271-140331	130.05.494	KH		Under trimming mach.	130.06.376	KP	MF		
					130.06.378	KP	NBL		
271-140332	130.05.494	KH		Under trimming mach.	130.06.376	KP	MF		
					130.06.378	KP	NBL		
271-140341	130.05.494	KH		Under trimming mach.	130.06.376	KP	MF		
					130.06.378	KP	NBL		
271-140342	130.05.494	KH		Under trimming mach.	130.06.376	KP	MF		
					130.06.378	KP	NBL		
271-140432	130.05.494DC20	KH		DC20 coated, under trimming mach.	130.06.376	KP	MF		
271-140442	130.05.494DC20	KH		DC20 coated, under trimming mach.	130.06.376	KP	MF		
272	130.05.320	KH			130.06.229	KP	MF		
272-140331	130.05.494	KH		Under trimming mach.	130.06.376	KP	MF		
					130.06.378	KP	NBL		
272-140332	130.05.494	KH		Under trimming mach.	130.06.376	KP	MF		
					130.06.378	KP	NBL		
272-140341	130.05.494	KH		Under trimming mach.	130.06.376	KP	MF		
					130.06.378	KP	NBL		
272-140342	130.05.494	KH		Under trimming mach.	130.06.376	KP	MF		
					130.06.378	KP	NBL		
272-640642	130.05.494	KH		Under trimming mach.	130.06.376	KP	MF		
					130.06.378	KP	NBL		
272-74642	130.05.494	KH		Under trimming mach.	130.06.376	KP	MF		
					130.06.378	KP	NBL		
272-160362	130.04.035	KH		w/ high bobbin case	130.06.264	KP	MF		
273-140342	130.05.494	KH		Under trimming mach.	130.06.376	KP	MF		
					130.06.378	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

DÜRKOPP-ADLER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
273-140432	130.05.494DC20	KH		DC20 coated, under trimming mach.	130.06.298	KP	NBL		
					130.06.376	KP	MF		
274-140342	130.05.494	KH		Under trimming mach.	130.06.376	KP	MF		
					130.06.378	KP	NBL		
275	130.04.035	KH		w/ high bobbin case	130.06.264	KP	MF		
	130.05.494	KH		Under trimming mach.	130.06.376	KP	MF		
	130.05.494DC20	KH		DC20 coated, under trimming mach.	130.06.376	KP	MF		
281	130.05.534	KH		FA	130.06.378	KP	NBL		
289	130.01.039	KH			130.06.348	KP	w/o NBL		
291-161060	130.13.020	KK			130.13.060	KP	NBL		
291-161061	130.13.020	KK			130.13.060	KP	NBL		
291-161062	130.13.020	KK			130.13.060	KP	NBL		
291-162060	130.13.020	KK			130.13.060	KP	NBL		
291-162061	130.13.020	KK			130.13.060	KP	NBL		
291-162062	130.13.020	KK			130.13.060	KP	NBL		
291-163060	130.13.020	KK			130.13.060	KP	NBL		
291-163061	130.13.020	KK			130.13.060	KP	NBL		
291-163062	130.13.020	KK			130.13.060	KP	NBL		
291-164060	130.13.020	KK			130.13.060	KP	NBL		
291-164061	130.13.020	KK			130.13.060	KP	NBL		
291-164062	130.13.020	KK			130.13.060	KP	NBL		
291-185081	130.13.020	KK			130.13.060	KP	NBL		
291-185082	130.13.020	KK			130.13.060	KP	NBL		
292	130.13.020	KK			130.13.060	KP	NBL		
292-161060	130.13.020	KK			130.13.060	KP	NBL		
292-161061	130.13.020	KK			130.13.060	KP	NBL		
292-161062	130.13.020	KK			130.13.060	KP	NBL		
292-162060	130.13.020	KK			130.13.060	KP	NBL		
292-162061	130.13.020	KK			130.13.060	KP	NBL		
292-162062	130.13.020	KK			130.13.060	KP	NBL		
292-163060	130.13.020	KK			130.13.060	KP	NBL		
292-163061	130.13.020	KK			130.13.060	KP	NBL		
292-163062	130.13.020	KK			130.13.060	KP	NBL		
292-164060	130.13.020	KK			130.13.060	KP	NBL		
292-164061	130.13.020	KK			130.13.060	KP	NBL		
292-164062	130.13.020	KK			130.13.060	KP	NBL		
292-185081	130.13.020	KK			130.13.060	KP	NBL		
292-185082	130.13.020	KK			130.13.060	KP	NBL		
B291-185081	130.13.020	KK			130.13.060	KP	NBL		
B291-185082	130.13.020	KK			130.13.060	KP	NBL		
B292-185081	130.13.020	KK			130.13.060	KP	NBL		
B292-185082	130.13.020	KK			130.13.060	KP	NBL		
294	130.13.024	KK			130.13.047	KP	NBL		
295	130.13.055	KK			130.13.060	KP	NBL		
296	130.05.061	KH			130.06.084	KP	w/o NBL		
					130.06.164	KP	MF		
	130.13.055	KK			130.13.060	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

DÜRKOPP-ADLER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
327-170115	130.09.158	KH		Light thread, for needles from 120 to 150	130.10.059	KP	NBL		130.00.329
	130.09.158DC10	KH		DC10 coated	130.10.059	KP	NBL		
327-180115	130.09.196	KH		Thick thread, for needles from 130 to 180	130.10.067	KP	NBL		130.00.343
367	130.09.158	KH		Light thread, for needles from 120 to 150	130.10.059	KP	NBL		130.00.329
	130.09.158DC10	KH		DC10 coated	130.10.059	KP	NBL		
	130.09.196	KH		Thick thread, for needles from 130 to 180	130.10.067	KP	NBL		130.00.343
367-170 010	130.09.158	KH		Light thread, for needles from 120 to 150	130.10.059	KP	NBL		130.00.329
	130.09.158DC10	KH		DC10 coated	130.10.059	KP	NBL		
367-170 115	130.09.158	KH		Light thread, for needles from 120 to 150	130.10.059	KP	NBL		130.00.329
	130.09.158DC10	KH		DC10 coated	130.10.059	KP	NBL		
367-170 315	130.09.158	KH		Light thread, for needles from 120 to 150	130.10.059	KP	NBL		130.00.329
	130.09.158DC10	KH		DC10 coated	130.10.059	KP	NBL		
367-180 010	130.09.196	KH		Thick thread, for needles from 130 to 180	130.10.067	KP	NBL		130.00.343
367-180 112	130.09.196	KH		Thick thread, for needles from 130 to 180	130.10.067	KP	NBL		130.00.343
367-180 115	130.09.196	KH		Thick thread, for needles from 130 to 180	130.10.067	KP	NBL		130.00.343
367-180 315	130.09.196	KH		Thick thread, for needles from 130 to 180	130.10.067	KP	NBL		130.00.343
372	130.13.142	KK			130.13.143	KP	w/o NBL		
372-105	130.13.146	KK			130.13.143	KP	w/o NBL		
372-106	130.13.146	KK			130.13.143	KP	w/o NBL		
372-115	130.13.146	KK			130.13.143	KP	w/o NBL		
372-116	130.13.146	KK			130.13.143	KP	w/o NBL		
372-505	130.13.146	KK			130.13.143	KP	w/o NBL		
372-13303	130.13.157	KK			130.13.140	KP	NBL		
372-15303	130.13.157	KK			130.13.140	KP	NBL		
372-15505	130.13.146	KK			130.13.143	KP	w/o NBL		
372-113305	130.13.157	KK			130.13.140	KP	NBL		
372-line 13000	130.13.134	KK			130.13.140	KP	NBL		
	130.13.146	KK			130.13.143	KP	w/o NBL		
376	130.13.142	KK			130.13.143	KP	w/o NBL		
376-line 13000	130.13.134	KK			130.13.140	KP	NBL		
	130.13.146	KK			130.13.143	KP	w/o NBL		
376-line 15000	130.13.134	KK			130.13.140	KP	NBL		
	130.13.146	KK			130.13.143	KP	w/o NBL		
380	130.13.142	KK			130.13.143	KP	w/o NBL		
380-135	130.13.146	KK			130.13.143	KP	w/o NBL		
380-185	130.13.146	KK			130.13.143	KP	w/o NBL		
380-535	130.13.146	KK			130.13.143	KP	w/o NBL		
380-585	130.13.146	KK			130.13.143	KP	w/o NBL		
380-13305	130.13.157	KK			130.13.140	KP	NBL		
380-13335	130.13.157	KK			130.13.140	KP	NBL		
380-15305	130.13.157	KK			130.13.140	KP	NBL		
380-15535	130.13.146	KK			130.13.143	KP	w/o NBL		
380-115535	130.13.146	KK			130.13.143	KP	w/o NBL		
380-line 13000	130.13.134	KK			130.13.140	KP	NBL		
	130.13.146	KK			130.13.143	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

DÜRKOPP-ADLER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
380-line 15305	130.13.146	KK			130.13.143	KP	w/o NBL		
381	130.13.157	KK			130.13.140	KP	NBL		
381-160161	130.13.173DC20	KK		DC20 coated, under trimming mach.	130.13.180	KP	w/o NBL		
381-160162	130.13.173DC20	KK		DC20 coated, under trimming mach.	130.13.180	KP	w/o NBL		
382	130.13.157	KK			130.13.140	KP	NBL		
382-160162	130.13.173DC20	KK		DC20 coated, under trimming mach.	130.13.180	KP	w/o NBL		
396	130.05.061	KH			130.06.084	KP	w/o NBL		
					130.06.164	KP	MF		
	130.05.205	KH		Thick thread	130.06.084	KP	w/o NBL		
					130.06.164	KP	MF		
	130.05.369	KH		Thick thread	130.06.084	KP	w/o NBL		
					130.06.164	KP	MF		
467	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		DC10 coated, under trimming mach.					
	130.13.255	KL		Under trimming mach.					
	130.13.258	KL		Under trimming mach.					
	130.13.261	KL		Under trimming mach.					
	130.13.265	KL							
	130.13.294	KK		Cap System, Under trimming mach.	130.08.824	KP	w/o NBL		
	130.13.298	KK		Cap system	130.08.246	KP	w/o NBL		
467-FA-2S	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-FA-203S	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-FA-204S	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-FA-63	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-FA-64	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-FA-63S	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-FA-64S	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-73-G2	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-FA-73-G2	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-FA-74-G2	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-LFG-73	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-FA-373-G2	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-FA-374-G2	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

DÜRKOPP-ADLER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
467-FA-373-G2-1	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-FA-373-G2-3	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-FA-373-G2-4	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-FA-373-G2-6	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-FA-374-G2-2	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-FA-374-G2-3	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-VF-373	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-AE-73-E36	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-AEF-73-E36S0	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-FA-273	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-FA-273-G2	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
467-LG-73-G2	130.13.265	KL							
467-LG-74-G2	130.13.265	KL							
467-373-G2	130.13.265	KL							
467-AE-73	130.13.265	KL							
467-AE-E211	130.13.265	KL							
467-273-G2	130.13.265	KL							
467 Mod.for Heavy Thread	130.13.306	KK		Under trimming mach., cap system, thick thread, w/ thread guard	130.08.824	KP	w/o NBL		
489	130.01.039	KH			130.06.348	KP	w/o NBL		
510	115.00.274	KH		Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		
510-213 on request	115.10.015	KH			115.11.040	KP	NBL		
510-214	115.10.015	KH			115.11.040	KP	NBL		
511	115.00.274	KH		Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		
511-213 on request	115.10.015	KH			115.11.040	KP	NBL		
511-214	115.10.015	KH			115.11.040	KP	NBL		
523-101	130.05.412	KH			130.06.135	KP	MF		
					130.06.300	KP	NBL		
523-105	130.05.412	KH			130.06.135	KP	MF		
					130.06.300	KP	NBL		
530	115.00.274	KH		Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		
541	130.13.161	KK			130.13.129	KP	w/o NBL		
541-15103	130.13.157	KK			130.13.140	KP	NBL		
541-15503	130.13.157	KK			130.13.140	KP	NBL		
542	130.13.161	KK			130.13.129	KP	w/o NBL		
547	130.13.161	KK			130.13.129	KP	w/o NBL		
548	130.13.161	KK			130.13.129	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

DÜRKOPP-ADLER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
550-16-2	130.05.205	KH		Thick thread	130.06.164	KP	MF		
550-16-3	130.05.205	KH		Thick thread	130.06.164	KP	MF		
550-16-5	130.05.205	KH		Thick thread	130.06.164	KP	MF		
550-16-6	130.05.205	KH		Thick thread	130.06.164	KP	MF		
550-16-23	130.05.494DC20	KH		DC20 coated, under trimming mach.	130.06.376	KP	MF		
550-16-26	130.05.494DC20	KH		DC20 coated, under trimming mach.	130.06.376	KP	MF		
550-867 M-Type	130.13.593	KL		Under trimming mach.					
570	115.00.209	KH			115.00.218	KP	MF		
667-180030	130.09.800	KH		4 Times Large hook	130.10.800	KP	NBL		
					130.10.815	KP	NBL		
	130.09.800DC10	KH		4 Times Large hook	130.10.800	KP	NBL		
					130.10.815	KP	NBL		
	130.09.811L3	KH		4 Times Large hook	130.10.820	KP	NBL		
667-180132	130.09.800	KH		4 Times Large hook	130.10.800	KP	NBL		
					130.10.815	KP	NBL		
	130.09.800DC10	KH		4 Times Large hook	130.10.800	KP	NBL		
					130.10.815	KP	NBL		
	130.09.811L3	KH		4 Times Large hook	130.10.820	KP	NBL		
667-180332	130.09.800	KH		4 Times Large hook	130.10.800	KP	NBL		
					130.10.815	KP	NBL		
667-180232	130.09.800DC10	KH		4 Times Large hook	130.10.800	KP	NBL		
					130.10.815	KP	NBL		
	130.09.811L3	KH		4 Times Large hook	130.10.820	KP	NBL		
669	130.09.158	KH			130.10.059	KP	NBL		130.00.329
	130.09.158DC10	KH		DC10 coated	130.10.059	KP	NBL		
697	130.13.161	KK			130.13.129	KP	w/o NBL		
697-6155	130.13.157	KK			130.13.140	KP	NBL		
697-15155	130.13.165	KK		Full gib	130.13.168	KP	w/o NBL		
	130.13.185	KK		Short gib	130.13.168	KP	w/o NBL		
697-24155	130.13.165	KK		Full gib	130.13.168	KP	w/o NBL		
	130.13.185	KK		Short gib	130.13.168	KP	w/o NBL		
739	130.04.035	KH		w/ high bobbin case	130.06.264	KP	MF		
743-221	130.04.055	KH		w/ high bobbin case	130.06.356	KP	MF		
743-331	130.04.055	KH		w/ high bobbin case	130.06.356	KP	MF		
743-420	130.04.055	KH		w/ high bobbin case	130.06.356	KP	MF		
743-422	130.04.055	KH		w/ high bobbin case	130.06.356	KP	MF		
743-431	130.04.055	KH		w/ high bobbin case	130.06.356	KP	MF		
743-461-22	130.04.055	KH		w/ high bobbin case	130.06.356	KP	MF		
745	130.13.065	KK			130.13.069	KP	NBL		
745-22	130.13.065	KK			130.13.069	KP	NBL		
745-23	130.13.065	KK			130.13.069	KP	NBL		
745-24	130.13.065	KK			130.13.069	KP	NBL		
745-32	130.13.065	KK			130.13.069	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

DÜRKOPP-ADLER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
767	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		DC10 coated, under trimming mach.					
	130.13.255	KL		Under trimming mach.					
	130.13.261	KL		Under trimming mach.					
	130.13.265	KL							
	130.13.294	KK		Cap System, Under trimming mach.	130.08.824	KP	w/o NBL		
	130.13.298	KK		Cap system	130.08.246	KP	w/o NBL		
	130.13.500	KL		Under trimming mach.					
767-FA-373-...	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
	130.13.258	KL		Under trimming mach.					
767-FAS-373-...	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
	130.13.258	KL		Under trimming mach.					
767-FA-273	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
	130.13.258	KL		Under trimming mach.					
	130.13.270	KL		Bobbin thread control					
	130.13.270DC10	KL		DC10 coated					
767-VF-373	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		Under trimming mach.					
	130.13.258	KL		Under trimming mach.					
	130.13.270	KL		Bobbin thread control					
	130.13.270DC10	KL		DC10 coated					
767-LG-73	130.13.250	KL							
	130.13.265	KL							
767-AE-73	130.13.250	KL							
	130.13.265	KL							
767-373	130.13.250	KL							
	130.13.265	KL							
767-273	130.13.250	KL							
	130.13.265	KL							
767 Mod.for Heavy Thread	130.13.306	KK		Under trimming mach., cap system, thick thread, w/ thread guard	130.08.824	KP	w/o NBL		
767-AE-573	130.13.500	KL		Under trimming mach.					
767-FA-373-RAP-HP	130.13.270	KL		Bobbin thread control					
	130.13.270DC10	KL		DC10 coated					
767-FAS-373-RAP-HP	130.13.270	KL		Bobbin thread control					
	130.13.270DC10	KL		DC10 coated					
767-FAS-473	130.13.500	KL		Under trimming mach.					
767-FAS-573	130.13.500	KL		Under trimming mach.					
767-KFA-373	130.13.278	KL		Bobbin thread control, under trimming mach.					
767-KFA-373-RAP-HP	130.13.278	KL		Bobbin thread control, under trimming mach.					
767-KFA-373-RAP-HP -RFW 13-8	130.13.278	KL		Bobbin thread control, under trimming mach.					
767-KFA-573	130.13.597	KL		Under trimming mach.					
767-RFW 13-6	130.13.597	KL		Under trimming mach.					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

DÜRKOPP-ADLER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
767-RFW 13-8	130.13.278	KL		Bobbin thread control, under trimming mach.					
767-VF-573	130.13.500	KL		Under trimming mach.					
768	130.22.000DC10	KL		DC10 coated					
	130.22.016DC10	KL		DC10 coated					
805	130.13.255	KL		Under trimming mach.					
806	130.13.255	KL		Under trimming mach.					
806-121	130.05.494DC20	KH		DC20 coated, under trimming mach.	130.06.376	KP	MF		
867 Mod.for Heavy Thread	130.13.582	KL		Under trimming mach., thick thread, w/ thread guard, bobbin thread control					
867-160146-M	130.13.601	KL		Under trimming mach.					
	130.13.638	KL		Full gib					
867-160446-M	130.13.601	KL		Under trimming mach.					
	130.13.638	KL		Full gib					
867-190020	130.13.350	KL		Under trimming mach.					
	130.13.350DC10	KL		DC10 coated, under trimming mach.					
	130.13.398	KK		w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
	130.13.398DC10	KK		w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL		
	130.13.398DC10	KK		w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL		
867-190020 Mod.for Heavy Thread	130.13.370	KL		Bobbin thread control, regulating needle guard, under trimming mach.					
867-190040	130.13.610	KL		Under trimming mach.					
	130.13.610DC10	KL		DC10 coated, under trimming mach.					
	130.13.639	KL		Full gib					
	130.13.639DC10	KL		Full gib					
867-190040-70	130.13.610	KL		Under trimming mach.					
	130.13.610DC10	KL		DC10 coated, under trimming mach.					
	130.13.639	KL		Full gib					
	130.13.639DC10	KL		Full gib					
867-190122	130.13.350	KL		Under trimming mach.					
	130.13.350DC10	KL		DC10 coated, under trimming mach.					
	130.13.398	KK		w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
	130.13.398DC10	KK		w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL		
867-190125	130.13.383	KL		Under trimming mach.					
867-190142	130.13.610	KL		Under trimming mach.					
	130.13.610DC10	KL		DC10 coated, under trimming mach.					
	130.13.639	KL		Full gib					
	130.13.639DC10	KL		Full gib					
867-190145	130.13.576	KL		Under trimming mach.					
	130.13.636	KL		Full gib					
867-190145-M	130.13.601	KL		Under trimming mach.					
	130.13.638	KL		Full gib					
867-190445-M	130.13.601	KL		Under trimming mach.					
	130.13.638	KL		Full gib					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

DÜRKOPP-ADLER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
867-190322	130.13.350	KL		Under trimming mach.					
	130.13.350DC10	KL		DC10 coated, under trimming mach.					
	130.13.398	KK		w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
	130.13.398DC10	KK		w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL		
867-190322 Mod.for Heavy Thread	130.13.370	KL		Bobbin thread control, regulating needle guard, under trimming mach.					
867-190342	130.13.610	KL		Under trimming mach.					
	130.13.610DC10	KL		DC10 coated, under trimming mach.					
	130.13.639	KL		Full gib					
	130.13.639DC10	KL		Full gib					
867-190342-70	130.13.610	KL		Under trimming mach.					
	130.13.610DC10	KL		DC10 coated, under trimming mach.					
	130.13.639	KL		Full gib					
	130.13.639DC10	KL		Full gib					
867-190425	130.13.383	KL		Under trimming mach.					
867-190445	130.13.576	KL		Under trimming mach.					
	130.13.636	KL		Full gib					
867-290020	130.13.350	KL		Under trimming mach.					
	130.13.350DC10	KL		DC10 coated, under trimming mach.					
	130.13.398	KK		w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
	130.13.398DC10	KK		w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL		
867-290020 Mod.for Heavy Thread	130.13.370	KL		Bobbin thread control, regulating needle guard, under trimming mach.					
867-290040	130.13.610	KL		Under trimming mach.					
	130.13.610DC10	KL		DC10 coated, under trimming mach.					
	130.13.639	KL		Full gib					
	130.13.639DC10	KL		Full gib					
867-290040-70	130.13.610	KL		Under trimming mach.					
	130.13.610DC10	KL		DC10 coated, under trimming mach.					
	130.13.639	KL		Full gib					
	130.13.639DC10	KL		Full gib					
867-290122	130.13.350	KL		Under trimming mach.					
	130.13.398	KK		w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
867-290142	130.13.610	KL		Under trimming mach.					
	130.13.610DC10	KL		DC10 coated, under trimming mach.					
	130.13.639	KL		Full gib					
	130.13.639DC10	KL		Full gib					
867-290322	130.13.350	KL		Under trimming mach.					
	130.13.350DC10	KL		DC10 coated, under trimming mach.					
	130.13.398	KK		w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
	130.13.398DC10	KK		w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL		
867-290322 Mod.for Heavy Thread	130.13.370	KL		Bobbin thread control, regulating needle guard, under trimming mach.					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

DÜRKOPP-ADLER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
867-290342	130.13.610	KL		Under trimming mach.					
	130.13.610DC10	KL		DC10 coated, under trimming mach.					
	130.13.639	KL		Full gib					
	130.13.639DC10	KL		Full gib					
867-290342-70	130.13.610	KL		Under trimming mach.					
	130.13.610DC10	KL		DC10 coated, under trimming mach.					
	130.13.639	KL		Full gib					
	130.13.639DC10	KL		Full gib					
867-290445	130.13.576	KL		Under trimming mach.					
	130.13.636	KL		Full gib					
867-290445-M	130.13.601	KL		Under trimming mach.					
	130.13.638	KL		Full gib					
867-392342	130.13.610	KL		Under trimming mach.					
	130.13.610DC10	KL		DC10 coated, under trimming mach.					
	130.13.639	KL		Full gib					
	130.13.639DC10	KL		Full gib					
867-393342	130.13.610	KL		Under trimming mach.					
	130.13.610DC10	KL		DC10 coated, under trimming mach.					
	130.13.639	KL		Full gib					
	130.13.639DC10	KL		Full gib					
867-394342	130.13.610	KL		Under trimming mach.					
	130.13.610DC10	KL		DC10 coated, under trimming mach.					
	130.13.639	KL		Full gib					
	130.13.639DC10	KL		Full gib					
867-490322	130.13.350	KL		Under trimming mach.					
868-490322	130.13.350DC10	KL		DC10 coated, under trimming mach.					
	130.13.398	KK		w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
	130.13.398DC10	KK		w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL		
868-190020	130.13.350DC10	KL		DC10 coated, under trimming mach.					
868-190322	130.13.350DC10	KL		DC10 coated, under trimming mach.					
	130.13.398DC10	KK		w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL		
868-190341	130.13.610DC10	KL		DC10 coated, under trimming mach.					
	130.13.639DC10	KL		Full gib					
868-290020	130.13.350DC10	KL		DC10 coated, under trimming mach.					
	130.13.398DC10	KK		w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL		
868-290321	130.13.350DC10	KL		DC10 coated, under trimming mach.					
	130.13.398DC10	KK		w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL		
868-290341	130.13.610DC10	KL		DC10 coated, under trimming mach.					
	130.13.639DC10	KL		Full gib					
868-290322	130.13.350DC10	KL		DC10 coated, under trimming mach.					
	130.13.398DC10	KK		w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

DÜRKOPP-ADLER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
868-390322	130.13.350DC10	KL		DC10 coated, under trimming mach.					
	130.13.398DC10	KK		w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL		
869-180020	130.13.375	KL		Hook w/o opener, for machine w/o thread trimmer					
869-180122	130.13.375	KL		Hook w/o opener, for machine w/ thread trimmer					
869-180132	130.13.375	KL		Hook w/o opener, for machine w/ thread trimmer					
869-180322	130.13.375	KL		Hook w/o opener					
869-280020	130.13.375	KL		Hook w/o opener, for machine w/o thread trimmer					
869-280122	130.13.375	KL		Hook w/o opener, for machine w/ thread trimmer					
869-280132	130.13.375	KL		Hook w/o opener, for machine w/ thread trimmer					
869-280322	130.13.375	KL		Hook w/o opener					
887-160020	130.13.350	KL		Under trimming mach.					
	130.13.398	KK		w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
887-160020 Mod.for Heavy Thread	130.13.370	KL		Bobbin thread control, regulating needle guard, under trimming mach.					
887-160040	130.13.610	KL		Under trimming mach.					
	130.13.639	KL		Full gib					
887-160122	130.13.350	KL		Under trimming mach.					
	130.13.398	KK		w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
887-160122 Mod.for Heavy Thread	130.13.370	KL		Bobbin thread control, regulating needle guard, under trimming mach.					
887-160142	130.13.610	KL		Under trimming mach.					
	130.13.639	KL		Full gib					
887-160542	130.13.610	KL		Under trimming mach.					
	130.13.639	KL		Full gib					
888	130.13.350	KL		Under trimming mach.					
	130.13.398	KK		w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
888-160020	130.13.350	KL		Under trimming mach.					
888-160023	130.13.350	KL		Under trimming mach.					
888-160122	130.13.350	KL		Under trimming mach.					
888-160522	130.13.350	KL		Under trimming mach.					
888-167122	130.13.350	KL		Under trimming mach.					
888-260020	130.13.350	KL		Under trimming mach.					
888-260023	130.13.350	KL		Under trimming mach.					
888-260122	130.13.350	KL		Under trimming mach.					
888-260522	130.13.350	KL		Under trimming mach.					
888-356020	130.13.350	KL		Under trimming mach.					
888-356122	130.13.350	KL		Under trimming mach.					
888-360122	130.13.350	KL		Under trimming mach.					
888-460522	130.13.350	KL		Under trimming mach.					
888 Mod.for Heavy Thread	130.13.370	KL		Bobbin thread control, regulating needle guard, under trimming mach.					
910	115.10.015	KH							
1120-5	130.13.313	KL							
1120-511	130.13.313	KL							
1120-521	130.13.313	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

DÜRKOPP-ADLER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
1120-547	130.13.313	KL							
1120-557	130.13.313	KL							
1120-5xx-100	130.13.313	KL							
1120-5xx-200	130.13.313	KL							
1120-5xx-300	130.13.313	KL							
1120-5xx-400	130.13.313	KL							
1130i-5	130.13.313	KL							
1130i-511	130.13.313	KL							
1130i-547	130.13.313	KL							
1130i-5xx-100	130.13.313	KL							
1130i-5xx-200	130.13.313	KL							
1130i-5xx-300	130.13.313	KL							
1130i-5xx-400	130.13.313	KL							
1180i-5	130.13.313	KL							
1180i-511	130.13.313	KL							
1180i-547	130.13.313	KL							
1180i-5xx-100	130.13.313	KL							
1180i-5xx-200	130.13.313	KL							
1180i-5xx-300	130.13.313	KL							
1180i-5xx-400	130.13.313	KL							
1183i-7	130.13.313	KL							
1183i-711	130.13.313	KL							
1183i-747	130.13.313	KL							
1183i-7xx-200	130.13.313	KL							
1183i-7xx-300	130.13.313	KL							
1230i-6	130.13.313	KL							
1230i-611	130.13.313	KL		Only for right needle					
1230i-647	130.13.313	KL		Only for right needle					
1280i-6	130.13.313	KL							
1280i-611	130.13.313	KL							
1280i-647	130.13.313	KL							
1280i-6xx-100	130.13.313	KL							
1280i-6xx-200	130.13.313	KL							
1280i-6xx-300	130.13.313	KL							
1280i-6xx-400	130.13.313	KL							
1767-180142	130.13.610	KL		Under trimming mach.					
1767-280142	130.13.610	KL		Under trimming mach.					
1767-180342	130.13.610	KL		Under trimming mach.					
1767-280342	130.13.610	KL		Under trimming mach.					
1767-180145	130.13.601	KL		Under trimming mach.					
1767-180345	130.13.601	KL		Under trimming mach.					
4180i-5	130.13.313	KL							
4180i-511	130.13.313	KL							
4180i-547	130.13.313	KL							
4180i-5xx-100	130.13.313	KL							
4180i-5xx-200	130.13.313	KL							
4180i-5xx-300	130.13.313	KL							
4180i-5xx-400	130.13.313	KL							
4220i-6	130.13.313	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

DÜRKOPP-ADLER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
4220i-611	130.13.313	KL							
4220i-647	130.13.313	KL							
4220i-6xx-100	130.13.313	KL							
4220i-6xx-200	130.13.313	KL							
4220i-6xx-300	130.13.313	KL							
4220i-6xx-400	130.13.313	KL							
4280i-5	130.13.313	KL							
4280i-511	130.13.313	KL							
4280i-547	130.13.313	KL							
4280i-5xx-100	130.13.313	KL							
4280i-5xx-200	130.13.313	KL							
4280i-5xx-300	130.13.313	KL							
4280i-5xx-400	130.13.313	KL							
8967-160180	130.09.188	KH			130.10.023	KP	MF		
8967-160182	130.09.188	KH			130.10.023	KP	MF		
B295	130.13.055	KK			130.13.060	KP	NBL		
B296	130.13.055	KK			130.13.060	KP	NBL		
N291	130.13.020	KK			130.13.060	KP	NBL		
N292	130.13.020	KK			130.13.060	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

EAGLE

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
EA-106	130.09.123	KH			130.10.052	KP	NBL		
	130.09.123L	KH		Noiseless system	130.10.052	KP	NBL		
EA-156 RB	130.15.010	KL							
EA-256 RB	130.15.050	KL							
EA-2156 RB	130.15.050	KL							
OS-2000	130.09.023	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
	130.09.023TS	KH		TS coated	130.10.013	KP	MF		
					130.10.050	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

EMERY

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
EM-206RB	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.123	KH			130.10.052	KP	NBL		
	130.09.123L	KH		Noiseless system	130.10.052	KP	NBL		
EM-652	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
EM-M337	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
EM-M810A	130.11.075	KL							
EM-M810B	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
EM-M845	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

FANG HUNG (PLATINA)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
TJ-335	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
TJ-335H-BH	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
TJ-457	130.12.099	KH			130.14.017	KP	w/o NBL		130.12.098
					130.14.021	KP	NBL		
	130.12.099TTN	KH		Long point, TTN coated	130.14.017	KP	w/o NBL		
					130.14.021	KP	NBL		
TJ-457 A	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
TJ-652	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
TJ-842	130.11.078	KL							
TJ-845	130.16.000	KH			130.17.000	KP	w/o NBL		130.18.000
TJ-3300	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
TJ-8700	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
TJ-8700-7	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

FEIYUE

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
FY 15-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
FY 20U23	130.01.113	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
FY 20U43	130.01.113	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
FY 20U63	130.01.129	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
FY 271					130.14.062	KP	w/o NBL		
					130.14.064	KP	NBL		
FY 391	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
FY 457	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
FY 810	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
FY 820	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
FY 5550	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
FY 5550-5-6D	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
FY 8500	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
FY 8500-5-6D	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

FEIYUE (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
FY 8700	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC1-5	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC1-6	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC15-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC15-2	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC15-3	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC15-4	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC28-1	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC28-2	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GC28-3	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC29-1	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GC290	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC5530	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC5550	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GG28-1	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GG28-2	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

FEIYUE (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GG28-3	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GG29-1	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GG30	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
JK 457	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

FENG GONG

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 1-4	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 1-6	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

FENG YING

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
FY-241	130.09.180	KH			130.10.052	KP	NBL		
FY-245	130.05.496	KH			130.06.380	KP	NBL		
FY-245V	130.05.496	KH			130.06.380	KP	NBL		
FY-246	130.09.180	KH			130.10.052	KP	NBL		
FY-246V	130.09.180	KH			130.10.052	KP	NBL		
FY-341	130.08.758	KK			130.08.766	KP	w/o NBL		
FY-810	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
FY-820	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
FY-985	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

FLYINGMAN

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 51-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 9002	130.05.235	KH							
GC 9002H	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 20502-4	130.11.084	KL							
GC 20601	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GG 0802	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GG 302	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

FOMAX

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
KDD-5570	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
KDD-5570-7	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
KDD-5570H	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
KDD-5570H-7	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
KDD-5570HB	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
KDD2-1152	130.11.135	KL							
KDD2-B875					130.20.035	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

FRIEND

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
KHR-5530N	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

GARUDAN

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GPS series	115.10.013	KH		Thick thread					
GC-317-103	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GC-319-103	130.11.076	KL							
GF-113-101 LM	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-113-141 H	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-113-141 HR	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-113-447	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		DC10 coated, under trimming mach.					
	130.13.282	KK		Cap System, Under trimming mach.	130.08.824	KP	w/o NBL		
GF-115-101 L	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-115-101 M	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-115-106 L	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-115-106 M	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-115-103 LM	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-115-141 HR	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-115-146 H	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

GARUDAN (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GF-115-146 HR	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-116-101 LM	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-116-106 LM	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-117-101 LM	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-117-103 LM	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-117-104 H	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-117-106 LM	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-117-107 LM	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-117-109 H	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-117-143 H	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-117-147 H	130.05.428	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-118-101 LM	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-118-106 LM	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF-130-441 MH	130.15.050	KL							
GF-130-443 MH	130.15.050	KL							
GF-131-446 MH/L	130.09.186	KH			130.10.045	KP	NBL		
GF-133-448	130.13.282	KK		Under trimming mach.	130.13.287	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

GARUDAN (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GF-207-143	130.11.084	KL							
	130.15.016	KL							
GF-207-446	130.15.030	KL							
GF-210-143					130.17.000	KP	w/o NBL		
GF-210-443	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
GF-210-446(7)/ACS	130.19.030	KH			130.20.025	KP	w/o NBL		130.21.030
GF-232-441 H					130.20.035	KP	w/o NBL		
GF-232-441 LM					130.20.035	KP	w/o NBL		
GP-401-101	130.08.588	KK			130.08.014	KP	w/o NBL		
GP-402-101	130.08.588	KK			130.08.014	KP	w/o NBL		
GP-403-103	130.11.165	KL							
GP-406-149	130.08.578	KK		w/ star-NBL, under trimming mach.	130.08.460	KP	NBL		
	130.08.907	KK		w/ standard NBL, under trimming mach.	130.08.460	KP	NBL		
GP-410-141	130.08.588	KK			130.08.014	KP	w/o NBL		
GP-410-143	130.08.588	KK			130.08.014	KP	w/o NBL		
GP-410-144	130.08.588	KK			130.08.014	KP	w/o NBL		
GP-410-146	130.08.578	KK		w/ star-NBL, under trimming mach.	130.08.460	KP	NBL		
	130.08.907	KK		w/ standard NBL, under trimming mach.	130.08.460	KP	NBL		
GP-410-149	130.08.578	KK		w/ star-NBL, under trimming mach.	130.08.460	KP	NBL		
	130.08.907	KK		w/ standard NBL, under trimming mach.	130.08.460	KP	NBL		
GP-410-444	130.08.100	KK			130.08.109	KP	w/o NBL		
GP-410-446	130.08.748	KK			130.08.701	KP	NBL		
GP-410-449	130.08.748	KK			130.08.701	KP	NBL		
GP-411-103	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
GP-414-141	130.08.588	KK			130.08.014	KP	w/o NBL		
GP-414-149	130.08.578	KK		w/ star-NBL, under trimming mach.	130.08.460	KP	NBL		
	130.08.907	KK		w/ standard NBL, under trimming mach.	130.08.460	KP	NBL		
GP-420-101	130.08.588	KK			130.08.014	KP	w/o NBL		
GP-424-101	130.08.588	KK			130.08.014	KP	w/o NBL		
GP-5xx-441-(3)	130.08.826	KK			130.08.766	KP	w/o NBL		
GP-510-149	130.08.907	KK		w/ standard NBL, under trimming mach.	130.08.460	KP	NBL		
GP-510-441	130.08.826	KK			130.08.766	KP	w/o NBL		
GP-510-443	130.08.826	KK			130.08.766	KP	w/o NBL		
GP-510-449	130.08.748	KK			130.08.701	KP	NBL		
GP-514-441	130.08.826	KK			130.08.766	KP	w/o NBL		
GP-514-443	130.08.826	KK			130.08.766	KP	w/o NBL		
GP-710-148	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
GS-1828	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
GS-1836	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
GS-1842	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

GEMSY

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
7-18	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
7-18A	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.054	KP	NBL		
7-28	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
7-28H	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
8-18A	130.09.006	KH			130.10.054	KP	NBL		
271	130.01.113	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
391	130.01.113	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
736	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
845	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
872	130.15.128	KL		Standard execution					
872-7	130.19.045	KH		Standard execution, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
875	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
875-7	130.19.045	KH		Standard execution, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
1245	130.08.100	KK			130.08.109	KP	w/o NBL		
1246	130.08.100	KK			130.08.109	KP	w/o NBL		
1388	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
1900	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
2000-1	130.11.016	KL							
2000-1B	130.15.016	KL							
2000-1M	130.11.084	KL							
2000-2	130.15.016	KL							
2000-2B	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
2000-2M	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
2000-5	130.11.065	KL		Short gib					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

GEMSY (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
2001-1B	130.15.016	KL							
5550	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
5590	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
5590H	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
5590-7	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
6180B	130.05.376	KH		Full gib, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.479	KH		Short gib	130.06.298	KP	NBL		
6180H	130.05.376	KH		Full gib, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.479	KH		Short gib	130.06.298	KP	NBL		
6180M	130.05.376	KH		Full gib, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.479	KH		Short gib	130.06.298	KP	NBL		
7070	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
7080	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
8500	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
8500H	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
8500-7	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
8700	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

GEMSY (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
8700H	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
8900	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
8900-7	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
8900H	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
8900H-7	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
9000W	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
9000W-7	130.05.507DC20	KH		DC20 coated	130.06.378	KP	NBL		
GEM 0718	130.09.009	KH		Under trimming mach.	130.10.015	KP	MF		
					130.10.048	KP	NBL		
GEM 0818	130.09.009	KH		Under trimming mach.	130.10.015	KP	MF		
					130.10.048	KP	NBL		
GEM 8	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GEM 20U	130.01.113	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GEM 20U23/33	130.01.113	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GEM 5550	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GEM 5550-8	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GEMS	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

GLOBAL

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
333-AUT	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
333-D	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
333-DT	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
BT-1850	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
DN-1820-LHAUT	130.19.045	KH			130.20.030	KP	w/o NBL		130.21.045
DN-1842-LHAUT	130.19.045	KH			130.20.030	KP	w/o NBL		130.21.045
DN-2220-LH	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
DN-2242-LH	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
LF-344	130.11.170	KL							
LF-361-TD	130.11.180	KL							
LF-371	130.11.170	KL							
LF-371-TD	130.11.180	KL							
LF-1371 LH (AUT) series	130.13.313	KL							
LP-933-R	130.11.165	KL							
LP-934-R	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
LP-943-R	130.11.170	KL							
LP-943-7	130.11.170	KL							
LP-944	130.11.170	KL							
LP-944-TD	130.11.180	KL							
LP-951	130.11.170	KL							
LP-951-TD	130.11.180	KL							
LP-951-7	130.11.170	KL							
LP-952	130.11.170	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

GLOBAL (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LP-971	130.11.170	KL							
LP-971-725	130.11.170	KL							
LP-971-AUT	130.11.180	KL							
LP-971-TD	130.11.180	KL							
LP-972	130.11.170	KL							
LP-972-AUT	130.11.180	KL							
LP-972-TD	130.11.180	KL							
LP-1768 series	130.22.016DC10	KL		DC10 coated, under trimming mach.					
NF-331	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
WF-945	130.15.050	KL							
WF-955	130.09.210	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
WF-946	130.15.024	KL							
WF-1335	130.03.017	KH			130.06.106	KP	w/o NBL		130.00.066
					130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.341
WF-1335-B	130.03.057	KH			130.06.373	KP	NBL		130.00.335
WF-1345	130.08.280	KK			130.08.109	KP	w/o NBL		
WF-1345 Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
ZZ-564	130.05.412	KH			130.06.135	KP	MF		
					130.06.300	KP	NBL		
ZZ-564-TD	130.05.412	KH			130.06.135	KP	MF		
					130.06.300	KP	NBL		
ZZ-565	130.05.412	KH			130.06.135	KP	MF		
					130.06.300	KP	NBL		
ZZ-565-TD	130.05.412	KH			130.06.135	KP	MF		
					130.06.300	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

GOLDEN WHEEL

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CS-3L-7241	130.15.010	KL							
	130.15.024	KL							
CS-3L-7243	130.15.010	KL							
CS-8BH	130.11.065	KL		Short gib					
	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
CS-335BH	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
CS-335U	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
CS-350	130.01.124	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-350L	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.054	KP	NBL		
CS-350L-T	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
CS-810	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
CS-820	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
CS-821	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
CS-822	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
CS-861	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
CS-862	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
CS-871L	130.15.016	KL							
CS-872L	130.15.016	KL							
CS-872-3	130.11.078	KL							
	130.11.116	KL							
CS-875L	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
CS-875-3	130.16.000	KH			130.17.000	KP	w/o NBL		130.18.000

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

GOLDEN WHEEL (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CS-875-5	130.16.000	KH		Full gib	130.17.000	KP	w/o NBL		130.18.000
	130.16.051	KH		Short gib	130.17.000	KP	w/o NBL		130.18.051
CS-1100F	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-1100H	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-1100S	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-2160	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
CS-2161	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
CS-2162	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
CS-2180	130.01.129	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
CS-2280	130.03.040	KH			130.06.294	KP	w/o NBL		
CS-2401-T	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
CS-3100-3	130.11.078	KL							
	130.11.116	KL							
CS-3100L	130.15.016	KL							
CS-3101	130.11.131	KL		Standard execution					
CS-3101L	130.15.128	KL							
CS-3150	130.16.000	KH			130.17.000	KP	w/o NBL		130.18.000
CS-3150-3	130.16.000	KH			130.17.000	KP	w/o NBL		130.18.000
CS-3150-5	130.16.000	KH			130.17.000	KP	w/o NBL		130.18.000
	130.16.051	KH		Short gib	130.17.000	KP	w/o NBL		130.18.051
CS-3150L	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
	130.19.050	KH			130.20.035	KP	w/o NBL		130.21.048
CS-3600	130.01.000	KH			130.06.019	KP	w/o NBL		
CS-3610	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
CS-3811	130.09.006	KH			130.10.054	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

GOLDEN WHEEL (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CS-4150-BT	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
CS-4250-BT	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
CS-5100	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-5100-5	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-5100-5-BT	130.05.479	KH			130.06.298	KP	NBL		
CS-5100-BT	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-5100-H	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-5100-H-BT	130.05.479	KH			130.06.298	KP	NBL		
CS-5100-HL	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-5100-HL-BT	130.05.479	KH			130.06.298	KP	NBL		
CS-5150	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-5150BT	130.05.479	KH			130.06.298	KP	NBL		
CS-5150L	130.09.006	KH			130.10.054	KP	NBL		
CS-5150L-BT	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
CS-5150S	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-5100S-BT	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-5361N	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
CS-5362N	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

GOLDEN WHEEL (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CS-6000	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-6000-BT	130.05.479	KH			130.06.298	KP	NBL		
CS-6100	130.09.006	KH			130.10.054	KP	NBL		
CS-6102	130.09.006	KH			130.10.054	KP	NBL		
CS-6102BT	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
CS-6103	130.09.006	KH		Short gib	130.10.054	KP	NBL		
	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
CS-6103N	130.09.006	KH			130.10.054	KP	NBL		
CS-6103N-BT	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
CS-6104	130.09.006	KH			130.10.054	KP	NBL		
	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
CS-6104N	130.09.006	KH			130.10.054	KP	NBL		
CS-6104N-BT	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
CS-6111B	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		
CS-6111BFT	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		
CS-6111BT	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		
CS-6111FT	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		
CS-6111T	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

GOLDEN WHEEL (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CS-6112B	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		
CS-6112BFT	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		
CS-6112BT	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		
CS-6112FT	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		
CS-6112T	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		
CS-6120	130.09.006	KH			130.10.054	KP	NBL		
CS-6130	130.09.006	KH			130.10.054	KP	NBL		
CS-6130BT	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
CS-6132	130.09.006	KH			130.10.054	KP	NBL		
CS-6132BT	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
CS-6310	130.09.006	KH			130.10.054	KP	NBL		
CS-7162	130.11.084	KL							
CS-7162S	130.11.084	KL							
CS-7165	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
CS-7165-BT	130.16.005	KH		For basting stitch	130.17.000	KP	w/o NBL		130.18.005
					130.17.015	KP	w/o NBL		130.18.006
	130.16.005	KH		For corner stitch	130.17.000	KP	w/o NBL		130.18.005
					130.17.015	KP	w/o NBL		130.18.006
CS-7165S	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
CS-7165S-BT	130.16.005	KH		For corner stitch	130.17.000	KP	w/o NBL		130.18.005
CS-7172	130.15.016	KL							
CS-7172-BT	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
CS-7175	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
CS-7175-BT	130.19.030	KH			130.20.015	KP	w/o NBL		130.21.031
CS-7175H-BT	130.19.030	KH			130.20.015	KP	w/o NBL		130.21.031
CS-7361N	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
CS-7362	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
CS-7362N	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
CS-7500-5	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-7500-5-BT	130.05.479	KH			130.06.298	KP	NBL		
CS-7800	130.12.186	KH			130.14.050	KP	w/o NBL		
					130.14.052	KP	NBL		
CS-8000-20	130.01.000	KH			130.06.019	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

GOLDEN WHEEL (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CS-8000-25	130.01.000	KH			130.06.019	KP	w/o NBL		
CS-8000-30	130.01.000	KH			130.06.019	KP	w/o NBL		
CS-8113	130.09.180	KH			130.10.052	KP	NBL		
CS-8150	115.00.274	KH		Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		
CS-8150-519	115.00.274	KH		Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		
CS-8150-555	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
CS-8150-558	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
CS-8150-895	115.00.274	KH		Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		
CS-8172BT	130.15.085	KL		Standard execution					
CS-8173D-BT	130.19.045	KH			130.20.030	KP	w/o NBL		130.21.045
CS-8176D	130.19.045	KH			130.20.030	KP	w/o NBL		130.21.045
CS-8185D-BT	130.16.061	KH		Under trimming mach.	130.17.030	KP	w/o NBL		
CS-8233	130.08.758	KK			130.08.766	KP	w/o NBL		
CS-8233NR	130.08.776	KK		Short gib, cap system	130.08.766	KP	w/o NBL		
	130.08.776R	KK		Short gib, cap system, regulating needle guard	130.08.766	KP	w/o NBL		
CS-8243	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
CS-8243NR	130.08.776	KK		Short gib, cap system	130.08.766	KP	w/o NBL		
	130.08.776R	KK		Short gib, cap system, regulating needle guard	130.08.766	KP	w/o NBL		
CS-8360	130.08.919	KK			130.08.926	KP	w/o NBL		
CS-8361	130.08.919	KK			130.08.926	KP	w/o NBL		
CS-8369	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
CS-8369M	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
CS-8369MH	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
CS-8369MHR	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
CS-8369MR	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
CS-8369R	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
CS-8370	130.19.000	KH			130.20.000	KP	w/o NBL		
CS-8371	130.19.000	KH			130.20.000	KP	w/o NBL		
CS-8703	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
CS-8703V	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
CS-8713	130.09.180	KH			130.10.052	KP	NBL		
CS-8713V	130.09.180	KH			130.10.052	KP	NBL		
CS-8810	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
CS-8810H	130.08.919	KK			130.08.926	KP	w/o NBL		
CS-8820	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
CS-8820H	130.08.919	KK			130.08.926	KP	w/o NBL		
CS3L-7241	130.15.024	KL							
CS3L-7243	130.15.010	KL							
CSA-3450-1	115.00.274	KH		Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

GOLDEN WHEEL (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CSA-3450-3	115.00.274	KH		Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		
CSA-3450-5	115.00.274	KH		Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		
CSA-3500	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
CSH-7800	130.12.186	KH			130.14.050	KP	w/o NBL		
					130.14.052	KP	NBL		
CSK-8101	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
CSK-8101-519	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
CSK-8101-895	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
CSL-1720	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
CSR-2401	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
CSR-2401H	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
CSU-4100H	130.09.180	KH			130.10.052	KP	NBL		
CSU-4101	130.15.024	KL							
CSU-4150BT	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
CSU-4250BT	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
CSZ-3211	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
CSZ-3221	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

HAPPY

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
HCD	130.01.403	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.403TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
HCM	130.01.403	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.403TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
HCR	130.01.403	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.403TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
HCS	130.01.403	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.403TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
HM4	130.01.403	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.403TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
HMF	130.01.403	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.403TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
HMS	130.01.403	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.403TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

HIGHLEAD

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 0318-1	130.09.006	KH		Old type	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.210	KH		New type	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 0318-2	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 0318-8	130.09.006	KH		Old type	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.210	KH		New type	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 0360-1	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 0388	130.09.006	KH		Old type	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.210	KH		New type	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 0388-D	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 0398-1	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 0518	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 0518-1	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

HIGHLEAD (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 0518-B	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 0518-B-D	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 0518-H-D	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 0618	130.09.210	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 0618-1	130.09.210	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 0618-1-SC	130.09.210	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 0918-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 0918-1D	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6-28	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6-28-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6-28-1B	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-28-1H	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 128-B	130.09.006	KH		Old type	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.210	KH		New type	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 128-B-D3	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

HIGHLEAD (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 128-H	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 128-H-D3	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 128-M	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 128-M-D3	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.430	KH		Under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 188-B	130.09.006	KH		Old type	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.210	KH		New type	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 188-H	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 188-M	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 188-MC	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 188-MC-D	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 1988-MD	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 1988-MDZ	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 2008M	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 2008MD	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

HIGHLEAD (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 2358-1	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 20518-B	130.11.084	KL							
	130.15.016	KL		Lacth system					
	130.19.010	KH		Cap system	130.20.000	KP	w/o NBL		130.21.010
GC 20518-B-D2	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
GC 20518-M	130.11.084	KL							
GC 20528-B	130.15.016	KL		Lacth system					
	130.19.010	KH		Cap system	130.20.000	KP	w/o NBL		130.21.010
GC 20528-B-D	130.19.030	KH			130.20.015	KP	w/o NBL		130.21.031
GC 20528-B-D2	130.19.030	KH			130.20.015	KP	w/o NBL		130.21.031
GC 20528-M	130.15.016	KL							
	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
GC 20528-M-D3	130.16.005	KH			130.17.000	KP	w/o NBL		130.18.005
GC 20618-1	130.15.024	KL							
GC 20618-1D	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
GC 20618-2	130.15.024	KL							
GC 20618-2D	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
GC 20638	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
GC 20638-D	130.19.030	KH			130.20.015	KP	w/o NBL		130.21.031
GC 20688-1D	130.13.251	KL							
	130.13.294	KK		Cap system	130.08.824	KP	w/o NBL		
GC 20688-2D	130.13.500	KL		Under trimming mach.					
GC 20698-1	130.15.024	KL							
GC 20698-1-D	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
GC 20698-2	130.15.024	KL							
GC 20698-2-D	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
GC 20818-MD	130.16.005	KH			130.17.000	KP	w/o NBL		130.18.005
GC 22618-1B	130.08.758	KK		Short gib	130.08.766	KP	w/o NBL		
GC 24018	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
GC 24018-1	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
GC 24098-BL	130.15.064	KL							
GC 24518-1	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

HIGHLEAD (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 24518-2	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
GC 24608-1L	130.15.064	KL							
GC 24608-1R	130.15.064	KL							
GC 24608-2	130.15.064	KL							
GC 24618	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
GC 24618-1	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
GC 24628-1	130.19.000	KH			130.20.020	KP	w/o NBL		130.21.000
GC 24698-1L	130.11.076	KL							
GC 24698-1R	130.11.076	KL							
GC 24698-BL	130.15.064	KL							
GC 24698-BR	130.15.064	KL							
GC 24818-1	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
GC 24896-2B	130.15.064	KL							
HLY-18B	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

HUANAN

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC0301-1	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC0302	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
G16-1	130.12.068	KH			130.14.010	KP	w/o NBL		130.12.067
					130.14.015	KP	NBL		130.12.066
GC 10-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 10-1B	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 10-1H	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 10-1P	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 10-1S	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 28-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 28-3	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

HUANAN (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 28-3B	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 28-3H	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 28-3L	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 28-3P	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 28-3S	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 48-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 281	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 281B	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 281H	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 281P	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 281S	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 20505-1	130.16.055	KH		Standard execution	130.17.035	KP	w/o NBL		130.18.055
GC 24010-1	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
GC 24011-1	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
GC 24301-2	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
GI6	130.12.068	KH			130.14.010	KP	w/o NBL		130.12.067
					130.14.015	KP	NBL		130.12.066
GI6-1	130.12.068	KH			130.14.010	KP	w/o NBL		130.12.067
					130.14.015	KP	NBL		130.12.066

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

IDEAL

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
6855	130.05.343	KH			130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		
6881	130.09.059	KH			130.10.028	KP	MF		
					130.10.030	KP	MF		
6882	130.09.054	KH			130.10.028	KP	MF		
					130.10.030	KP	MF		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

I-SIAN

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
IS-335	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
IS-371	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
IS-372	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
IS-810	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
IS-820	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

IVOMAQ

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CI 2100 2AV	130.03.017	KH			130.06.106	KP	w/o NBL		130.00.066
					130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.341
CI 2100 4AV	130.09.191	KH			130.10.013	KP	MF		130.00.340
					130.10.050	KP	NBL		
CI 2100 4AVC	130.09.191	KH			130.10.013	KP	MF		130.00.340
					130.10.050	KP	NBL		
CI 3000-1I	130.08.050	KK			130.08.014	KP	w/o NBL		
CI 3000-1DI	130.08.050	KK			130.08.014	KP	w/o NBL		
CI 3000-201I	130.08.050	KK			130.08.014	KP	w/o NBL		
CI 3000-201DI	130.08.050	KK			130.08.014	KP	w/o NBL		
CI 3000	130.08.690R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.22.052R	KL		For thread bigger than 1mm diameter, drop-in version					
CI 3000-4DIL	130.08.690R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.22.052R	KL		For thread bigger than 1mm diameter, drop-in version					
CI 3000-4DIEL	130.08.690R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.22.052R	KL		For thread bigger than 1mm diameter, drop-in version					
CI 3000-4TI	130.08.690R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.22.052R	KL		For thread bigger than 1mm diameter, drop-in version					
CI 3000-4TIEL	130.08.690R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.22.052R	KL		For thread bigger than 1mm diameter, drop-in version					
CI 3000-4TIL	130.08.690R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.22.052R	KL		For thread bigger than 1mm diameter, drop-in version					
CI 3000-204I	130.08.690R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.22.052R	KL		For thread bigger than 1mm diameter, drop-in version					
CI 3000-204TI	130.08.690R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.22.052R	KL		For thread bigger than 1mm diameter, drop-in version					
CI 3000-204TIL	130.08.690R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.22.052R	KL		For thread bigger than 1mm diameter, drop-in version					
CI 5000	130.08.478	KK			130.08.491	KP	w/o NBL		
MITT 4000	130.08.050	KK		Old type	130.08.014	KP	w/o NBL		
	130.08.319	KK		New type, full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		New type, full gib, regulating needle guard	130.08.014	KP	w/o NBL		
	130.08.909	KK			130.08.499	KP	w/o NBL		
	130.08.915	KK			130.08.499	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

CERLIANI Hooks & Bobbin Cases

IVOMAQ (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
MITT 4000-2RT	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		New type, full gib, regulating needle guard	130.08.014	KP	w/o NBL		
MITT 4000-2RTA	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		New type, full gib, regulating needle guard	130.08.014	KP	w/o NBL		
MITT 4000-2RTC	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		New type, full gib, regulating needle guard	130.08.014	KP	w/o NBL		
MITT 4000-2RTCA	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		New type, full gib, regulating needle guard	130.08.014	KP	w/o NBL		
MITT 4000-2RTE	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		New type, full gib, regulating needle guard	130.08.014	KP	w/o NBL		
MITT 4000-2RTF1	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		New type, full gib, regulating needle guard	130.08.014	KP	w/o NBL		
MITT 4000-2RTF2	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		New type, full gib, regulating needle guard	130.08.014	KP	w/o NBL		
MITT 4000-2RTFA1	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		New type, full gib, regulating needle guard	130.08.014	KP	w/o NBL		
MITT 4000-2RTFGA1	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		New type, full gib, regulating needle guard	130.08.014	KP	w/o NBL		
MITT 4000-2RTFGA2	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		New type, full gib, regulating needle guard	130.08.014	KP	w/o NBL		
MITT 4000-202RD	130.08.050	KK		Old type	130.08.014	KP	w/o NBL		
	130.08.319	KK		New type, full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		New type, full gib, regulating needle guard	130.08.014	KP	w/o NBL		
MITT 4000-202RDC	130.08.909	KK			130.08.499	KP	w/o NBL		
	130.08.915	KK			130.08.499	KP	w/o NBL		
MITT 4000-202RT	130.08.050	KK		Old type	130.08.014	KP	w/o NBL		
	130.08.319	KK		New type, full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		New type, full gib, regulating needle guard	130.08.014	KP	w/o NBL		
MITT 4000-202RTA	130.08.050	KK		Old type	130.08.014	KP	w/o NBL		
	130.08.319	KK		New type, full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		New type, full gib, regulating needle guard	130.08.014	KP	w/o NBL		
MITT 4000-202RTC	130.08.909	KK			130.08.499	KP	w/o NBL		
	130.08.915	KK			130.08.499	KP	w/o NBL		
MITT 4000-202RTCA	130.08.909	KK			130.08.499	KP	w/o NBL		
	130.08.915	KK			130.08.499	KP	w/o NBL		
MITT 4000-202RTE	130.08.050	KK		Old type	130.08.014	KP	w/o NBL		
	130.08.319	KK		New type, full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		New type, full gib, regulating needle guard	130.08.014	KP	w/o NBL		
MITT 4400	130.08.690R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.22.052R	KL		For thread bigger than 1mm diameter, drop-in version					
MITT 4400-2RT	130.08.050	KK			130.08.014	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

IVOMAQ (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
MITT 4400-2RTA1	130.08.050	KK			130.08.014	KP	w/o NBL		
MITT 4400-2RTA2	130.08.050	KK			130.08.014	KP	w/o NBL		
MITT 4400-2RTFA1	130.08.050	KK			130.08.014	KP	w/o NBL		
MITT 4400-2RTFA2	130.08.050	KK			130.08.014	KP	w/o NBL		
MITT 4400-4RT	130.08.690R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.22.052R	KL		For thread bigger than 1mm diameter, drop-in version					
MITT 4400-4RTA1	130.08.690R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.22.049R	KL		Regulating needle guard					
	130.22.052R	KL		For thread bigger than 1mm diameter, drop-in version					
MITT 4400-4RTA2	130.08.690R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.22.052R	KL		For thread bigger than 1mm diameter, drop-in version					
MITT 4400-204RT	130.08.690R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.22.049R	KL		Regulating needle guard					
	130.22.052R	KL		For thread bigger than 1mm diameter, drop-in version					
MITT 4400-4RTCA	130.22.049R	KL		Regulating needle guard					
MITT 4400-204RTCA	130.22.049R	KL		Regulating needle guard					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

J.A.M.

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
TC 125	130.09.152	KH		FA, full gib	130.10.007	KP	MF		
	130.09.214	KH		FB, full gib	130.10.007	KP	MF		
	130.09.231	KH		Thick thread, FA, short gib	130.10.007	KP	MF		
	130.09.250	KH		Thick thread, FB, short gib	130.10.007	KP	MF		
TC 129G					130.10.007	KP	MF		
TC 138	130.09.152	KH		FB, under trimming mach.	130.10.007	KP	MF		
TC 415	130.09.523	KH		To use w/ opener, under trimming mach.	130.10.500	KP	NBL		
					130.10.510	KP	w/o NBL		
					130.10.515	KP	w/o NBL		
	130.09.523L	KH		Noiseless hook	130.10.500	KP	NBL		
					130.10.510	KP	w/o NBL		
					130.10.515	KP	w/o NBL		
	130.09.529	KH		To use w/o opener, under trimming mach.	130.10.500	KP	NBL		
					130.10.510	KP	w/o NBL		
					130.10.515	KP	w/o NBL		
TC 706	130.09.529	KH		To use w/o opener, under trimming mach.	130.10.500	KP	NBL		
TC 762S	130.09.152	KH		FB, under trimming mach.	130.10.007	KP	MF		
TC 767					130.10.007	KP	MF		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

JACK (FEIQIU)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
15-3	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5510	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5520	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5530	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5538	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5550	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5590	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5650	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5750	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-8500	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-8520	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC1-6	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC158-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC668	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JACK (FEIQIU) (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC668-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC668-5	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC668-28	130.05.436	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 15-3	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 605	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 606	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 608	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 609	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JACK (FEIQIU) (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
JK 781	130.12.186	KH			130.14.050	KP	w/o NBL		
					130.14.052	KP	NBL		
JK 872-5					130.20.030	KP	w/o NBL		
JK 875-3					130.20.035	KP	w/o NBL		
JK 875-5					130.20.040	KP	w/o NBL		
JK 5510	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 5520	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 5538	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 5538H	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 5550	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 5550H	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 5590	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 5620	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 5650H	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 5720	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JACK (FEIQIU) (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
JK 5750H	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 5842	130.11.216	KL		Standard execution					
JK 5842-3	130.11.216	KL		Standard execution					
JK 5842-5	130.11.116	KL							
	130.11.219	KL		Under trimming mach.					
JK 5842D-3	130.11.116	KL							
	130.11.219	KL		Under trimming mach.					
JK 845-3	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
	130.16.059	KH			130.17.030	KP	w/o NBL		130.18.059
JK 5845-3	130.16.053	KH			130.17.040	KP	w/o NBL		130.18.058
JK 5845-5	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
JK 5872-3	130.15.128	KL		Standard execution					
JK 5872-5	130.19.045	KH		Standard execution	130.20.040	KP	w/o NBL		130.21.046
JK 5875-3					130.20.035	KP	w/o NBL		
JK 5875-5	130.19.045	KH		Standard execution	130.20.040	KP	w/o NBL		130.21.046
JK 6318	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
JK 8500	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 8500H	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 8800	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 8800H	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 8900	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 8900D	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 8900D-2	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JACK (FEIQIU) (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
JK 8900H	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
JK 68810	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
JK 68820	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
JK 68910	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
JK 68920	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
MS 605	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
MS 606	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
MS 607	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
MS 608	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JACK (FEIQIU) (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
MS 609	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
MS 68080	130.11.165	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

JANOME

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB-J701	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-J702	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-J703	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-J704	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-J705	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-J706	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-J706S	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB-J707	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JANOME (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB-J708	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-J709	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-J761	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-J763	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-J766	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
TA-J761	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
TA-J763	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
TA-J766	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

JIN MING

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
JM-810	130.11.165	KL							
JM-820	130.11.165	KL							
JM-8810	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
JM-8820	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

JIN SHI

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 212-3	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 212-3B	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 212-4	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 212-8	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 212-8B	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 212-9	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 212-18	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GD 212-5H	130.11.084	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

JUKI

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
ACF-161-981	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
ADU-332	130.05.219	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
ADU-992	130.05.219	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
ADU-1852	130.05.219	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
ADU-1853	130.05.219	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
ADU-1854	130.05.219	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
AMS-205C	115.10.008	KH		Light thread					
AMS-206					115.11.046	KP	NBL		
AMS-206C	115.10.008	KH		Light thread					
AMS-206CGL	115.10.002	KH			115.11.042	KP	NBL		
AMS-210	115.10.017	KH			115.11.035	KP	NBL		
	115.10.018	KH			115.11.035	KP	NBL		
AMS-210A	115.00.273	KH		Hard chromium plated; light thread	115.00.286	KP	w/o NBL		
AMS-210B	115.10.008	KH		Light thread					
AMS-210C	115.10.008	KH		Light thread					
AMS-210CGL	115.10.002	KH			115.11.042	KP	NBL		
AMS-210D	115.10.006	KH		Light thread	115.11.035	KP	NBL		
					115.11.038	KP	NBL		
	115.10.007	KH		Thick thread					
AMS-210E	115.10.017	KH			115.11.035	KP	NBL		
	115.10.018	KH			115.11.035	KP	NBL		
	115.10.021	KH			115.11.035	KP	NBL		
	115.10.021DC10	KH			115.11.035	KP	NBL		
AMS-210EN series	115.10.017	KH			115.11.035	KP	NBL		
	115.10.021	KH			115.11.035	KP	NBL		
	115.10.021DC10	KH			115.11.035	KP	NBL		
AMS-211C	115.10.008	KH		Light thread					
AMS-211CGS	115.10.002	KH			115.11.042	KP	NBL		
AMS-211P	115.10.008	KH		Light thread					
AMS-212					115.11.046	KP	NBL		
AMS-212A	115.00.273	KH		Hard chromium plated; light thread	115.00.286	KP	w/o NBL		
AMS-212C	115.10.008	KH		Light thread					
AMS-212CGL	115.10.002	KH			115.11.042	KP	NBL		
AMS-215C	115.10.008	KH		Light thread	115.11.042	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
AMS-215D	115.10.006	KH		Light thread	115.11.035	KP	NBL		
					115.11.038	KP	NBL		
	115.10.007	KH		Thick thread	115.11.035	KP	NBL		
					115.11.038	KP	NBL		
AMS-215CGS	115.10.002	KH			115.11.042	KP	NBL		
AMS-220	115.10.002	KH			115.11.042	KP	NBL		
					115.11.046	KP	NBL		
AMS-220B	115.10.008	KH		Light thread					
AMS-220CGL	115.10.002	KH			115.11.042	KP	NBL		
AMS-220CHS	115.10.009	KH		Thick thread					
AMS-220CGB	115.10.002	KH			115.11.042	KP	NBL		
AMS-220CGS	115.10.002	KH			115.11.042	KP	NBL		
AMS-220CSS	115.10.008	KH		Light thread					
AMS-221D	115.10.006	KH		Light thread	115.11.035	KP	NBL		
					115.11.038	KP	NBL		
	115.10.007	KH		Thick thread	115.11.035	KP	NBL		
					115.11.038	KP	NBL		
AMS-221/IP-410	115.10.021	KH			115.11.035	KP	NBL		
	115.10.021DC10	KH			115.11.035	KP	NBL		
AMS-221E/IP-410	115.10.017	KH			115.11.035	KP	NBL		
	115.10.018	KH			115.11.035	KP	NBL		
	115.10.021	KH			115.11.035	KP	NBL		
AMS-221EN/IP-420	115.10.017	KH			115.11.035	KP	NBL		
	115.10.018	KH			115.11.035	KP	NBL		
	115.10.021	KH			115.11.035	KP	NBL		
	115.10.021DC10	KH			115.11.035	KP	NBL		
AMS-221ENTS	115.10.018	KH			115.11.035	KP	NBL		
	115.10.021	KH			115.11.035	KP	NBL		
	115.10.021DC10	KH			115.11.035	KP	NBL		
AMS-222B	115.10.008	KH		Light thread					
AMS-222BG	115.10.002	KH			115.11.042	KP	NBL		
AMS-222CG	115.10.002	KH			115.11.042	KP	NBL		
AMS-223C	115.10.002	KH			115.11.042	KP	NBL		
AMS-223CS	115.10.008	KH		Light thread					
AMS-224					115.11.046	KP	NBL		
AMS-224C	115.10.002	KH			115.11.042	KP	NBL		
AMS-224BG	115.10.002	KH			115.11.042	KP	NBL		
AMS-224CG	115.10.002	KH			115.11.042	KP	NBL		
AMS-224CS	115.10.008	KH		Light thread					
AMS-224E/IP-410	115.10.021	KH			115.11.035	KP	NBL		
	115.10.021DC10	KH			115.11.035	KP	NBL		
AMS-224E/IP-420	115.10.021	KH			115.11.035	KP	NBL		
	115.10.021DC10	KH			115.11.035	KP	NBL		
AMS-224EN/IP-420	115.10.021	KH			115.11.035	KP	NBL		
	115.10.021DC10	KH			115.11.035	KP	NBL		
AMS-224EN6060/IP-420	115.10.021	KH			115.11.035	KP	NBL		
	115.10.021DC10	KH			115.11.035	KP	NBL		
AMS-229					115.11.046	KP	NBL		
AMS-229BG	115.10.002	KH			115.11.042	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DDL-115	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-127	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-201	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DDL-201H	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DDL-201S	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DDL-227	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-227A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-227F	130.05.250	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-227H	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-227L	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-227M	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-227W	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-241	130.09.180	KH			130.10.052	KP	NBL		
DDL-432-2	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-500	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DDL-500A	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-501	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-501A	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-505	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-505A-100	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-506	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-541	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-541N	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-541W	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-542	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-543	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-545	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-545W	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-552	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-552-1T	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DDL-552-2	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-552-4	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-552A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-552W	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-553	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-553-4	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-555	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-555-4	130.05.219	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-555-5	130.05.219	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-555G	130.05.250	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-555H	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-555H-4-5	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-555U	130.05.350	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-555W	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DDL-555-2B-2,	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-555-2T	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-560	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.281	KH			130.10.052	KP	NBL		
DDL-560-5	130.09.281	KH			130.10.052	KP	NBL		
DDL-888	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5410	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5430	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5490	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5530	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5530H	130.05.532	KH		Under Trimming Mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5530N	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5530NA	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5550	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5550H	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5550H-6	130.05.532	KH		Under Trimming Mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5550-I-00/NP1	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DDL-5550N	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5550N-3	130.05.477	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC10	KH		DC10 coated	130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC20	KH		DC20 coated	130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5550N-7	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC10	KH		DC10 coated	130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC20	KH		DC20 coated	130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5550NA	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5550U-4	130.05.479	KH			130.06.298	KP	NBL		
DDL-5570	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5556N-WB	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5570M	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5570N	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5571	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5571N	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5571NM	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5580	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DDL-5580H	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5580N	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5580NA	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5580NK	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5581N	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5581NA	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5581NK	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5581NU	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-5600	130.09.009	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DDL-5600L	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DDL-5600N-7	130.09.281	KH			130.10.052	KP	NBL		
DDL-5600NJ	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DDL-5600NJ-7-0B	130.09.281	KH			130.10.052	KP	NBL		
DDL-5600NL	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DDL-5600NL-7-0B	130.09.281	KH			130.10.052	KP	NBL		
DDL-5600NR	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DDL-5600NU	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DDL-5600R	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DDL-8100e	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-8300	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-8500	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-8500-7	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-8700	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-8700-7	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-8700H7WB	130.05.532	KH		Under Trimming Mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-8700H7WB-A	130.05.477	KH		Under Trimming Mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC10	KH		DC10 coated	130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-9000B	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-9000D	130.05.376DC20	KH		Under Trimming Mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-9000S	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-9000SH	130.05.532	KH		Under Trimming Mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL-9000SS	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC10	KH		DC10 coated	130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC20	KH		DC20 coated	130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DDW-9	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDW-9A	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDW-92	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDW-226	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDW-226A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDW-226W	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLD-432	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLD-432-2	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLD-432-3	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLD-432-4	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLD-432-5	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLD-432A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLD-432B	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLD-436-5	130.05.473	KH		Under Trimming Mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLD-5430	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLD-5430N	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DLD-5430N-7	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC10	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC20	KH		DC20 coated	130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLM-52	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLM-522	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLM-522A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLM-523	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLM-5200	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLM-5200N	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLM-5210N	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLM-5400-6	130.05.477	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC10	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC20	KH		DC20 coated	130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLM-5400-7	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DLM-5400N-7	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC10	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC20	KH		DC20 coated	130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLM-5410N-7	130.05.477	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC10	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC20	KH		DC20 coated	130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLM-5420N-7	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC10	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC20	KH		DC20 coated	130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLM-5490N-7	130.05.477	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC10	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC20	KH		DC20 coated	130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLN-412-2	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLN-415	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLN-415-2-4	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLN 415-5	130.05.473	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLN-415H	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLN-5410	130.05.477	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC10	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC20	KH		DC20 coated	130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DLN-5410-7	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLN-5410N	130.05.015	KH							
DLN-5410N-6	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLN-5410N-7	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLN-5410NJ-7	130.09.281	KH			130.10.052	KP	NBL		
DLN-9010	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLN-9010SH	130.05.532	KH		Under Trimming Mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLN-9010SS	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC10	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC20	KH		DC20 coated	130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLU-450	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLU-450-2	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLU-450-3	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLU-450-4	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLU-450A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLU-450B	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLU-450C	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DLU-450D	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLU-450E	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLU-450G	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLU-450J	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLU-490-BB	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLU-591-5	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLU-5490	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLU-5490N	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLU-5490N-6	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLU-5490N-7	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLU-5494-6	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLU-5494N-6	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DLU-5494N-7	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DMN-530	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DMN-531	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DMN-531-5	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DMN-5420-6	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DMN-5420-7	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DMN-5420N-6	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DMN-5420N-7	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC10	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.477DC20	KH		DC20 coated	130.06.125	KP	MF		
					130.06.298	KP	NBL		
DNU-241H	130.09.180	KH			130.10.052	KP	NBL		
DNU-241HS	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DNU-261H	130.09.180	KH			130.10.052	KP	NBL		
DNU-1541	130.09.123	KH			130.10.052	KP	NBL		
	130.09.180	KH			130.10.052	KP	NBL		
DSC-244	130.05.496	KH			130.06.380	KP	NBL		
DSC-244-4	130.05.496	KH			130.06.380	KP	NBL		
DSC-244-6	130.05.496	KH			130.06.380	KP	NBL		
DSC-244V-6	130.05.496	KH			130.06.380	KP	NBL		
DSC-244V	130.05.496	KH			130.06.380	KP	NBL		
DSC-244V-4	130.05.496	KH			130.06.380	KP	NBL		
DSC-245	130.05.496	KH			130.06.380	KP	NBL		
DSC-245-4	130.05.496	KH			130.06.380	KP	NBL		
DSC-245-5	130.05.496	KH			130.06.380	KP	NBL		
DSC-245-6	130.05.496	KH			130.06.380	KP	NBL		
DSC-245V	130.05.496	KH			130.06.380	KP	NBL		
DSC-246	130.09.180	KH			130.10.052	KP	NBL		
DSC-246-4	130.09.180	KH			130.10.052	KP	NBL		
DSC-246-6	130.09.180	KH			130.10.052	KP	NBL		
DSC-246V	130.09.180	KH			130.10.052	KP	NBL		
DSC-246V-4	130.09.180	KH			130.10.052	KP	NBL		
DSC-246V-6	130.09.180	KH			130.10.052	KP	NBL		
DSC-246W	130.09.180	KH			130.10.052	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DSU-144N	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DSU-145	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.281	KH			130.10.052	KP	NBL		
DSU-145-4	130.09.281	KH			130.10.052	KP	NBL		
DSU-145-5	130.09.281	KH			130.10.052	KP	NBL		
DSU-145-7	130.09.281	KH			130.10.052	KP	NBL		
DU-140	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DU-141NH	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DU-141H-7	130.09.207	KH		Short gib	130.10.045	KP	NBL		
	130.09.207DC10	KH		Short gib	130.10.045	KP	NBL		
DU-580	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
LBH-761	130.12.068	KH			130.14.010	KP	w/o NBL		130.12.067
					130.14.015	KP	NBL		130.12.066
LBH-762	130.12.068	KH			130.14.010	KP	w/o NBL		130.12.067
					130.14.015	KP	NBL		130.12.066
LBH-763	130.12.068	KH			130.14.010	KP	w/o NBL		130.12.067
					130.14.015	KP	NBL		130.12.066
LBH-771	130.12.186	KH			130.14.050	KP	w/o NBL		
					130.14.052	KP	NBL		
LBH-772	130.12.186	KH			130.14.050	KP	w/o NBL		
					130.14.052	KP	NBL		
LBH-773	130.12.186	KH			130.14.050	KP	w/o NBL		
					130.14.052	KP	NBL		
LBH-781	130.12.186	KH			130.14.050	KP	w/o NBL		
					130.14.052	KP	NBL		
LBH-782	130.12.186	KH			130.14.050	KP	w/o NBL		
					130.14.052	KP	NBL		
LBH-783	130.12.186	KH			130.14.050	KP	w/o NBL		
					130.14.052	KP	NBL		
LBH-784	130.12.186	KH			130.14.050	KP	w/o NBL		
					130.14.052	KP	NBL		
LBH-791	130.12.231	KH			130.14.054	KP	NBL		
					130.14.056	KP	NBL		
LBH-791S	130.12.231	KH			130.14.054	KP	NBL		
					130.14.056	KP	NBL		
LBH-792	130.12.231	KH			130.14.054	KP	NBL		
					130.14.056	KP	NBL		
LBH-792S	130.12.231	KH			130.14.054	KP	NBL		
					130.14.056	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LBH-793	130.12.231	KH			130.14.054	KP	NBL		
					130.14.056	KP	NBL		
LBH-793S	130.12.231	KH			130.14.054	KP	NBL		
					130.14.056	KP	NBL		
LBH-794	130.12.231	KH			130.14.054	KP	NBL		
					130.14.056	KP	NBL		
LBH-794S	130.12.231	KH			130.14.054	KP	NBL		
					130.14.056	KP	NBL		
LBH-1700	130.12.231	KH			130.14.054	KP	NBL		
					130.14.056	KP	NBL		
LBH-1790	130.12.231	KH			130.14.054	KP	NBL		
					130.14.056	KP	NBL		
LBH-1790S	130.12.231	KH			130.14.054	KP	NBL		
					130.14.056	KP	NBL		
LH-51	130.11.062	KL							
LH-51-10	130.11.062	KL							
LH-512	130.11.101	KL							
LH-512-3	130.11.101	KL							
LH-512H	130.11.105	KL							
LH-513	130.15.000	KL							
	130.15.000R	KL		Regulating needle guard					
LH-515	130.11.101	KL							
LH-515H	130.11.105	KL							
LH-516	130.11.062	KL							
LH-517	130.11.062	KL							
LH-518	130.11.062	KL							
LH-527	130.19.020	KH			130.20.000	KP	w/o NBL		130.21.020
LH-528	130.16.050	KH			130.17.000	KP	w/o NBL		130.18.050
LH-1150	130.11.135	KL		Drop-in version					
	130.16.010	KH		Cap system	130.17.010	KP	w/o NBL		130.18.010
LH-1150-4	130.16.015	KH			130.17.010	KP	w/o NBL		130.18.015
LH-1150-5	130.16.015	KH			130.17.010	KP	w/o NBL		130.18.015
LH-1150-6	130.16.015	KH			130.17.010	KP	w/o NBL		130.18.015
LH-1152	130.11.135	KL		Drop-in version					
	130.16.010	KH		Cap system	130.17.010	KP	w/o NBL		130.18.010
LH-1152-4	130.11.090	KL		Drop-in version, under trimming mach.					
	130.16.015	KH		Cap system	130.17.010	KP	w/o NBL		130.18.015
LH-1152-5	130.11.090	KL		Drop-in version					
	130.16.015	KH		Cap system	130.17.010	KP	w/o NBL		130.18.015
LH-1152-6	130.11.090	KL		Drop-in version					
	130.16.015	KH		Cap system	130.17.010	KP	w/o NBL		130.18.015
LH-1152-7	130.11.090	KL		Drop-in version					
	130.16.015	KH		Cap system	130.17.010	KP	w/o NBL		130.18.015
LH-3120	130.11.216	KL							
LH-3120-7	130.11.216	KL							
LH-3120A	130.11.216	KL							
LH-3120F	130.11.216	KL							
LH-3128	130.11.216	KL		Drop-in version					
	130.16.055	KH		Cap system	130.17.035	KP	w/o NBL		130.18.055

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LH-3128-7	130.11.231	KL		Under Trimming Mach.					
	130.16.064	KH		Under Trimming Mach.	130.17.035	KP	w/o NBL		
					130.17.040	KP	w/o NBL		130.18.064
	130.16.064	KH		Under Trimming Mach.	130.17.035	KP	w/o NBL		
					130.17.040	KP	w/o NBL		130.18.064
LH-3162-4	130.16.064	KH		Under Trimming Mach.	130.17.040	KP	w/o NBL		130.18.064
LH-3162-7	130.16.064	KH		Under Trimming Mach.	130.17.040	KP	w/o NBL		130.18.064
LH-3168	130.16.053	KH			130.17.040	KP	w/o NBL		130.18.058
LH-3168-7	130.16.064	KH		Under Trimming Mach.	130.17.035	KP	w/o NBL		
					130.17.040	KP	w/o NBL		130.18.064
	130.16.064	KH		Under Trimming Mach.	130.17.035	KP	w/o NBL		
					130.17.040	KP	w/o NBL		130.18.064
LH-3178	130.15.128	KL		Drop-in version					
	130.19.050	KH		Cap system	130.20.050	KP	w/o NBL		130.21.049
					130.20.055	KP	w/o NBL		130.21.050
	130.19.050	KH		Cap system	130.20.050	KP	w/o NBL		130.21.049
					130.20.055	KP	w/o NBL		130.21.050
LH-3178-7	130.19.052	KH		Under Trimming Mach.	130.20.050	KP	w/o NBL		130.21.053
					130.20.055	KP	w/o NBL		130.21.054
LH-3182-4	130.19.052	KH		Under Trimming Mach.	130.20.050	KP	w/o NBL		130.21.053
LH-3182-7	130.19.052	KH		Under Trimming Mach.	130.20.050	KP	w/o NBL		130.21.053
LH-3188	130.19.050	KH		Cap system	130.20.050	KP	w/o NBL		130.21.049
					130.20.055	KP	w/o NBL		130.21.050
	130.19.050	KH		Cap system	130.20.050	KP	w/o NBL		130.21.049
					130.20.055	KP	w/o NBL		130.21.050
LH-3188-7	130.19.052	KH		Under Trimming Mach.	130.20.050	KP	w/o NBL		130.21.053
					130.20.055	KP	w/o NBL		130.21.054
LK-284	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
LK-287	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
LK-289	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
LK-291	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
LK-980	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
LK-1850	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
					115.00.286	KP	w/o NBL		
	115.00.274	KH		Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		
					115.00.286	KP	w/o NBL		
LK-1850C	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
LK-1850J	115.00.274	KH		Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		
LK-1851	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
LK-1851C	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
LK-1900	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
	115.00.274	KH		Hard chromium plated; thick thread	115.00.277	KP	w/o NBL		
LK-1900A	115.00.303	KH			115.00.304	KP	NBL		
	115.10.018	KH			115.11.035	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LK-1900 AFS/MC 596 KSS	115.00.303	KH			115.00.304	KP	NBL		
LK-1900AN series	115.00.303	KH			115.00.304	KP	NBL		
	115.10.018	KH			115.11.035	KP	NBL		
LK-1900ANW	115.10.018	KH			115.11.035	KP	NBL		
LK-1900AW	115.10.018	KH			115.11.035	KP	NBL		
LK-1900BW	115.10.018	KH			115.11.035	KP	NBL		
LK-1902AS	115.00.303	KH			115.00.304	KP	NBL		
LK-1903AS-301	115.00.303	KH			115.00.304	KP	NBL		
LK-1903AS-302	115.00.303	KH			115.00.304	KP	NBL		
LK-1903A/BR35	115.00.303	KH			115.00.304	KP	NBL		
LK-1903AS-311	115.00.303	KH			115.00.304	KP	NBL		
LK-1903AS-312	115.00.303	KH			115.00.304	KP	NBL		
LK-1903AN series	115.00.303	KH			115.00.304	KP	NBL		
LK-1901ANS	115.00.303	KH			115.00.304	KP	NBL		
LK-1902ANS	115.00.303	KH			115.00.304	KP	NBL		
LK-1900B	115.10.018	KH			115.11.035	KP	NBL		
LK-1910	115.10.006	KH		Light thread	115.11.035	KP	NBL		
	115.10.007	KH		Thick thread	115.11.035	KP	NBL		
LK-1920	115.10.006	KH		Light thread	115.11.035	KP	NBL		
	115.10.007	KH		Thick thread	115.11.035	KP	NBL		
LK-1930	115.10.006	KH		Light thread	115.11.035	KP	NBL		
	115.10.007	KH		Thick thread	115.11.035	KP	NBL		
LK-1950	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
LS-311	130.22.040	KL							
LS-321	130.08.758	KK		Short gib	130.08.766	KP	w/o NBL		
	130.08.791	KK		Full gib	130.08.766	KP	w/o NBL		
LS-341	130.08.758	KK		Short gib	130.08.766	KP	w/o NBL		
LS-341N	130.08.776	KK		Short gib, cap system	130.08.766	KP	w/o NBL		
LS-1341	130.08.780	KK		Full gib	130.08.766	KP	w/o NBL		
	130.08.780R	KK		Full gib, regulating needle guard	130.08.766	KP	w/o NBL		
LS-1342	130.08.776	KK		Short gib, cap system	130.08.766	KP	w/o NBL		
	130.08.776R	KK		Short gib, cap system, regulating needle guard	130.08.766	KP	w/o NBL		
	130.08.780	KK		Full gib, cap system	130.08.766	KP	w/o NBL		
	130.08.780R	KK		Full gib, cap system, regulating needle guard	130.08.766	KP	w/o NBL		
	130.22.035	KL		Full gib					
	130.22.035R	KL		Full gib, regulating needle guard					
	130.22.039	KL		Short gib					
	130.22.039R	KL		Short gib, regulating needle guard					
LS-1342-7	130.08.816R	KK		Cap system, under trimming mach., regulating needle guard	130.08.659	KP	NBL		
	130.22.028	KL		Full gib, under trimming mach.					
	130.22.028R	KL		Full gib, under trimming mach., regulating needle guard					
	130.22.034	KL		Short gib, under trimming mach.					
	130.22.034R	KL		Short gib, under trimming mach., regulating needle guard					
LU-53	130.11.000	KL							
LU-53-7	130.11.062	KL							
LU-55	130.11.000	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LU-55-2	130.11.000	KL							
LU-55-3	130.11.000	KL							
LU-562	130.11.000	KL							
LU-562-3	130.11.000	KL							
LU-562A	130.11.062	KL							
LU-562N	130.15.000	KL							
	130.15.000R	KL		Regulating needle guard					
LU-563	130.15.000	KL							
	130.15.000R	KL		Regulating needle guard					
LU-563-3	130.15.010	KL							
LU-563N	130.15.000	KL							
	130.15.000R	KL		Regulating needle guard					
LU-1500	130.15.000	KL							
	130.15.000R	KL		Regulating needle guard					
LU-1508	130.15.000	KL							
	130.15.000R	KL		Regulating needle guard					
LU-1508N	130.15.000	KL							
	130.15.000R	KL		Regulating needle guard					
	130.15.010	KL							
LU-1508NH	130.15.000	KL							
	130.15.000R	KL		Regulating needle guard					
	130.15.010	KL							
LU-1508NS	130.15.000	KL							
	130.15.000R	KL		Regulating needle guard					
LU-1509N	130.15.000	KL							
	130.15.000R	KL		Regulating needle guard					
LU-1509NH	130.15.010	KL							
LU-1509N-7	130.15.183	KL		Under trimming mach.					
	130.15.183R	KL		Under trimming mach., regulating needle guard					
LU-1510	130.15.000	KL							
	130.15.010	KL		Thick thread					
LU-1510N	130.15.000	KL							
	130.15.000R	KL		Regulating needle guard					
LU-1510N-7	130.15.183	KL		Under trimming mach.					
	130.15.183R	KL		Under trimming mach., regulating needle guard					
LU-1510-7	130.15.137	KL		Under trimming mach.					
	130.15.137R	KL		Under trimming mach., regulating needle guard					
	130.15.137RDC10	KL		Under trimming mach., regulating needle guard, DC10 coated					
	130.15.137RDC20	KL		Under trimming mach., regulating needle guard, DC20 coated					
LU-1510-70RB	130.15.137	KL		Under trimming mach.					
	130.15.137R	KL		Under trimming mach., regulating needle guard					
	130.15.137RDC10	KL		Under trimming mach., regulating needle guard, DC10 coated					
	130.15.137RDC20	KL		Under trimming mach., regulating needle guard, DC20 coated					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LU-1511N-7	130.15.183	KL		Under trimming mach.					
	130.15.183R	KL		Under trimming mach., regulating needle guard					
LU-1560	130.15.000	KL							
	130.15.000R	KL		Regulating needle guard					
LU-1560N	130.15.000	KL							
	130.15.000R	KL		Regulating needle guard					
LU-1560N-7	130.15.183	KL		Under trimming mach.					
	130.15.183R	KL		Under trimming mach., regulating needle guard					
LU-1560-7	130.15.137	KL		Under trimming mach.					
	130.15.137R	KL		Under trimming mach., regulating needle guard					
	130.15.137RDC10	KL		Under trimming mach., regulating needle guard, DC10 coated					
	130.15.137RDC20	KL		Under trimming mach., regulating needle guard, DC20 coated					
LU-1561N	130.15.000	KL							
	130.15.000R	KL		Regulating needle guard					
LU-1561N-7	130.15.183	KL		Under trimming mach.					
	130.15.183R	KL		Under trimming mach., regulating needle guard					
LU-1565	130.19.020	KH			130.20.000	KP	w/o NBL		130.21.020
LU-1565N	130.15.183	KL		Under trimming mach.					
	130.15.183R	KL		Under trimming mach., regulating needle guard					
	130.19.020	KH			130.20.000	KP	w/o NBL		130.21.020
	130.19.025	KH		Cap system	130.20.000	KP	w/o NBL		130.21.025
LU-2210	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		DC10 coated, under trimming mach.					
	130.13.294	KK		Cap System, Under trimming mach.	130.08.824	KP	w/o NBL		
LU-2110 Mod.for Heavy Thread	130.13.306	KK		Under trimming mach., cap system, thick thread, w/ thread guard	130.08.824	KP	w/o NBL		
LU-2210N	130.13.270	KL		Bobbin thread control					
	130.13.270DC10	KL		DC10 coated					
LU-2210N-7	130.13.270	KL		Bobbin thread control					
	130.13.270DC10	KL		DC10 coated					
LU-2212N-7	130.13.270	KL		Bobbin thread control					
	130.13.270DC10	KL		DC10 coated					
LU-2216N-7	130.13.270	KL		Bobbin thread control					
	130.13.270DC10	KL		DC10 coated					
LU-2260	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		DC10 coated, under trimming mach.					
	130.13.294	KK		Cap System, Under trimming mach.	130.08.824	KP	w/o NBL		
LU-2260 Mod.for Heavy Thread	130.13.306	KK		Under trimming mach., cap system, thick thread, w/ thread guard	130.08.824	KP	w/o NBL		
LU-2220N-7	130.13.270	KL		Bobbin thread control					
	130.13.270DC10	KL		DC10 coated					
LU-2260N	130.13.270	KL		Bobbin thread control					
	130.13.270DC10	KL		DC10 coated					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LU-2266N-7	130.13.270	KL		Bobbin thread control					
	130.13.270DC10	KL		DC10 coated					
LU-2810	130.13.800R	KL		regulating needle guard					
LU-2810-7	130.13.808R	KL		regulating needle guard					
	130.13.808RDC10	KL		DC10 coated, regulating needle guard					
LU-2818-7	130.13.615	KL							
	130.13.615L	KL		Noiseless System					
LU-2818-7 Mod.for Heavy Thread	130.13.621	KL		thick thread					
LU-2828-6	130.13.626	KL							
LU-2828-7	130.13.626	KL							
LU-2860	130.13.800R	KL		regulating needle guard					
LU-2860-7	130.13.808R	KL		regulating needle guard					
	130.13.808RDC10	KL		DC10 coated, regulating needle guard					
LU-2868-7	130.13.615	KL							
	130.13.615L	KL		Noiseless System					
LU-2868-7 Mod.for Heavy Thread	130.13.621	KL		thick thread					
LUH-520	130.15.010	KL							
LUH-521	130.19.025	KH			130.20.000	KP	w/o NBL		130.21.025
LUH-526	130.19.020	KH			130.20.000	KP	w/o NBL		130.21.020
	130.19.025	KH			130.20.000	KP	w/o NBL		130.21.025
LUH-527	130.19.025	KH			130.20.000	KP	w/o NBL		130.21.025
LZ-27	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
LZ-29	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
LZ-40	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
LZ-271	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
LZ-391N	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
LZ-403	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
LZ-2280	130.12.201TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2285	130.12.201TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2280N	130.12.201TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2280N-7	130.12.201TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LZ-2281N	130.12.201TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2282N	130.12.201TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2282N-7	130.12.201TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2282NU-7	130.12.201TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2283N	130.12.201TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2284N	130.12.201TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2284N-7	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2286NU-7	130.12.201TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2288	130.12.201TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2288NU-7	130.12.201TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2290	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2290-7	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2290A	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2290A-7	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2290A-SR-7	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2290A-SR-7-CB	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2290A-SR-7-WB	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2290A-SS	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LZ-2290A-SS-7	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2290A-SS-7-CB	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2290A-SU	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2290A-SU-7	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
LZ-2290A-SU-7-CB	130.12.211TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
MOL-254	115.10.007	KH		Thick thread	115.11.035	KP	NBL		
					115.11.038	KP	NBL		
PLC-1610-7	130.08.658R	KK		Under trimming mach., regulating needle guard	130.08.659	KP	NBL		
PLC-1660-7	130.08.658R	KK		Under trimming mach., regulating needle guard	130.08.659	KP	NBL		
	130.22.010R	KL		Under trimming mach., regulating needle guard					
PLC-1660L	130.08.240R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.08.690R	KK		Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL		
	130.22.000R	KL		Regulating needle guard, drop-in version					
	130.22.052R	KL		For thread bigger than 1mm diameter, drop-in version					
PLC-1665	130.08.650R	KK		Regulating needle guard	130.08.651	KP	w/o NBL		
PLC-1710	130.22.051R	KL		Regulating needle guard					
PLC-1710-7	130.08.658R	KK		Under trimming mach., regulating needle guard	130.08.659	KP	NBL		
	130.22.010R	KL		Under trimming mach., regulating needle guard					
PLC-1760	130.22.051R	KL		Regulating needle guard					
PLC-1760-7	130.08.658R	KK		Under trimming mach., regulating needle guard	130.08.659	KP	NBL		
	130.22.010R	KL		Under trimming mach., regulating needle guard					
PLC-1760L	130.08.240R	KK		Regulating needle guard	130.08.246	KP	w/o NBL		
	130.08.690R	KK		Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL		
	130.22.000R	KL		Regulating needle guard					
	130.22.052R	KL		For thread bigger than 1mm diameter, drop-in version					
PLC-2710-7	130.13.813R	KL		regulating needle guard					
PLC-2760-7	130.13.813R	KL		regulating needle guard					
PLC-2760L	130.13.800R	KL		regulating needle guard					
PLH 981	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
PLH 982	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
PLH 983	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
PLH 984	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
PLH 985	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
PLH 986	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
PLN 985	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
PLN 986	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
PLW-1245	130.08.580	KK		Under trimming mach.	130.08.460	KP	NBL		
PLW-1245-4	130.08.580	KK		Under trimming mach.	130.08.460	KP	NBL		
PLW-1245-6	130.08.580	KK		Under trimming mach.	130.08.460	KP	NBL		
PLW-1246	130.08.904	KK		Under trimming mach.	130.08.014	KP	w/o NBL		
PLW-1246-4	130.08.580	KK		Under trimming mach.	130.08.460	KP	NBL		
PLW-1246-6	130.08.580	KK		Under trimming mach.	130.08.460	KP	NBL		
TK-1800B	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
TK-1828	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
TK-1836	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
TK-1842	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
TL-72	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
TL-82	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
TR-72	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

KACHIRAN

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
NEW LIFE	130.02.500	KH			130.06.390	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

K-CHANCE

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
KBH-780	130.12.186	KH			130.14.050	KP	w/o NBL		
					130.14.052	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

KERDER

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
KD-20U	130.01.113	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
KD-810	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
KD-820	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
KD-8100-3	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
KD-8100-5	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
KD-8100-7	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

KING S

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
HC-335	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
HC-471	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
HC-474	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
HC-491	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
HC-616	130.08.100	KK			130.08.109	KP	w/o NBL		
HC-618	130.08.100	KK			130.08.109	KP	w/o NBL		
HC-810	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
HC-815	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
HC-820	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
HC-825	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
HC-832	130.11.084	KL							
HC-835	130.15.016	KL							
HC-919	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
HC-929	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

KING TEX

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
KL-300H	130.05.235	KH			130.06.019	KP	w/o NBL		
KL-300M	130.05.235	KH			130.06.019	KP	w/o NBL		
KL-300M-A	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
KL-310M	130.05.235	KH			130.06.019	KP	w/o NBL		
KL-500M	130.05.235	KH			130.06.019	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

KSL

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
KL110	130.13.289	KL		Under trimming mach., w/ hard chromium plated basket					
	130.13.289DC10	KL		DC10 coated, under trimming mach.					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

KSM

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
KSM 200	130.09.168DC20	KH		DC20 coated					
KSM 210	130.09.168DC20	KH		DC20 coated					
KSM 220	130.09.168DC20	KH		DC20 coated					
KSM 230	130.09.168DC20	KH		DC20 coated					
KSM 210 6 385~24 385	130.09.084	KH			130.10.050	KP	NBL		
KSM 220 6 385~24 385	130.09.084	KH			130.10.050	KP	NBL		
KSM 230 6 385~24 385	130.09.084	KH			130.10.050	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

MAUSER SPEZIAL

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
MA330	130.03.057	KH			130.06.373	KP	NBL		130.00.335
MA590	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
MA1240	130.08.273	KK			130.08.109	KP	w/o NBL		
	130.08.280	KK			130.08.109	KP	w/o NBL		
	130.08.680	KK			130.08.674	KP	NBL		
MA1290	130.08.100	KK			130.08.109	KP	w/o NBL		
MA1290-900	130.08.697	KK		Under trimming mach.	130.08.701	KP	NBL		
MA1293	130.22.526	KL		Drop-in version					
MA1295	130.22.526	KL		Drop-in version					
MA1296	130.22.527	KL		Drop-in version, under trimming mach.					
MA2080	130.04.075	KH			130.06.373	KP	NBL		130.00.336
	130.05.500	KH		FA	130.06.378	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

MECA

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
TECHNA Unlimitec	130.09.516	KH		For quilting machine	130.10.510	KP	w/o NBL		
	130.09.521	KH		For quilting machine, coreless bobbin	130.10.520	KP	w/o NBL		
					130.10.535	KP	w/o NBL		
TECHNA MultiTech	130.09.516	KH		For quilting machine	130.10.500	KP	NBL		
					130.10.510	KP	w/o NBL		
	130.09.521	KH		For quilting machine, coreless bobbin	130.10.520	KP	w/o NBL		
					130.10.535	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

MEIJA

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
G 15-2	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GG 70701	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

MEISTERGRAMM

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
M600XL	130.09.023	KH			130.10.013	KP	MF		
					130.10.039	KP	NBL		
					130.10.050	KP	NBL		
	130.09.023TS	KH		TS coated	130.10.013	KP	MF		
					130.10.039	KP	NBL		
					130.10.050	KP	NBL		
M700					130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
M700XL	130.09.023	KH			130.10.013	KP	MF		
					130.10.039	KP	NBL		
					130.10.050	KP	NBL		
	130.09.023TS	KH		TS coated	130.10.013	KP	MF		
					130.10.039	KP	NBL		
					130.10.050	KP	NBL		
M800					130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
M800XL	130.09.023	KH			130.10.013	KP	MF		
					130.10.039	KP	NBL		
					130.10.050	KP	NBL		
	130.09.023TS	KH		TS coated	130.10.013	KP	MF		
					130.10.039	KP	NBL		
					130.10.050	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

MELCO

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
AMAYA	130.01.435	KH		Standard execution	130.06.240	KP	NBL		
	130.01.435DC20	KH		DC20 coated	130.06.240	KP	NBL		
EMC 1	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
EMC 10	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
EMC 10/4	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
EMC 10/12	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
EMT 10T	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
EMT 10/4T	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

MELCO (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
EMT 10/12	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
EMT 10/12T	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
Unknown	130.09.210	KH			130.10.000	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

MILLION SPECIAL

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
MS-20U143	130.01.129	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
MS-335	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
MS-335N	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
MS-370L	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
MS-474	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
MS-474-500	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
MS-474-510	130.08.594	KK		Under trimming mach., for Million Special	130.08.971	KP	NBL		
MS-474-530	130.08.594	KK		Under trimming mach., for Million Special	130.08.971	KP	NBL		
MS-474-530P	130.08.594	KK		Under trimming mach., for Million Special	130.08.971	KP	NBL		
MS-491	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
MS-491-800	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
MS-491-810	130.08.594	KK		Under trimming mach., for Million Special	130.08.971	KP	NBL		
					130.08.971	KP	NBL		
	130.08.594	KK		Under trimming mach., for Million Special	130.08.971	KP	NBL		
					130.08.971	KP	NBL		
MS-491-830	130.08.594	KK		Under trimming mach., for Million Special	130.08.971	KP	NBL		
MS-491-830P	130.08.594	KK		Under trimming mach., for Million Special	130.08.971	KP	NBL		
MS-652	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
MS-674-500	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
MS-674-530	130.08.594	KK		Under trimming mach., for Million Special	130.08.971	KP	NBL		
MS-674-530P	130.08.594	KK		Under trimming mach., for Million Special	130.08.971	KP	NBL		
MS-674D-500	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
MS-691-800	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
MS-691-810	130.08.594	KK		Under trimming mach., for Million Special	130.08.971	KP	NBL		
MS-691-830	130.08.594	KK		Under trimming mach., for Million Special	130.08.971	KP	NBL		
MS-691-830P	130.08.594	KK		Under trimming mach., for Million Special	130.08.971	KP	NBL		
MS-691D-800	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

MILLION SPECIAL (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
MS-691D-810	130.08.594	KK		Under trimming mach., for Million Special	130.08.971	KP	NBL		
MS-691D-830	130.08.594	KK		Under trimming mach., for Million Special	130.08.971	KP	NBL		
MS-691D-830-P	130.08.594	KK		Under trimming mach., for Million Special	130.08.971	KP	NBL		
MS-735	130.05.235	KH			130.06.019	KP	w/o NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
MS-810	130.11.075	KL							
	130.11.165	KL							
	130.11.205	KL		Short gib, thick thread					
MS-810-H	130.11.075	KL							
MS-820	130.11.075	KL							
	130.11.165	KL							
	130.11.205	KL		Short gib, thick thread					
MS-1245	130.08.273	KK		Full gib, under trimming mach.	130.08.109	KP	w/o NBL		
	130.08.280	KK		Short gib	130.08.109	KP	w/o NBL		
MS-1245 Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
MS-1341	130.08.758	KK			130.08.766	KP	w/o NBL		
MS-3811L	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
MS-B652	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
MS-B735	130.05.235	KH			130.06.019	KP	w/o NBL		
MS-B735R	130.05.235	KH			130.06.019	KP	w/o NBL		
MS-B842	130.11.084	KL							
MS-B842-3	130.11.084	KL							
MS-B842-5	130.11.084	KL							
	130.15.016	KL							
MS-B842-403	130.11.078	KL							
MS-B842-405	130.11.078	KL							
MS-B845	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
MS-B845-3	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
MS-B845-5	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
MS-B872	130.15.016	KL							
MS-B872-3	130.15.016	KL							
MS-B872-5	130.15.016	KL							
MS-B872-403	130.19.045	KH		Standard execution, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
MS-B872-405	130.19.045	KH		Standard execution, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
MS-B875	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
MS-B875-3	130.19.045	KH		Standard execution, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
MS-B875-5	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
MS-B875-403	130.19.045	KH		Standard execution, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
MS-B875-405	130.19.045	KH		Standard execution, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

MINERVA

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
72-113-101	130.05.412	KH			130.06.135	KP	MF		
					130.06.300	KP	NBL		
72-113-101D	130.05.412	KH			130.06.135	KP	MF		
					130.06.300	KP	NBL		
72-113-102	130.05.412	KH			130.06.135	KP	MF		
					130.06.300	KP	NBL		
72-113-105	130.05.412	KH			130.06.135	KP	MF		
					130.06.300	KP	NBL		
72-125-101	130.11.170	KL							
72-125-104	130.11.170	KL							
72-125-105	130.11.170	KL							
	130.11.180	KL		Under trimming mach.					
72-204-102	130.11.170	KL							
72-204-103	130.11.170	KL							
72-317-101	130.05.412	KH			130.06.135	KP	MF		
					130.06.300	KP	NBL		
72-318-101	130.05.412	KH			130.06.135	KP	MF		
					130.06.300	KP	NBL		
72-401-102	130.11.170	KL							
72-401-105	130.11.180	KL		Under trimming mach.					
72-402-101	130.11.170	KL							
72-402-102	130.11.170	KL							
72-403-103	130.11.170	KL							
72-404-104	130.11.170	KL							
72-405-101	130.11.170	KL							
72-406-102	130.11.170	KL							
72-410-101	130.11.170	KL							
72-410-105	130.11.180	KL							
72-410-107	130.11.180	KL							
72-411-102	130.11.170	KL							
72-411-105	130.11.180	KL							
72-414-101	130.11.170	KL							
72-414-105	130.11.180	KL		Under trimming mach.					
72-414-107	130.11.180	KL							
72-415-101	130.11.170	KL							
72-523-101	130.05.412	KH			130.06.135	KP	MF		
					130.06.300	KP	NBL		
72-523-105	130.05.412	KH			130.06.135	KP	MF		
					130.06.300	KP	NBL		
72-526-101	130.05.412	KH			130.06.135	KP	MF		
					130.06.300	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

MINERVA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
72-526-105	130.05.412	KH			130.06.135	KP	MF		
					130.06.300	KP	NBL		
523-101	130.05.412	KH			130.06.135	KP	MF		
					130.06.300	KP	NBL		
523-105	130.05.412	KH			130.06.135	KP	MF		
					130.06.300	KP	NBL		
1120-5	130.13.313	KL							
1120-511	130.13.313	KL							
1120-521	130.13.313	KL							
1120-547	130.13.313	KL							
1120-557	130.13.313	KL							
1120-5xx-100	130.13.313	KL							
1120-5xx-200	130.13.313	KL							
1120-5xx-300	130.13.313	KL							
1120-5xx-400	130.13.313	KL							
1130i-5	130.13.313	KL							
1130i-511	130.13.313	KL							
1130i-547	130.13.313	KL							
1130i-5xx-100	130.13.313	KL							
1130i-5xx-200	130.13.313	KL							
1130i-5xx-300	130.13.313	KL							
1130i-5xx-400	130.13.313	KL							
1180i-5	130.13.313	KL							
1180i-511	130.13.313	KL							
1180i-547	130.13.313	KL							
1180i-5xx-100	130.13.313	KL							
1180i-5xx-200	130.13.313	KL							
1180i-5xx-300	130.13.313	KL							
1180i-5xx-400	130.13.313	KL							
1183i-7	130.13.313	KL							
1183i-711	130.13.313	KL							
1183i-747	130.13.313	KL							
1183i-7xx-200	130.13.313	KL							
1183i-7xx-300	130.13.313	KL							
1230i-6	130.13.313	KL							
1230i-611	130.13.313	KL		Only for right needle					
1230i-647	130.13.313	KL		Only for right needle					
1280i-6	130.13.313	KL							
1280i-611	130.13.313	KL							
1280i-647	130.13.313	KL							
1280i-6xx-100	130.13.313	KL							
1280i-6xx-200	130.13.313	KL							
1280i-6xx-300	130.13.313	KL							
1280i-6xx-400	130.13.313	KL							
4180i-5	130.13.313	KL							
4180i-511	130.13.313	KL							
4180i-547	130.13.313	KL							
4180i-5xx-100	130.13.313	KL							
4180i-5xx-200	130.13.313	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

MINERVA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
4180i-5xx-300	130.13.313	KL							
4180i-5xx-400	130.13.313	KL							
4220i-6	130.13.313	KL							
4220i-611	130.13.313	KL							
4220i-647	130.13.313	KL							
4220i-6xx-100	130.13.313	KL							
4220i-6xx-200	130.13.313	KL							
4220i-6xx-300	130.13.313	KL							
4220i-6xx-400	130.13.313	KL							
4280i-5	130.13.313	KL							
4280i-511	130.13.313	KL							
4280i-547	130.13.313	KL							
4280i-5xx-100	130.13.313	KL							
4280i-5xx-200	130.13.313	KL							
4280i-5xx-300	130.13.313	KL							
4280i-5xx-400	130.13.313	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

MITSUBISHI

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CU-865	130.01.124	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CU-865-12	130.01.124	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CU-865-22FP	130.09.006	KH		Old type	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.210	KH		New type	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
D4430	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB-120-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-120-2	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-126-10	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-130-10	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-130-11	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

MITSUBISHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB-130-12	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-130-13	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-130-22	130.09.006	KH		Old type	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.176	KH		Short gib, thick thread					
	130.09.210	KH		New type	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB-130E-10	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-130E-11	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-130E-12	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

MITSUBISHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB-130E-12-7	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-130E-13	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-130E-22	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB-130G-10	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-130G-12	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-130G-17	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-130G-22	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB-130GM-10	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

MITSUBISHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB-130GM-127	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-132G-10	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-132G-12	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-132G-22	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB-170-10	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-170-11	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-171	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-189-10	130.05.430	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-189-10WBZ	130.05.430	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-189-11	130.05.430	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-189-12	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-189-13	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-189-22BZ	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

MITSUBISHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB-189-L	130.05.430	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-199-10	130.05.430	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-199-10W	130.05.430	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-265	130.11.084	KL							
DB-280	130.11.084	KL							
DB-286	130.11.084	KL							
	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
DB-286-10	130.11.084	KL							
DB-320-10	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-320-11	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-320-12	130.01.124	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-325	130.01.124	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-325-22	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DB-327	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DN-260	130.11.084	KL							
DN-260-7	130.11.084	KL							
DN-260-10	130.11.084	KL							
DN-260-22	130.15.016	KL							
DN-262	130.15.016	KL							
DN-265	130.11.084	KL							
DN-265-10	130.11.084	KL							
DN-265-22	130.15.016	KL							
DN-267	130.15.016	KL							
DN-275-10	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
DN-275-10K	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
DN-275-20	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
DN-350, -10	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
DN-350-12	130.01.124	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DU-100-22	130.15.024	KL							
DU-105-22	130.15.024	KL							
DU-107	130.15.024	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

MITSUBISHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DU-120-22	130.15.024	KL							
DU-122	130.15.024	KL							
DU-125-22	130.15.024	KL							
DU-127	130.15.024	KL							
DX-370	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DX-370-10	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DX-370-20	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DX-377	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DY-330	130.01.124	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DY-330-12	130.01.124	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DY-330-22	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DY-337	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DY-339-22	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		
DY-340-12	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DY-340-22	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DY-340-22BZ	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		
DY-349	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

MITSUBISHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DY-349-22BZ	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		
DY-350-12	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DY-350-22	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.210	KH		New type	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DY-359	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		
DY-359-22	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		
DY-359-22BZ	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		
LG2-3370-M	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LG2-3370-M1T	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LR5-5520	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
LS2-130B	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.210	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
LS2-130-BOB	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.210	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
LS2-130-HOB	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

MITSUBISHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LS2-130-M	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-130-MOB	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-150-MOB	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-180-H	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-180-H1T	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-180-L	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-180-M	130.05.430	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-190-H1TZ	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-190-H1TZ2	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-190-M1TZ	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-190-M1TZ2	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-190-M1TWZ	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

MITSUBISHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LS2-190-M1TWZ4	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-190-M1TWZ6	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-190-M1TZ4	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-190-M1TZ6	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-680-MOB	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-1130-B	130.09.210	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
LS2-1130-BOB	130.09.210	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
LS2-1130-HOB	130.09.210	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
LS2-1130-M	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-1130-MOB	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

MITSUBISHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LS2-1180-H	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-1180-L	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-1180-L1T	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.424	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-1180-M	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.430	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-1180-M1T	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.424	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.430	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-1180-M1TW	130.05.376	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.424	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-1280-B1T	130.09.210	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

MITSUBISHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LS2-1280-H1TW	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-1280-M	130.05.424	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-1280-M1T	130.05.376	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.424	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.430	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-1380-M1T	130.05.424	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-1780-M1TW	130.05.424	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-2210-M	130.05.424	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.430	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.473	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-2210-M1T	130.05.376	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-2210-M1TW	130.05.376	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS5-5110	130.11.155	KL							
LS5-5110-MOB	130.11.155	KL							
LS5-5120	130.11.155	KL							
LS5-5120-MOB	130.11.155	KL							
LT2-220-B	130.15.016	KL							
LT2-220-BOB	130.15.016	KL							
LT2-220-M	130.11.084	KL							
LT2-220-MOB	130.11.084	KL							
LT2-230-B	130.15.030	KL		Under trimming mach.					
	130.15.030R	KL		Under trimming mach., regulating needle guard					
LT2-230-B1T	130.15.030	KL		Under trimming mach.					
	130.15.030R	KL		Under trimming mach., regulating needle guard					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

MITSUBISHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LT2-230-M1TW	130.16.005	KH		For basting stitch	130.17.000	KP	w/o NBL		130.18.005
					130.17.015	KP	w/o NBL		130.18.006
	130.16.005	KH		For corner stitch	130.17.000	KP	w/o NBL		130.18.005
					130.17.015	KP	w/o NBL		130.18.006
LT2-240-B	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
LT2-240-BOB	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
LT2-250-A/B	130.19.030	KH			130.20.015	KP	w/o NBL		130.21.031
	130.19.065R	KH		Regulating needle guard, thick thread	130.20.015	KP	w/o NBL		
LT2-250-A1T	130.19.030	KH			130.20.015	KP	w/o NBL		130.21.031
	130.19.065R	KH		Regulating needle guard, thick thread	130.20.015	KP	w/o NBL		
LT2-250-B1T	130.19.030	KH			130.20.015	KP	w/o NBL		130.21.031
	130.19.065R	KH		Regulating needle guard, thick thread	130.20.015	KP	w/o NBL		
LT2-250-M	130.16.005	KH		For basting stitch	130.17.000	KP	w/o NBL		130.18.005
					130.17.015	KP	w/o NBL		130.18.006
	130.16.005	KH		For corner stitch	130.17.000	KP	w/o NBL		130.18.005
					130.17.015	KP	w/o NBL		130.18.006
LT2-250-M1TW	130.16.005	KH		For basting stitch	130.17.000	KP	w/o NBL		130.18.005
					130.17.015	KP	w/o NBL		130.18.006
	130.16.005	KH		For corner stitch	130.17.000	KP	w/o NBL		130.18.005
					130.17.015	KP	w/o NBL		130.18.006
LT2-2220-B	130.15.016	KL							
LT2-2220-BOB	130.15.016	KL							
	130.19.030	KH			130.20.025	KP	w/o NBL		130.21.030
	130.19.065R	KH		Regulating needle guard, thick thread	130.20.025	KP	w/o NBL		
LT2-2220-L	130.11.084	KL							
LT2-2220-LOB	130.11.084	KL							
LT2-2220-M	130.11.084	KL							
LT2-2220-MOB	130.11.084	KL							
LT2-2230-B	130.15.030	KL							
	130.15.030R	KL		Under trimming mach., regulating needle guard					
LT2-2230-B1T	130.15.030	KL		Under trimming mach.					
	130.15.030R	KL		Under trimming mach., regulating needle guard					
LT2-2240-B	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
LT2-2240-BOB	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
LT2-2240-MOB	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
LT2-2250-A/B	130.19.030	KH			130.20.015	KP	w/o NBL		130.21.031
	130.19.065R	KH		Regulating needle guard, thick thread	130.20.015	KP	w/o NBL		
LT2-2250-A1T	130.19.030	KH			130.20.015	KP	w/o NBL		130.21.031
	130.19.065R	KH		Regulating needle guard, thick thread	130.20.015	KP	w/o NBL		
LT2-2250-B1T	130.19.030	KH			130.20.015	KP	w/o NBL		130.21.031
	130.19.065R	KH		Regulating needle guard, thick thread	130.20.015	KP	w/o NBL		
LT2-2250-M	130.16.005	KH		For basting stitch	130.17.000	KP	w/o NBL		130.18.005
					130.17.015	KP	w/o NBL		130.18.006
	130.16.005	KH		For corner stitch	130.17.000	KP	w/o NBL		130.18.005
					130.17.015	KP	w/o NBL		130.18.006

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

MITSUBISHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LT2-2250-M1TW	130.16.005	KH		For basting stitch	130.17.000	KP	w/o NBL		130.18.005
					130.17.015	KP	w/o NBL		130.18.006
	130.16.005	KH		For corner stitch	130.17.000	KP	w/o NBL		130.18.005
					130.17.015	KP	w/o NBL		130.18.006
LU2-400-B	130.15.024	KL							
LU2-400-BOB	130.15.024	KL							
LU2-410	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
	130.19.005	KH			130.20.025	KP	w/o NBL		130.21.005
	130.19.005R	KH		Regulating needle guard	130.20.025	KP	w/o NBL		
LU2-410-B1T	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
	130.19.005	KH			130.20.025	KP	w/o NBL		130.21.005
	130.19.005R	KH		Regulating needle guard	130.20.025	KP	w/o NBL		
LU2-420-BOB	130.15.024	KL							
LU2-430	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
	130.19.005	KH			130.20.025	KP	w/o NBL		130.21.005
	130.19.005R	KH		Regulating needle guard	130.20.025	KP	w/o NBL		
LU2-430-B	130.19.005	KH			130.20.025	KP	w/o NBL		130.21.005
	130.19.005R	KH		Regulating needle guard	130.20.025	KP	w/o NBL		
LU2-430-B1T	130.19.005	KH			130.20.025	KP	w/o NBL		130.21.005
	130.19.005R	KH		Regulating needle guard	130.20.025	KP	w/o NBL		
LU2-4400	130.15.024	KL							
LU2-4410-B	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
LU2-4410-B1T	130.19.005	KH			130.20.025	KP	w/o NBL		130.21.005
	130.19.005R	KH		Regulating needle guard	130.20.025	KP	w/o NBL		
LU2-4412-B1T	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
LU2-4420	130.15.024	KL							
LU2-4430-B	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
LU2-4430-B1T	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
LU2-4440	130.15.024	KL							
LU2-4450-B1T	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

MITSUBISHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LU2-4452-B1T	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
LU2-4650-B1T	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
LU2-4652-B1T	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
LU2-4710-B1T	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
LU2-4730-B1T	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
LU3-6860	130.22.040	KL							
LX2-371-MO	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LX2-630-M1	130.16.005	KH			130.17.015	KP	w/o NBL		130.18.006
LY2-3300-BOB	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		
LY2-3310	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		
LY2-3330	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		
LY2-3330-BOB	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		
LY3-6840-BOT	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		
LY3-6850-B1T					130.10.054	KP	NBL		
LW2-240	130.15.030	KL		Under trimming mach.					
	130.15.030R	KL		Under trimming mach., regulating needle guard					
LW2-410	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
LZ-710	130.12.146	KH			130.14.010	KP	w/o NBL		130.12.158
					130.14.015	KP	NBL		130.12.159
LZ-710-11	130.12.146	KH			130.14.010	KP	w/o NBL		130.12.158
					130.14.015	KP	NBL		130.12.159
LZ-720	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

MITSUBISHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LZ-720-11	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
LZ-760	130.12.146	KH			130.14.010	KP	w/o NBL		130.12.158
					130.14.015	KP	NBL		130.12.159
LZ-760-11	130.12.146	KH			130.14.010	KP	w/o NBL		130.12.158
					130.14.015	KP	NBL		130.12.159
LZ-780	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
LZ-780-11	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
LZ-790	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
PB-810	130.11.155	KL							
PB-810-10	130.11.155	KL							
PB-820	130.11.155	KL							
PB-820-10	130.11.155	KL							
PB-840	130.11.155	KL							
PB-840-10	130.11.155	KL							
PLK-0303	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
PLK-03BTA	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
PLK-03HS	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
PLK-0504	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
PLK-0604	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
PLK-0804	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
PLK-08HSW	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
PLK-109	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
PLK-1006	115.10.001	KH		Light thread	115.11.020	KP	NBL		
PLK-1210	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		
PLK-1410	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

MITSUBISHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
PLK-1710	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		
PLK-A05BT	115.10.000	KH		Thick thread	115.11.020	KP	NBL		
	115.10.001	KH		Light thread					
PLK-A05PF	115.10.000	KH		Thick thread	115.11.020	KP	NBL		
	115.10.001	KH		Light thread					
PLK-A0804	115.10.000	KH		Thick thread	115.11.020	KP	NBL		
	115.10.001	KH		Light thread					
PLK-A1006	115.10.000	KH		Thick thread	115.11.020	KP	NBL		
	115.10.001	KH		Light thread					
PLK-A1710	115.10.000	KH		Thick thread	115.11.020	KP	NBL		
	115.10.001	KH		Light thread					
PLK-A2016	115.10.000	KH		Thick thread	115.11.020	KP	NBL		
	115.10.001	KH		Light thread					
PLK-A3530	115.10.000	KH		Thick thread	115.11.020	KP	NBL		
	115.10.001	KH		Light thread					
PLK-A4516	115.10.000	KH		Thick thread	115.11.020	KP	NBL		
	115.10.001	KH		Light thread					
PLK-A6019	115.10.000	KH		Thick thread	115.11.020	KP	NBL		
	115.10.001	KH		Light thread					
PLK-A6030	115.10.000	KH		Thick thread	115.11.020	KP	NBL		
	115.10.001	KH		Light thread					
PLK-E03BT	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
PLK-E03BTA	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
PLK-E0504	115.00.275	KH		Hard chromium plated: light thread	115.00.310	KP	NBL		
PLK-E1010	115.10.001	KH		Light thread	115.11.020	KP	NBL		
PLK-E2010	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		
PLK-E2010R	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		
PLK-E2516	115.10.001	KH		Light thread	115.11.020	KP	NBL		
PLK-E2516A	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		
PLK-E2516R	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		
PLK-E4030	115.10.001	KH		Light thread	115.11.020	KP	NBL		
PLK-E4519	115.10.001	KH		Light thread	115.11.020	KP	NBL		
PLK-E5050	115.10.001	KH		Light thread	115.11.020	KP	NBL		
PLK-E6019	115.10.001	KH		Light thread	115.11.020	KP	NBL		
PLK-E6030	115.10.001	KH		Light thread	115.11.020	KP	NBL		
PLK-E7191	130.19.030	KH			130.20.025	KP	w/o NBL		130.21.030
	130.19.065R	KH		Regulating needle guard, thick thread	130.20.015	KP	w/o NBL		
PLK-E7194	130.19.030	KH			130.20.025	KP	w/o NBL		130.21.030
	130.19.065R	KH		Regulating needle guard, thick thread	130.20.015	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

MITSUBISHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
PLK-E7203	130.19.030	KH			130.20.025	KP	w/o NBL		130.21.030
	130.19.065R	KH		Regulating needle guard, thick thread	130.20.015	KP	w/o NBL		
PLK-E10050	115.10.001	KH		Light thread	115.11.020	KP	NBL		
PLK-G1010	115.10.000	KH		Thick thread	115.11.020	KP	NBL		
	115.10.001	KH		Thick thread	115.11.020	KP	NBL		
PLK-G2010R	130.09.207	KH		Under trimming mach.	130.10.054	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.054	KP	NBL		
PLK-G4030	115.10.000	KH		Thick thread	115.11.020	KP	NBL		
	115.10.001	KH		Light thread	115.11.020	KP	NBL		
PLY-501F	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
PLY-1185	130.19.030	KH			130.20.025	KP	w/o NBL		130.21.030
	130.19.065R	KH		Regulating needle guard, thick thread	130.20.015	KP	w/o NBL		
PLY-7181	130.19.030	KH			130.20.025	KP	w/o NBL		130.21.030
	130.19.065R	KH		Regulating needle guard, thick thread	130.20.015	KP	w/o NBL		
PLY-7182	130.19.030	KH			130.20.025	KP	w/o NBL		130.21.030
	130.19.065R	KH		Regulating needle guard, thick thread	130.20.015	KP	w/o NBL		
PLY-7191	130.19.030	KH			130.20.025	KP	w/o NBL		130.21.030
	130.19.065R	KH		Regulating needle guard, thick thread	130.20.015	KP	w/o NBL		
PLY-7194	130.19.030	KH			130.20.025	KP	w/o NBL		130.21.030
	130.19.065R	KH		Regulating needle guard, thick thread	130.20.015	KP	w/o NBL		
PLY-7202	130.19.030	KH			130.20.025	KP	w/o NBL		130.21.030
	130.19.065R	KH		Regulating needle guard, thick thread	130.20.015	KP	w/o NBL		
PLY-7203	130.19.030	KH			130.20.025	KP	w/o NBL		130.21.030
	130.19.065R	KH		Regulating needle guard, thick thread	130.20.015	KP	w/o NBL		
PLY-7206	130.19.005	KH			130.20.025	KP	w/o NBL		130.21.005
	130.19.005R	KH		Regulating needle guard	130.20.025	KP	w/o NBL		
	130.19.030	KH			130.20.025	KP	w/o NBL		130.21.030
	130.19.065R	KH		Regulating needle guard, thick thread	130.20.015	KP	w/o NBL		
PLY-7206E	130.19.005R	KH		Regulating needle guard	130.20.025	KP	w/o NBL		
	130.19.030	KH			130.20.025	KP	w/o NBL		130.21.030
	130.19.065R	KH		Regulating needle guard, thick thread	130.20.015	KP	w/o NBL		
PN-840	130.11.155	KL							
PN-840-10	130.11.155	KL							
PN-840-10FP	130.11.155	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

MITSUTOMO

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
MT-810	130.11.075	KL		Short gib, forked tension spring					
	130.11.205	KL		Short gib, thick thread					
MT-820	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
MT-370 L	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

NECCHI

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
411-100	130.12.019	KH			130.14.007	KP	NBL		130.12.041
418-100	130.12.091	KH			130.14.015	KP	NBL		130.12.090
419-100	130.12.084	KH			130.14.040	KP	NBL		
420	115.00.130	KH			115.00.111	KP	w/o NBL		
421	115.00.130	KH			115.00.111	KP	w/o NBL		
422	115.00.130	KH			115.00.111	KP	w/o NBL		
500	115.00.098	KH			115.00.099	KP	w/o NBL		
510	115.00.098	KH			115.00.099	KP	w/o NBL		
512	115.00.098	KH			115.00.099	KP	w/o NBL		
513	115.00.098	KH			115.00.099	KP	w/o NBL		
514	115.00.098	KH			115.00.099	KP	w/o NBL		
515	115.00.098	KH			115.00.099	KP	w/o NBL		
520	115.00.098	KH			115.00.099	KP	w/o NBL		
522	115.00.098	KH			115.00.099	KP	w/o NBL		
523	115.00.098	KH			115.00.099	KP	w/o NBL		
524	115.00.098	KH			115.00.099	KP	w/o NBL		
525	115.00.098	KH			115.00.099	KP	w/o NBL		
527	130.01.111	KH			130.06.061	KP	w/o NBL		
529	130.01.111	KH			130.06.061	KP	w/o NBL		
532	115.00.098	KH			115.00.099	KP	w/o NBL		
533	130.01.111	KH			130.06.061	KP	w/o NBL		
	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
534	115.00.098	KH			115.00.099	KP	w/o NBL		
535	130.01.111	KH			130.06.061	KP	w/o NBL		
	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
539	115.00.098	KH			115.00.099	KP	w/o NBL		
	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
554	115.00.098	KH			115.00.099	KP	w/o NBL		
600	115.00.130	KH			115.00.099	KP	w/o NBL		
601	115.00.130	KH			115.00.099	KP	w/o NBL		
602	115.00.130	KH			115.00.099	KP	w/o NBL		
603	115.00.130	KH			115.00.099	KP	w/o NBL		
630	112.00.031	KK							
631	112.00.031	KK							
632	112.00.031	KK							
640	112.00.031	KK							
641	112.00.031	KK							
642	112.00.031	KK							
643	112.00.031	KK							
644	112.00.031	KK							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

NECCHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
720	130.01.111	KH			130.06.061	KP	w/o NBL		
	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
721	130.01.111	KH			130.06.061	KP	w/o NBL		
	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
750	130.05.079	KH			130.06.061	KP	w/o NBL		
752	130.05.079	KH			130.06.061	KP	w/o NBL		
800	130.01.000	KH			130.06.125	KP	MF		
	130.01.097	KH			130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
801	130.01.000	KH			130.06.125	KP	MF		
	130.01.097	KH			130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
802	130.05.246	KH		w/ two lubrication channels	130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		
803	130.01.000	KH			130.06.125	KP	MF		
	130.01.097	KH			130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
810	130.01.000	KH			130.06.125	KP	MF		
	130.01.097	KH			130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
812	130.05.246	KH		w/ two lubrication channels	130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		
813	130.01.000	KH			130.06.125	KP	MF		
	130.01.097	KH			130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
830	130.05.246	KH		w/ two lubrication channels	130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		
831	130.05.246	KH		w/ two lubrication channels	130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		
832	130.05.246	KH		w/ two lubrication channels	130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		
835	130.05.246	KH		w/ two lubrication channels	130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		
840	130.01.111	KH			130.06.061	KP	w/o NBL		
	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
860	130.01.031	KH			130.06.128	KP	MF		
881	130.05.246	KH		w/ two lubrication channels	130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

NECCHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
882	130.05.246	KH		w/ two lubrication channels	130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		
883	130.05.246	KH		w/ two lubrication channels	130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		
884	130.05.246	KH		w/ two lubrication channels	130.06.159	KP	MF		
					130.06.258	KP	MF		
885	130.05.246	KH		w/ two lubrication channels	130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		
887	130.05.246	KH		w/ two lubrication channels	130.06.159	KP	MF		
					130.06.258	KP	MF		
891-100	130.05.246	KH		w/ two lubrication channels	130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		
891-101	130.05.246	KH		w/ two lubrication channels	130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		
891-104	130.09.052	KH			130.10.028	KP	MF		
891-260	130.05.246	KH		w/ two lubrication channels	130.06.159	KP	MF		
					130.06.258	KP	MF		
891-261	130.05.246	KH		w/ two lubrication channels	130.06.159	KP	MF		
					130.06.258	KP	MF		
891-264	130.09.052	KH			130.10.028	KP	MF		
891-570	130.05.246	KH		w/ two lubrication channels	130.06.159	KP	MF		
					130.06.258	KP	MF		
891-571	130.05.246	KH		w/ two lubrication channels	130.06.159	KP	MF		
					130.06.258	KP	MF		
895-100	130.05.246	KH		w/ two lubrication channels	130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		
895-101	130.05.246	KH		w/ two lubrication channels	130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		
895-103	130.05.246	KH		w/ two lubrication channels	130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		
895-104	130.05.246	KH		w/ two lubrication channels	130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		
895-108	130.09.052	KH			130.10.028	KP	MF		
895-110	130.05.246	KH		w/ two lubrication channels	130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		
895-111	130.09.052	KH			130.10.028	KP	MF		
895-256	130.05.246	KH		w/ two lubrication channels	130.06.159	KP	MF		
					130.06.258	KP	MF		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

NECCHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
895-260	130.05.246	KH		w/ two lubrication channels	130.06.159	KP	MF		
					130.06.258	KP	MF		
895-261	130.05.246	KH		w/ two lubrication channels	130.06.159	KP	MF		
					130.06.258	KP	MF		
895-263	130.05.246	KH		w/ two lubrication channels	130.06.159	KP	MF		
					130.06.258	KP	MF		
895-264	130.05.246	KH		w/ two lubrication channels	130.06.159	KP	MF		
					130.06.258	KP	MF		
895-265	130.05.246	KH		w/ two lubrication channels	130.06.159	KP	MF		
					130.06.258	KP	MF		
895-266	130.09.052	KH			130.10.028	KP	MF		
895-268	130.09.052	KH			130.10.028	KP	MF		
895-566	130.09.052	KH			130.10.028	KP	MF		
895-568	130.09.052	KH			130.10.028	KP	MF		
895-570	130.05.246	KH		w/ two lubrication channels	130.06.159	KP	MF		
					130.06.258	KP	MF		
895-571	130.05.246	KH		w/ two lubrication channels	130.06.159	KP	MF		
					130.06.258	KP	MF		
902-155	130.08.384	KK			130.08.368	KP	w/o NBL		
910-113	130.08.405	KK			130.08.392	KP	w/o NBL		
910-114	130.08.174	KK			130.08.135	KP	w/o NBL		
910-158	130.08.405	KK			130.08.392	KP	w/o NBL		
910-159	130.08.405	KK			130.08.392	KP	w/o NBL		
911-113	130.08.405	KK			130.08.392	KP	w/o NBL		
916-114	130.08.174	KK			130.08.135	KP	w/o NBL		
917-114	130.08.174	KK			130.08.135	KP	w/o NBL		
925-101	130.08.182	KK			130.08.183	KP	w/o NBL		
925-103	130.08.394	KK			130.08.395	KP	w/o NBL		
925-401	130.08.182	KK			130.08.183	KP	w/o NBL		
925-403	130.08.394	KK			130.08.395	KP	w/o NBL		
927-103	130.08.370	KK		Under trimming mach.					
927-203	130.08.370	KK		Under trimming mach.					
927-263	130.08.370	KK		Under trimming mach.					
928	130.08.257	KK			130.08.183	KP	w/o NBL		
928-101	130.08.203	KK			130.08.183	KP	w/o NBL		
928-201	130.08.203	KK			130.08.183	KP	w/o NBL		
928-261	130.08.203	KK			130.08.183	KP	w/o NBL		
930-113	130.08.405	KK			130.08.392	KP	w/o NBL		
930-114	130.08.174	KK			130.08.135	KP	w/o NBL		
930-159	130.08.405	KK			130.08.392	KP	w/o NBL		
931-100	130.08.384	KK			130.08.368	KP	w/o NBL		
931-101	130.08.384	KK			130.08.368	KP	w/o NBL		
932-100	130.08.384	KK			130.08.368	KP	w/o NBL		
951-260	130.08.356	KK		Under trimming mach.	130.08.505	KP	w/o NBL		
951-460	130.08.356	KK		Under trimming mach.	130.08.505	KP	w/o NBL		
953	130.08.356	KK		Under trimming mach.	130.08.505	KP	w/o NBL		
	130.08.507	KK			130.08.505	KP	w/o NBL		
955-110	130.08.180	KK			130.08.135	KP	w/o NBL		
	130.08.248	KK			130.08.135	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

NECCHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
955-111	130.08.180	KK			130.08.135	KP	w/o NBL		
	130.08.254	KK			130.08.135	KP	w/o NBL		
955-114	130.08.174	KK			130.08.135	KP	w/o NBL		
	130.08.254	KK			130.08.135	KP	w/o NBL		
955-260	130.08.186	KK			130.08.135	KP	w/o NBL		
	130.08.248	KK			130.08.135	KP	w/o NBL		
955-261	130.08.186	KK			130.08.135	KP	w/o NBL		
	130.08.248	KK			130.08.135	KP	w/o NBL		
955-264	130.08.186	KK			130.08.135	KP	w/o NBL		
	130.08.197	KK			130.08.135	KP	w/o NBL		
	130.08.248	KK			130.08.135	KP	w/o NBL		
955-460	130.08.186	KK			130.08.135	KP	w/o NBL		
955-461	130.08.186	KK			130.08.135	KP	w/o NBL		
955-464	130.08.197	KK			130.08.135	KP	w/o NBL		
955-560	130.08.248	KK			130.08.135	KP	w/o NBL		
955-561	130.08.254	KK			130.08.135	KP	w/o NBL		
955-564	130.08.254	KK			130.08.135	KP	w/o NBL		
956	130.08.174	KK			130.08.135	KP	w/o NBL		
	130.08.180	KK			130.08.135	KP	w/o NBL		
	130.08.186	KK			130.08.135	KP	w/o NBL		
	130.08.197	KK			130.08.135	KP	w/o NBL		
	130.08.254	KK			130.08.135	KP	w/o NBL		
956-100	130.08.180	KK			130.08.135	KP	w/o NBL		
956-260	130.08.186	KK			130.08.135	KP	w/o NBL		
956-264	130.08.197	KK			130.08.135	KP	w/o NBL		
957	130.08.248	KK			130.08.135	KP	w/o NBL		
957-100	130.08.180	KK			130.08.135	KP	w/o NBL		
957-101	130.08.180	KK			130.08.135	KP	w/o NBL		
957-107	130.08.180	KK			130.08.135	KP	w/o NBL		
957-108	130.08.180	KK			130.08.135	KP	w/o NBL		
957-114	130.08.174	KK			130.08.135	KP	w/o NBL		
957-260	130.08.186	KK			130.08.135	KP	w/o NBL		
957-261	130.08.186	KK			130.08.135	KP	w/o NBL		
957-264	130.08.197	KK			130.08.135	KP	w/o NBL		
957-460	130.08.186	KK			130.08.135	KP	w/o NBL		
957-461	130.08.186	KK			130.08.135	KP	w/o NBL		
957-464	130.08.197	KK			130.08.135	KP	w/o NBL		
958	130.08.197	KK			130.08.135	KP	w/o NBL		
	130.08.254	KK			130.08.135	KP	w/o NBL		
960	130.08.374	KK		Under trimming mach.	130.08.411	KP	w/o NBL		
	130.08.515	KK			130.08.505	KP	w/o NBL		
961	130.08.374	KK		Under trimming mach.	130.08.411	KP	w/o NBL		
	130.08.501	KK			130.08.505	KP	w/o NBL		
	130.08.515	KK			130.08.505	KP	w/o NBL		
962	130.08.515	KK			130.08.505	KP	w/o NBL		
963	130.08.515	KK			130.08.505	KP	w/o NBL		
964	130.08.515	KK			130.08.505	KP	w/o NBL		
965	130.08.254	KK			130.08.135	KP	w/o NBL		
966	130.08.254	KK			130.08.135	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

NECCHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
967	130.08.254	KK			130.08.135	KP	w/o NBL		
968	130.08.254	KK			130.08.135	KP	w/o NBL		
971	130.08.356	KK		Under trimming mach.	130.08.505	KP	w/o NBL		
	130.08.507	KK			130.08.505	KP	w/o NBL		
974	130.08.507	KK			130.08.505	KP	w/o NBL		
975	130.08.254	KK			130.08.135	KP	w/o NBL		
975-110	130.08.248	KK			130.08.135	KP	w/o NBL		
975-111	130.08.254	KK			130.08.135	KP	w/o NBL		
975-114	130.08.254	KK			130.08.135	KP	w/o NBL		
975-260	130.08.248	KK			130.08.135	KP	w/o NBL		
975-261	130.08.254	KK			130.08.135	KP	w/o NBL		
975-264	130.08.254	KK			130.08.135	KP	w/o NBL		
975-460	130.08.186	KK			130.08.135	KP	w/o NBL		
975-461	130.08.186	KK			130.08.135	KP	w/o NBL		
975-464	130.08.197	KK			130.08.135	KP	w/o NBL		
975-560	130.08.248	KK			130.08.135	KP	w/o NBL		
975-561	130.08.254	KK			130.08.135	KP	w/o NBL		
975-564	130.08.254	KK			130.08.135	KP	w/o NBL		
976	130.08.174	KK			130.08.135	KP	w/o NBL		
	130.08.180	KK			130.08.135	KP	w/o NBL		
	130.08.186	KK			130.08.135	KP	w/o NBL		
	130.08.197	KK			130.08.135	KP	w/o NBL		
	130.08.254	KK			130.08.135	KP	w/o NBL		
977	130.08.248	KK			130.08.135	KP	w/o NBL		
977-100	130.08.180	KK			130.08.135	KP	w/o NBL		
977-101	130.08.180	KK			130.08.135	KP	w/o NBL		
977-260	130.08.186	KK			130.08.135	KP	w/o NBL		
977-261	130.08.186	KK			130.08.135	KP	w/o NBL		
977-264	130.08.197	KK			130.08.135	KP	w/o NBL		
977-460	130.08.186	KK			130.08.135	KP	w/o NBL		
977-461	130.08.186	KK			130.08.135	KP	w/o NBL		
977-464	130.08.197	KK			130.08.135	KP	w/o NBL		
978	130.08.254	KK			130.08.135	KP	w/o NBL		
979	130.08.257	KK			130.08.183	KP	w/o NBL		
980	130.08.370	KK							
	130.08.374	KK		Under trimming mach.	130.08.411	KP	w/o NBL		
	130.08.515	KK			130.08.505	KP	w/o NBL		
981	130.08.515	KK			130.08.505	KP	w/o NBL		
982	130.08.515	KK			130.08.505	KP	w/o NBL		
983	130.08.515	KK			130.08.505	KP	w/o NBL		
985	130.08.254	KK			130.08.135	KP	w/o NBL		
986	130.08.254	KK			130.08.135	KP	w/o NBL		
987	130.08.254	KK			130.08.135	KP	w/o NBL		
988	130.08.254	KK			130.08.135	KP	w/o NBL		
BD	115.00.098	KH			115.00.099	KP	w/o NBL		
BDA	115.00.098	KH			115.00.099	KP	w/o NBL		
BDU	115.00.098	KH			115.00.099	KP	w/o NBL		
BE	115.00.098	KH			115.00.099	KP	w/o NBL		
BF	115.00.098	KH			115.00.099	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

NECCHI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
BI	115.00.130	KH			115.00.099	KP	w/o NBL		
BIA	115.00.130	KH			115.00.099	KP	w/o NBL		
BPR	115.00.130	KH			115.00.099	KP	w/o NBL		
BTR	115.00.130	KH			115.00.099	KP	w/o NBL		
BU	115.00.098	KH			115.00.099	KP	w/o NBL		
BV	115.00.130	KH			115.00.099	KP	w/o NBL		
IA	115.00.130	KH			115.00.099	KP	w/o NBL		
LELIA	115.00.098	KH			115.00.099	KP	w/o NBL		
NORA	115.00.098	KH			115.00.099	KP	w/o NBL		
POCKET SETTER	130.09.054	KH			130.10.000	KP	w/o NBL		
					130.10.028	KP	MF		
					130.10.030	KP	MF		
RM	130.01.000	KH			130.06.125	KP	MF		
	130.01.097	KH			130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
RVG	130.01.000	KH			130.06.125	KP	MF		
	130.01.097	KH			130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
RVM	130.01.000	KH			130.06.125	KP	MF		
	130.01.097	KH			130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
RZI	130.01.054	KH			130.06.056	KP	w/o NBL		
SA	115.00.098	KH			115.00.099	KP	w/o NBL		
SG	130.05.246	KH		w/ two lubrication channels	130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		
SM	130.05.246	KH		w/ two lubrication channels	130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		
UAN-1501	130.01.000	KH			130.06.125	KP	MF		
	130.01.097	KH			130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
UAN-1531	130.05.246	KH		w/ two lubrication channels	130.06.108	KP	w/o NBL		
					130.06.159	KP	MF		
					130.06.258	KP	MF		
UAN-2500	130.05.287	KH			130.06.159	KP	MF		
					130.06.258	KP	MF		
UAN-2631	130.05.287	KH			130.06.159	KP	MF		
					130.06.258	KP	MF		
UAN-2641	130.05.287	KH			130.06.159	KP	MF		
					130.06.258	KP	MF		
UAN-2661	130.05.287	KH			130.06.159	KP	MF		
					130.06.258	KP	MF		
UAN-2681	130.05.287	KH			130.06.159	KP	MF		
					130.06.258	KP	MF		
UAN-2682	130.05.287	KH			130.06.159	KP	MF		
					130.06.258	KP	MF		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

NITAKA

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DY-350	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DY-350L	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DY-370L	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DY-3300	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DY-3810	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DY-3811L	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DY-3812L	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
LK-850 E	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
LK-850 T	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
LK-B932-3/5	130.11.084	KL							
TC-8	130.15.155	KL							
TC-8B	130.15.050	KL							
	130.15.155	KL							
TC-28	130.15.050	KL							
	130.15.155	KL							
TC-28B	130.15.050	KL							
	130.15.155	KL							
TC-88	130.15.155	KL							
TC-88B	130.15.050	KL							
	130.15.155	KL							
TC-288	130.15.155	KL							
TC-288B	130.15.050	KL							
	130.15.155	KL							
TC-341	130.08.758	KK			130.08.766	KP	w/o NBL		
TC-360-5	130.08.758	KK			130.08.766	KP	w/o NBL		
TC-360-6	130.08.758	KK			130.08.766	KP	w/o NBL		
TC-360-7	130.08.758	KK			130.08.766	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

NITAKA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
TC-360-8	130.08.758	KK			130.08.766	KP	w/o NBL		
TC-360-9	130.08.758	KK			130.08.766	KP	w/o NBL		
TC-360-10	130.08.758	KK			130.08.766	KP	w/o NBL		
TC-360-12	130.08.758	KK			130.08.766	KP	w/o NBL		
TC-360-13	130.08.758	KK			130.08.766	KP	w/o NBL		
TC-360-14	130.08.758	KK			130.08.766	KP	w/o NBL		
TC-360-15	130.08.758	KK			130.08.766	KP	w/o NBL		
TC-360L	130.08.758	KK			130.08.766	KP	w/o NBL		
TC-810	130.11.075	KL							
	130.11.165	KL							
TC-810S	130.11.165	KL							
TC-820	130.11.075	KL							
	130.11.165	KL							
TC-820S	130.11.165	KL							
TC-841-22	130.15.016	KL							
TC-847-5	130.15.016	KL							
TC-872	130.15.016	KL							
TC-877-5	130.15.016	KL							
TC-881	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
TC-882	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
TC-1341	130.08.776	KK		short gib	130.08.766	KP	w/o NBL		
TC-1508	130.15.050	KL							
	130.15.155	KL							
TC-1530	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
TC-1553-3-5	130.05.235	KH		Full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.271	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

NITAKA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
TC-1555-3-5	130.05.235	KH		Full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.271	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
TC-2508	130.15.050	KL							
	130.15.155	KL							
TC-2530	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
TC-3370	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
TC-8370	130.08.758	KK			130.08.766	KP	w/o NBL		
TC-8371	130.08.758	KK			130.08.766	KP	w/o NBL		
TC-8372	130.08.758	KK			130.08.766	KP	w/o NBL		
TC-8410	130.11.165	KL							
TC-8411	130.11.165	KL							
TC-8420	130.11.165	KL							
TC-8422	130.11.165	KL							
TC-8450	130.11.165	KL							
TC-8872	130.08.758	KK			130.08.766	KP	w/o NBL		
TC-9410	130.11.165	KL							
TC-9411	130.11.165	KL							
TC-9510	130.08.758	KK			130.08.766	KP	w/o NBL		
TC-9511	130.08.758	KK			130.08.766	KP	w/o NBL		
TC-9520	130.08.758	KK			130.08.766	KP	w/o NBL		
TC-B872-403	130.19.045	KH		Under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
TC-B872-405	130.19.045	KH		Under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
TC-B875-403	130.19.045	KH		Under trimming mach.	130.20.040	KP	w/o NBL		130.21.046
TC-B875-405	130.19.045	KH		Under trimming mach.	130.20.040	KP	w/o NBL		130.21.046
TC2-B842	130.11.084	KL							
TC2-B845	130.16.000	KH			130.17.000	KP	w/o NBL		130.18.000
	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
TC2-B872	130.15.016	KL							
TC2-B872-40	130.15.030	KL							
	130.15.030R	KL		Under trimming mach., regulating needle guard					
TC2-B875	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
TC2-B935	130.15.016	KL							
TC2-B1883	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
TC2-B1885	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

NITAKA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
TCC-B841	130.11.084	KL							
TCC-B842	130.11.084	KL							
TCC-B847-3	130.11.084	KL							
TCC-B877-3	130.11.084	KL							
TCW-8B	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
TDY-3812L	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
TTC-3750	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
TTC-3750L	130.09.180	KH			130.10.052	KP	NBL		
TTC-15506	130.05.271	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
YU-380L	130.09.180	KH			130.10.052	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

NORTH PHENIX

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GY-09 (ALL CLASSES)	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

OMAC

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
EOS	130.01.109	KH			130.06.164	KP	MF		
Model	130.08.821R	KK		Regulating needle guard, under trimming mach.	130.08.659	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

PANDA

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
JL-20U	130.01.113	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
JL-457A	130.12.099	KH			130.14.017	KP	w/o NBL		130.12.098
					130.14.021	KP	NBL		
	130.12.099TTN	KH		Long point, TTN coated	130.14.017	KP	w/o NBL		
					130.14.021	KP	NBL		
JL-781	130.12.186	KH			130.14.050	KP	w/o NBL		
					130.14.052	KP	NBL		
JU-20U	130.01.113	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

PEGASUS

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DPS-2	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042
DPS-3	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042
DPS-4	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042
DPS-150	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

PEMA

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
87-40-4033	130.08.000	KK			130.08.014	KP	w/o NBL		
286	130.08.240	KK			130.08.246	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

PEMAL

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CDL-1388N	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CDL-5550N	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CDL-6200N	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CDL-6550N	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CDL-6660N	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CDL-6700M-7	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LT2-B842-3	130.11.084	KL							
LT2-B845-3	130.15.016	KL							
LT2-B872	130.11.084	KL							
LT2-B875	130.15.016	KL							
PM 780	130.12.068	KH			130.14.010	KP	w/o NBL		130.12.067
					130.14.015	KP	NBL		130.12.066
PM 1828	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
PM 1836	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
PM 1850	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

PFAFF

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
34 A	115.00.074	KH			115.00.087	KP	w/o NBL		
	115.00.257	KH		Chromium plated	115.00.087	KP	w/o NBL		
34 B	115.00.074	KH			115.00.087	KP	w/o NBL		
	115.00.257	KH		Chromium plated	115.00.087	KP	w/o NBL		
34 C	115.00.076	KH			115.00.087	KP	w/o NBL		
	115.00.269	KH		Chromium plated	115.00.087	KP	w/o NBL		
110	130.12.001	KH			130.14.000	KP	w/o NBL		130.12.000
					130.14.007	KP	NBL		130.12.031
114	130.12.001	KH			130.14.000	KP	w/o NBL		130.12.000
					130.14.007	KP	NBL		130.12.031
					130.14.031	KP	NBL		
115	130.12.001	KH			130.14.000	KP	w/o NBL		130.12.000
					130.14.007	KP	NBL		130.12.031
					130.14.031	KP	NBL		
116	130.12.001	KH			130.14.000	KP	w/o NBL		130.12.000
					130.14.007	KP	NBL		130.12.031
118-900	130.03.048	KH		Needle slot 13,5 mm	130.06.294	KP	w/o NBL		130.00.108
					130.06.359	KP	w/o NBL		
	130.03.078	KH		Needle slot 16 mm	130.06.294	KP	w/o NBL		
					130.06.359	KP	w/o NBL		
					130.06.414	KP	NBL		
120	130.08.000	KK			130.08.014	KP	w/o NBL		
	130.08.304	KK			130.08.014	KP	w/o NBL		
	130.08.314	KK			130.08.315	KP	w/o NBL		
122	130.08.000	KK			130.08.014	KP	w/o NBL		
	130.08.304	KK			130.08.014	KP	w/o NBL		
	130.08.314	KK			130.08.315	KP	w/o NBL		
133	130.03.013	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
134	130.03.000	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
					130.06.390	KP	w/o NBL		
134-0-6	130.03.000	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
					130.06.390	KP	w/o NBL		
134-0-31	130.03.013	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
134-0-92	130.03.014	KH		w/ hook fastening grub screw					
	130.03.017	KH		w/ hook fastening screw	130.06.106	KP	w/o NBL		130.00.066
					130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.341
	130.03.048	KH		Needle slot 13,5 mm	130.06.294	KP	w/o NBL		130.00.108
					130.06.359	KP	w/o NBL		
	130.03.078	KH		Needle slot 16 mm	130.06.294	KP	w/o NBL		
					130.06.359	KP	w/o NBL		
					130.06.414	KP	NBL		
134-0-K-6	130.03.013	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
					130.06.390	KP	w/o NBL		
138	130.03.014	KH		w/ hook fastening grub screw					
	130.03.017	KH		w/ hook fastening screw	130.06.106	KP	w/o NBL		130.00.066
					130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.341
	130.03.048	KH		Needle slot 13,5 mm	130.06.294	KP	w/o NBL		130.00.108
					130.06.359	KP	w/o NBL		
	130.03.078	KH		Needle slot 16 mm	130.06.294	KP	w/o NBL		
					130.06.359	KP	w/o NBL		
					130.06.414	KP	NBL		
140	130.08.304	KK			130.08.014	KP	w/o NBL		
	130.08.456	KK		Fabric	130.08.495	KP	NBL		
140-900	130.08.456	KK		Fabric	130.08.495	KP	NBL		
141-900/06	130.08.456	KK		Fabric	130.08.495	KP	NBL		
	130.08.462	KK		Leather	130.08.460	KP	NBL		
141-900/..	130.08.456	KK			130.08.495	KP	NBL		
141 A	130.08.000	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.304	KK		Leather	130.08.014	KP	w/o NBL		
141 B	130.08.000	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.304	KK		Leather	130.08.014	KP	w/o NBL		
142-721/01 Needles distance till 8mm	130.08.000	KK			130.08.014	KP	w/o NBL		
142-721/01 Needles distance from 8mm	130.08.314	KK			130.08.315	KP	w/o NBL		
142-900/..	130.08.456	KK		Fabric	130.08.495	KP	NBL		
	130.08.462	KK		Leather	130.08.460	KP	NBL		
142 A	130.08.000	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.304	KK		Leather	130.08.014	KP	w/o NBL		
142 B	130.08.000	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.304	KK		Leather	130.08.014	KP	w/o NBL		
142 C	130.08.054	KK		Fabric	130.08.070	KP	w/o NBL		
	130.08.304	KK		Leather	130.08.014	KP	w/o NBL		
142 D	130.08.054	KK			130.08.070	KP	w/o NBL		
143-705/03 C	130.08.054	KK			130.08.070	KP	w/o NBL		
143-944/01	130.08.304	KK			130.08.014	KP	w/o NBL		
144-720/02	130.08.304	KK			130.08.014	KP	w/o NBL		
144-900/06	130.08.456	KK		Fabric	130.08.495	KP	NBL		
	130.08.462	KK		Leather	130.08.460	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
144-900/..	130.08.456	KK		Fabric	130.08.495	KP	NBL		
144-944/01 A	130.08.304	KK			130.08.014	KP	w/o NBL		
144-944/01 B	130.08.304	KK			130.08.014	KP	w/o NBL		
144 B	130.08.273	KK			130.08.109	KP	w/o NBL		
144 C	130.08.273	KK			130.08.109	KP	w/o NBL		
145-900/06	130.08.456	KK		Fabric	130.08.495	KP	NBL		
	130.08.462	KK		Leather	130.08.460	KP	NBL		
145-900/.. B	130.08.456	KK			130.08.495	KP	NBL		
145-H3 B	130.08.000	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.304	KK		Leather	130.08.014	KP	w/o NBL		
146-900/06	130.08.456	KK		Fabric	130.08.495	KP	NBL		
	130.08.462	KK		Leather	130.08.460	KP	NBL		
146-900/.. B	130.08.456	KK			130.08.495	KP	NBL		
146-H3	130.08.000	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.304	KK		Leather	130.08.014	KP	w/o NBL		
151	130.08.000	KK		Fabric	130.08.014	KP	w/o NBL		
190	130.08.304	KK			130.08.014	KP	w/o NBL		
191	130.08.000	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.304	KK		Leather	130.08.014	KP	w/o NBL		
192-721/01 Needles distance till 8mm	130.08.000	KK			130.08.014	KP	w/o NBL		
192-721/01 Needles distance from 8mm	130.08.314	KK			130.08.315	KP	w/o NBL		
192 A	130.08.000	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.304	KK		Leather	130.08.014	KP	w/o NBL		
192 B	130.08.000	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.304	KK		Leather	130.08.014	KP	w/o NBL		
192 C	130.08.054	KK		Leather	130.08.070	KP	w/o NBL		
	130.08.304	KK		Fabric	130.08.014	KP	w/o NBL		
193 A	130.08.000	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.304	KK		Leather	130.08.014	KP	w/o NBL		
193 B	130.08.000	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.304	KK		Leather	130.08.014	KP	w/o NBL		
193 C	130.08.054	KK		Leather	130.08.070	KP	w/o NBL		
194-720/02	130.08.304	KK			130.08.014	KP	w/o NBL		
194-900/56 A	130.08.530	KK		Full gib	130.08.460	KP	NBL		
194-900/56 B	130.08.530	KK		Full gib	130.08.460	KP	NBL		
194-900/56 C	130.08.973	KK		Short gib	130.08.460	KP	NBL		
194-944/01	130.08.304	KK			130.08.014	KP	w/o NBL		
194-944/01 A	130.08.304	KK			130.08.014	KP	w/o NBL		
194-944/01 B	130.08.304	KK			130.08.014	KP	w/o NBL		
194-944/01 C	130.08.054	KK			130.08.070	KP	w/o NBL		
194 B	130.08.000	KK		Fabric	130.08.014	KP	w/o NBL		
194 BC	130.08.304	KK		Fabric	130.08.014	KP	w/o NBL		
194 C	130.08.054	KK			130.08.070	KP	w/o NBL		
195-H3 B	130.08.000	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.304	KK		Leather	130.08.014	KP	w/o NBL		
195-H3 C	130.08.054	KK		Leather	130.08.070	KP	w/o NBL		
	130.08.304	KK		Fabric	130.08.014	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
195-H3 D	130.08.054	KK		Leather	130.08.070	KP	w/o NBL		
	130.08.304	KK		Fabric	130.08.014	KP	w/o NBL		
196-H3 B	130.08.000	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.304	KK		Leather	130.08.014	KP	w/o NBL		
196-H3 C	130.08.054	KK		Leather	130.08.070	KP	w/o NBL		
	130.08.304	KK		Fabric	130.08.014	KP	w/o NBL		
196-H3 D	130.08.054	KK			130.08.070	KP	w/o NBL		
230	130.03.017	KH		w/ hook fastening screw	130.06.106	KP	w/o NBL		130.00.066
					130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.341
	130.03.048	KH		Needle slot 13,5 mm	130.06.294	KP	w/o NBL		130.00.108
					130.06.359	KP	w/o NBL		
	130.03.078	KH		Needle slot 16 mm	130.06.294	KP	w/o NBL		
					130.06.359	KP	w/o NBL		
					130.06.414	KP	NBL		
234	130.03.008	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
238	130.03.014	KH		w/ hook fastening grub screw					
	130.03.017	KH		w/ hook fastening screw					
	130.03.038	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
240	130.08.304	KK			130.08.014	KP	w/o NBL		
	130.08.456	KK		Fabric	130.08.495	KP	NBL		
240 AB	130.08.548	KK			130.08.014	KP	w/o NBL		
240/290 AB	130.08.000	KK			130.08.014	KP	w/o NBL		
240/290 S	130.08.000	KK			130.08.014	KP	w/o NBL		
241	130.08.548	KK			130.08.014	KP	w/o NBL		
	130.08.553	KK			130.08.014	KP	w/o NBL		
241-900/..	130.08.556	KK			130.08.495	KP	NBL		
242	130.08.548	KK			130.08.014	KP	w/o NBL		
	130.08.553	KK			130.08.014	KP	w/o NBL		
242-720/02 (1,6-7,6)	130.08.000	KK			130.08.014	KP	w/o NBL		
242-720/02 (8,0-30,0)	130.08.314	KK			130.08.315	KP	w/o NBL		
242-720/02-900/..	130.08.456	KK			130.08.495	KP	NBL		
242-900/..	130.08.556	KK			130.08.495	KP	NBL		
244(-720/02)	130.08.548	KK			130.08.014	KP	w/o NBL		
	130.08.553	KK			130.08.014	KP	w/o NBL		
244 (-720/02)-900/..	130.08.556	KK			130.08.495	KP	NBL		
244-900/..	130.08.558	KK			130.08.495	KP	NBL		
245	130.08.548	KK			130.08.014	KP	w/o NBL		
	130.08.553	KK			130.08.014	KP	w/o NBL		
245-900/..	130.08.556	KK			130.08.495	KP	NBL		
246	130.08.548	KK			130.08.014	KP	w/o NBL		
246-900/..	130.08.556	KK			130.08.495	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
260	130.03.017	KH		w/ hook fastening screw	130.06.106	KP	w/o NBL		130.00.066
					130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.341
	130.03.048	KH		Needle slot 13,5 mm	130.06.294	KP	w/o NBL		130.00.108
					130.06.359	KP	w/o NBL		
	130.03.078	KH		Needle slot 16 mm	130.06.294	KP	w/o NBL		
					130.06.359	KP	w/o NBL		
					130.06.414	KP	NBL		
290	130.08.054	KK		Leather	130.08.070	KP	w/o NBL		
	130.08.304	KK			130.08.014	KP	w/o NBL		
290-900	130.08.556	KK			130.08.495	KP	NBL		
	130.08.558	KK			130.08.495	KP	NBL		
290-900 A	130.08.530	KK		Full gib	130.08.460	KP	NBL		
290-900 B	130.08.530	KK		Full gib	130.08.460	KP	NBL		
292 B	130.08.000	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.304	KK		Leather	130.08.014	KP	w/o NBL		
292 BN	130.08.000	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.304	KK		Leather	130.08.014	KP	w/o NBL		
292 C	130.08.054	KK		Leather	130.08.070	KP	w/o NBL		
	130.08.304	KK		Fabric	130.08.014	KP	w/o NBL		
292-900/56 B	130.08.530	KK		Full gib	130.08.460	KP	NBL		
292-900/56 C	130.08.973	KK		Short gib	130.08.460	KP	NBL		
293	130.08.304	KK			130.08.014	KP	w/o NBL		
293-900/..	130.08.530	KK		Full gib	130.08.460	KP	NBL		
294	130.08.304	KK			130.08.014	KP	w/o NBL		
294-900/..A	130.08.530	KK		Full gib	130.08.460	KP	NBL		
294-900/..B	130.08.530	KK		Full gib	130.08.460	KP	NBL		
294-900/..C	130.08.530	KK		Full gib	130.08.460	KP	NBL		
294-720/02-944/01 A	130.08.530	KK		Full gib	130.08.460	KP	NBL		
294-720/02-944/01 B	130.08.530	KK		Full gib	130.08.460	KP	NBL		
294-720/02-944/01 B/C	130.08.530	KK		Full gib	130.08.460	KP	NBL		
294-944/01 A	130.08.530	KK		Full gib	130.08.460	KP	NBL		
294-944/01 B	130.08.530	KK		Full gib	130.08.460	KP	NBL		
294-944/01 C	130.08.973	KK		Short gib	130.08.460	KP	NBL		
331	130.03.017	KH		w/ hook fastening screw	130.06.106	KP	w/o NBL		130.00.066
					130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.341
	130.03.048	KH		Needle slot 13,5 mm	130.06.294	KP	w/o NBL		130.00.108
					130.06.359	KP	w/o NBL		
	130.03.078	KH		Needle slot 16 mm	130.06.294	KP	w/o NBL		
					130.06.359	KP	w/o NBL		
					130.06.414	KP	NBL		
333-712/02(-900…)	130.03.017	KH		Needle slot 13,5 mm	130.06.294	KP	w/o NBL		
					130.06.359	KP	w/o NBL		
333-712/03	130.03.017	KH		w/ hook fastening screw	130.06.106	KP	w/o NBL		130.00.066
					130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.341
333-G (-900/..)	130.03.057	KH			130.06.373	KP	NBL		130.00.335
335-G (-900/..)	130.03.057	KH			130.06.373	KP	NBL		130.00.335

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
335-H3	130.03.017	KH		w/ hook fastening screw	130.06.106	KP	w/o NBL		130.00.066
					130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.341
335-H3-900/52	130.03.017	KH		w/ hook fastening screw	130.06.106	KP	w/o NBL		130.00.066
					130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.341
337	130.03.017	KH		w/ hook fastening screw	130.06.106	KP	w/o NBL		130.00.066
					130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.341
337-900/51	130.03.017	KH		w/ hook fastening screw	130.06.106	KP	w/o NBL		130.00.066
					130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.341
337-G (-900/..)	130.03.057	KH			130.06.373	KP	NBL		130.00.335
340	130.08.560	KK		Fabric	130.08.014	KP	w/o NBL		
341-6A	130.08.560	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.912	KK		Leather	130.08.014	KP	w/o NBL		
341-6B	130.08.560	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.912	KK		Leather	130.08.014	KP	w/o NBL		
343U	130.08.965	KK			130.08.014	KP	w/o NBL		
343-712	130.08.965	KK			130.08.014	KP	w/o NBL		
343-712/..	130.08.965	KK			130.08.014	KP	w/o NBL		
343-G	130.08.965	KK			130.08.014	KP	w/o NBL		
344U	130.08.965	KK			130.08.014	KP	w/o NBL		
345-H3	130.08.560	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.912	KK		Leather	130.08.014	KP	w/o NBL		
345-6	130.08.560	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.912	KK		Leather	130.08.014	KP	w/o NBL		
417	130.23.000	KH			130.24.000	KP	NBL		130.00.348
	130.23.000DC10	KH		DC10 coated	130.24.000	KP	NBL		
417-818 A	130.23.000	KH			130.24.000	KP	NBL		130.00.348
	130.23.000DC10	KH		DC10 coated	130.24.000	KP	NBL		
417-818 B	130.23.000	KH			130.24.000	KP	NBL		130.00.348
	130.23.000DC10	KH		DC10 coated	130.24.000	KP	NBL		
417 (-900/..)A	130.23.000	KH			130.24.000	KP	NBL		130.00.348
	130.23.000DC10	KH		DC10 coated	130.24.000	KP	NBL		
417 (-900/..)B	130.23.000	KH			130.24.000	KP	NBL		130.00.348
	130.23.000DC10	KH		DC10 coated	130.24.000	KP	NBL		
417 (-900/..)C	130.23.015	KH		Under trimming mach.	130.24.005	KP	NBL		
418 C	130.23.015	KH		Under trimming mach.	130.24.005	KP	NBL		
418-712	130.23.009	KH			130.24.000	KP	NBL		
					130.24.005	KP	NBL		130.00.349
418 (-900/..)C	130.23.015	KH		Under trimming mach.	130.24.005	KP	NBL		
419	130.23.000	KH			130.24.000	KP	NBL		130.00.348
	130.23.000DC10	KH		DC10 coated	130.24.000	KP	NBL		
419 (-900/..)A	130.23.000	KH			130.24.000	KP	NBL		130.00.348
	130.23.000DC10	KH		DC10 coated	130.24.000	KP	NBL		
419 (-900/..)B	130.23.000	KH			130.24.000	KP	NBL		130.00.348
	130.23.000DC10	KH		DC10 coated	130.24.000	KP	NBL		
421	130.08.950	KK		Under trimming mach.	130.08.957	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
421-900/61-B	130.08.950	KK		Under trimming mach.	130.08.957	KP	NBL		
421-900/61-C	130.08.950	KK		Under trimming mach.	130.08.957	KP	NBL		
421-900/61-G	130.08.950	KK		Under trimming mach.	130.08.957	KP	NBL		
422	130.08.960	KK		Under trimming mach.	130.08.957	KP	NBL		
422 (-720/..)	130.08.960	KK		Under trimming mach.	130.08.957	KP	NBL		
422 (-900/..)	130.08.960	KK		Under trimming mach.	130.08.957	KP	NBL		
432	130.04.000	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
437	130.04.012	KH			130.06.322	KP	NBL		130.00.070
437-900/..	130.04.012	KH			130.06.322	KP	NBL		130.00.070
438	130.04.012	KH			130.06.322	KP	NBL		130.00.070
438-716/..	130.04.012	KH			130.06.322	KP	NBL		130.00.070
438 (-900/..)	130.04.012	KH			130.06.322	KP	NBL		130.00.070
439	130.04.012	KH			130.06.322	KP	NBL		130.00.070
439-900/..	130.04.012	KH			130.06.322	KP	NBL		130.00.070
440 AB	130.08.534	KK		Leather	130.08.014	KP	w/o NBL		
	130.08.537	KK			130.08.014	KP	w/o NBL		
440 L	130.08.534	KK		Leather	130.08.014	KP	w/o NBL		
440 S	130.08.537	KK			130.08.014	KP	w/o NBL		
440-900	130.08.546	KK		Fabric	130.08.544	KP	NBL		
440-900 AB	130.08.585	KK			130.08.460	KP	NBL		
440-900 Leder	130.08.540	KK		Leather	130.08.544	KP	NBL		
441-0	130.08.534	KK		Leather	130.08.014	KP	w/o NBL		
	130.08.537	KK		Fabric	130.08.014	KP	w/o NBL		
441-0-900	130.08.540	KK		Leather	130.08.544	KP	NBL		
	130.08.546	KK		Fabric	130.08.544	KP	NBL		
441-R	130.08.534	KK			130.08.014	KP	w/o NBL		
441-R-900/..	130.08.585	KK			130.08.460	KP	NBL		
442	130.08.537	KK			130.08.014	KP	w/o NBL		
442-720/04	130.08.537	KK			130.08.014	KP	w/o NBL		
442-720/04-900/..	130.08.585	KK			130.08.460	KP	NBL		
442-900/11	130.08.546	KK			130.08.544	KP	NBL		
442-0	130.08.534	KK		Leather	130.08.014	KP	w/o NBL		
	130.08.537	KK		Fabric	130.08.014	KP	w/o NBL		
442-0-900/..	130.08.540	KK		Leather	130.08.544	KP	NBL		
	130.08.546	KK		Fabric	130.08.544	KP	NBL		
442-R	130.08.534	KK		Leather	130.08.014	KP	w/o NBL		
	130.08.537	KK		Fabric	130.08.014	KP	w/o NBL		
442-R-900/11	130.08.540	KK		Leather	130.08.544	KP	NBL		
	130.08.546	KK		Fabric	130.08.544	KP	NBL		
442-R-900/51	130.08.540	KK		Leather	130.08.544	KP	NBL		
	130.08.546	KK		Fabric	130.08.544	KP	NBL		
442-R-900/56	130.08.585	KK			130.08.460	KP	NBL		
442-R-900/61	130.08.585	KK			130.08.460	KP	NBL		
442-R-900/71	130.08.546	KK			130.08.544	KP	NBL		
444-0	130.08.534	KK		Leather	130.08.014	KP	w/o NBL		
	130.08.537	KK		Fabric	130.08.014	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
444-0-900/..	130.08.540	KK		Leather	130.08.544	KP	NBL		
	130.08.546	KK		Fabric	130.08.544	KP	NBL		
444-900/.. A	130.08.540	KK		Leather	130.08.544	KP	NBL		
	130.08.546	KK		Fabric	130.08.544	KP	NBL		
444-900/.. B	130.08.540	KK		Leather	130.08.544	KP	NBL		
	130.08.546	KK		Fabric	130.08.544	KP	NBL		
444 A	130.08.534	KK		Leather	130.08.014	KP	w/o NBL		
	130.08.537	KK		Fabric	130.08.014	KP	w/o NBL		
444 B	130.08.534	KK		Leather	130.08.014	KP	w/o NBL		
	130.08.537	KK		Fabric	130.08.014	KP	w/o NBL		
444-R	130.08.534	KK		Leather	130.08.014	KP	w/o NBL		
	130.08.537	KK		Fabric	130.08.014	KP	w/o NBL		
444-R-900/..	130.08.540	KK		Leather	130.08.544	KP	NBL		
	130.08.546	KK		Fabric	130.08.544	KP	NBL		
448-0	130.08.534	KK		Leather	130.08.014	KP	w/o NBL		
	130.08.537	KK		Fabric	130.08.014	KP	w/o NBL		
448-0-900/..	130.08.540	KK		Leather	130.08.544	KP	NBL		
	130.08.546	KK		Fabric	130.08.544	KP	NBL		
457-0	130.08.534	KK		Leather	130.08.014	KP	w/o NBL		
	130.08.537	KK		Fabric	130.08.014	KP	w/o NBL		
457-0-900/..	130.08.540	KK		Leather	130.08.544	KP	NBL		
	130.08.546	KK		Fabric	130.08.544	KP	NBL		
460	130.04.094	KH			130.06.322	KP	NBL		
461~469	130.04.000	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
461 (-900/..)	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
463 (-900/..)	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
467 (-900/..)	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
467	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
469	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
470	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		Full gib, regulating needle guard	130.08.014	KP	w/o NBL		
	130.08.451	KK		Short gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.451R	KK		Short gib, regulating needle guard	130.08.014	KP	w/o NBL		
	130.08.518	KK		Full gib, under trimming mach.	130.08.522	KP	w/o NBL		
	130.08.518R	KK		Full gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL		
	130.08.524	KK		Short gib, under trimming mach.	130.08.522	KP	w/o NBL		
	130.08.524R	KK		Short gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL		
471 A	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		Full gib, regulating needle guard	130.08.014	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
471 B	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		Full gib, regulating needle guard	130.08.014	KP	w/o NBL		
	130.08.451	KK		Short gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.451R	KK		Short gib, regulating needle guard	130.08.014	KP	w/o NBL		
471 C	130.08.451	KK		Short gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.451R	KK		Short gib, regulating needle guard	130.08.014	KP	w/o NBL		
471-900 /.. A	130.08.518	KK			130.08.522	KP	w/o NBL		
	130.08.518R	KK		Full gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL		
471-900 /.. B	130.08.518	KK			130.08.522	KP	w/o NBL		
	130.08.518R	KK		Full gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL		
471-900/.. B	130.08.524	KK			130.08.522	KP	w/o NBL		
	130.08.524R	KK		Short gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL		
471-900/.. C	130.08.524	KK			130.08.522	KP	w/o NBL		
	130.08.524R	KK		Short gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL		
472	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		Full gib, regulating needle guard	130.08.014	KP	w/o NBL		
472-900/..	130.08.518	KK			130.08.522	KP	w/o NBL		
	130.08.518R	KK		Full gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL		
474 A	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		Full gib, regulating needle guard	130.08.014	KP	w/o NBL		
474 B	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		Full gib, regulating needle guard	130.08.014	KP	w/o NBL		
474 B/C	130.08.451	KK		Short gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.451R	KK		Short gib, regulating needle guard	130.08.014	KP	w/o NBL		
474-900/.. A	130.08.518	KK			130.08.522	KP	w/o NBL		
	130.08.518R	KK		Full gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL		
474-900/.. B	130.08.518	KK			130.08.522	KP	w/o NBL		
	130.08.518R	KK		Full gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL		
474-900/.. B/C	130.08.524	KK			130.08.522	KP	w/o NBL		
	130.08.524R	KK		Short gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL		
480	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
					130.06.320	KP	NBL		130.00.090
480 G	130.04.075	KH			130.06.373	KP	NBL		130.00.336
480~489	130.04.000	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
481-G-900/..	130.04.075	KH			130.06.373	KP	NBL		130.00.336
481-G-926/01	130.04.075	KH			130.06.373	KP	NBL		130.00.336
481 (-900/..)	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
481-900/..	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
483-G-900/..	130.04.075	KH			130.06.373	KP	NBL		130.00.336
483-G-926/01	130.04.075	KH			130.06.373	KP	NBL		130.00.336

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
483 (-900/..)	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
483-926/01	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
485 (-900/..)	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
487	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
					130.06.320	KP	NBL		130.00.090
487-G (-900/..)	130.04.075	KH			130.06.373	KP	NBL		130.00.336
487-G-900/..	130.04.075	KH			130.06.373	KP	NBL		130.00.336
487-G-926/01	130.04.075	KH			130.06.373	KP	NBL		130.00.336
487 (-900/..)	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
487-900/..	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
487-926/01	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
487/489	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
489-G (-900/..)	130.04.075	KH			130.06.373	KP	NBL		130.00.336
489-G-900/..	130.04.075	KH			130.06.373	KP	NBL		130.00.336
489-G-926/01	130.04.075	KH			130.06.373	KP	NBL		130.00.336
489 (-900/..)	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
490 AB	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		Full gib, regulating needle guard	130.08.014	KP	w/o NBL		
490-900 AB	130.08.518	KK			130.08.522	KP	w/o NBL		
	130.08.518R	KK		Full gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL		
490-900 CD	130.08.524	KK			130.08.522	KP	w/o NBL		
	130.08.524R	KK		Short gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL		
491 A	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		Full gib, regulating needle guard	130.08.014	KP	w/o NBL		
491 B	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		Full gib, regulating needle guard	130.08.014	KP	w/o NBL		
491 B/C	130.08.451	KK		Short gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.451R	KK		Short gib, regulating needle guard	130.08.014	KP	w/o NBL		
491-900/.. A	130.08.518	KK			130.08.522	KP	w/o NBL		
	130.08.518R	KK		Full gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL		
491-900/.. B	130.08.518	KK			130.08.522	KP	w/o NBL		
	130.08.518R	KK		Full gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL		
491-900/.. B/C	130.08.524	KK			130.08.522	KP	w/o NBL		
493 A	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		Full gib, regulating needle guard	130.08.014	KP	w/o NBL		
493 B/C	130.08.451	KK		Short gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.451R	KK		Short gib, regulating needle guard	130.08.014	KP	w/o NBL		
493-900/.. A	130.08.518	KK			130.08.522	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
493-900/.. B/C	130.08.524	KK			130.08.522	KP	w/o NBL		
521	130.08.950	KK		Under trimming mach.	130.08.957	KP	NBL		
540	130.08.676	KK			130.08.674	KP	NBL		
541 B	130.08.703	KK			130.08.109	KP	w/o NBL		
541 C	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
541 D	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
541-900/11	130.08.670	KK			130.08.674	KP	NBL		
	130.08.676	KK			130.08.674	KP	NBL		
541-900/16 B/C	130.08.676	KK			130.08.674	KP	NBL		
541-900/16 C	130.08.670	KK			130.08.674	KP	NBL		
542 B	130.08.703	KK			130.08.109	KP	w/o NBL		
542 C	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
542-720/900/.. B/C	130.08.676	KK			130.08.674	KP	NBL		
542-900/.. C	130.08.670	KK			130.08.674	KP	NBL		
543 C	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
543-900/..	130.08.670	KK			130.08.674	KP	NBL		
544-162/01 B	130.08.703	KK			130.08.109	KP	w/o NBL		
544-720/02 (2,4-7,2)	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
544-720/02 (8,5-15,2)	130.08.130	KK			130.08.284	KP	w/o NBL		
544-720/900/B/C	130.08.676	KK			130.08.674	KP	NBL		
544-900/.. C	130.08.670	KK			130.08.674	KP	NBL		
544-900/.. C/D	130.08.670	KK			130.08.674	KP	NBL		
544-900/16	130.08.676	KK			130.08.674	KP	NBL		
544-900/56 B/C	130.08.676	KK			130.08.674	KP	NBL		
544-944/01 C	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
544-944/01 C/D	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
545-H3 C	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
545-H3 D	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
545-H3-735/01 B	130.08.703	KK			130.08.109	KP	w/o NBL		
545-900/.. C	130.08.670	KK			130.08.674	KP	NBL		
546-H2-748/01 B	130.08.703	KK			130.08.109	KP	w/o NBL		
546-H3 C	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
546-H3 D	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
546-900/.. C	130.08.670	KK			130.08.674	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
560	130.04.000	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
					130.06.320	KP	NBL		130.00.090
561	130.04.000	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
561-G (-900/..)	130.04.075	KH			130.06.373	KP	NBL		130.00.336
561-G-900/..	130.04.075	KH			130.06.373	KP	NBL		130.00.336
561-G-926/01	130.04.075	KH			130.06.373	KP	NBL		130.00.336
561 (-900/..)	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
563-G (-900/..)	130.04.075	KH			130.06.373	KP	NBL		130.00.336
563-G-900/..	130.04.075	KH			130.06.373	KP	NBL		130.00.336
563-G-926/01	130.04.075	KH			130.06.373	KP	NBL		130.00.336
563 (-900/..)	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
571 A	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
571 B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
571 C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
571-725/04 B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
571-900/83 B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
571-911/37 B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
571-940/02 B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
574 A	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
574 B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
574 C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
574-725/04 A	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
574-725/04 B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
574-725/04 C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
574-900/83 B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
574-900/83 C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
574-911/37 B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
574-911/37 C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
581	130.04.103	KH			130.06.414	KP	NBL		
583	130.04.103	KH			130.06.414	KP	NBL		
591 B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
591 C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
591 C old model	130.08.100	KK		Large capacity	130.08.109	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
591 D old model	130.08.100	KK		Large capacity	130.08.109	KP	w/o NBL		
591-725/04 B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
591-725/04 C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
591-900/83 B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
591-900/83 C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
591-940/02 B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
593-944/01 C	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
594 A	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
594 B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
594 C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
594-720/02	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
594-725/04 A	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
594-725/04 B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
594-725/04 C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
594-900/01	130.08.697	KK		Under trimming mach.	130.08.701	KP	NBL		
	130.22.527	KL		Drop-in version, under trimming mach.					
594-900/56	130.08.697	KK		Under trimming mach.	130.08.701	KP	NBL		
	130.22.527	KL		Drop-in version, under trimming mach.					
594-944/01	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
595-H3	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
596-H3	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
832 A	130.08.304	KK			130.08.014	KP	w/o NBL		
832 B	130.08.304	KK			130.08.014	KP	w/o NBL		
832 L	130.08.304	KK			130.08.014	KP	w/o NBL		
838	130.04.012	KH			130.06.322	KP	NBL		130.00.070
838-900/..	130.04.012	KH			130.06.322	KP	NBL		130.00.070
893 A	130.08.304	KK			130.08.014	KP	w/o NBL		
893 B	130.08.304	KK			130.08.014	KP	w/o NBL		
893 L	130.08.304	KK			130.08.014	KP	w/o NBL		
910	130.23.009	KH			130.24.000	KP	NBL		
					130.24.005	KP	NBL		130.00.349
	130.23.050	KH			130.24.050	KP	NBL		130.00.351
	130.23.050DC10	KH			130.24.050	KP	NBL		
910 AB	130.23.000	KH			130.24.000	KP	NBL		130.00.348
	130.23.000DC10	KH		DC10 coated	130.24.000	KP	NBL		
910-Homemaker ver.	130.23.052	KH			130.24.050	KP	NBL		130.00.352

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
917 (-900/..)A	130.23.000	KH			130.24.000	KP	NBL		130.00.348
	130.23.000DC10	KH		DC10 coated	130.24.000	KP	NBL		
917 (-900/..)B	130.23.000	KH			130.24.000	KP	NBL		130.00.348
	130.23.000DC10	KH		DC10 coated	130.24.000	KP	NBL		
918 (-900/..)A	130.23.000	KH			130.24.000	KP	NBL		130.00.348
	130.23.000DC10	KH		DC10 coated	130.24.000	KP	NBL		
918 (-900/..)B	130.23.000	KH			130.24.000	KP	NBL		130.00.348
	130.23.000DC10	KH		DC10 coated	130.24.000	KP	NBL		
918 (-900/..)C	130.23.015	KH		Under trimming mach.	130.24.005	KP	NBL		
918-Homemaker ver.	130.23.052	KH			130.24.050	KP	NBL		130.00.352
930 AB	130.04.012	KH			130.06.322	KP	NBL		130.00.070
937	130.04.012	KH			130.06.322	KP	NBL		130.00.070
937-900/..	130.04.012	KH			130.06.322	KP	NBL		130.00.070
938	130.04.012	KH			130.06.322	KP	NBL		130.00.070
938-716/..	130.04.012	KH			130.06.322	KP	NBL		130.00.070
938 (-900/..)	130.04.012	KH			130.06.322	KP	NBL		130.00.070
938-900/..	130.04.012	KH			130.06.322	KP	NBL		130.00.070
939	130.04.012	KH			130.06.322	KP	NBL		130.00.070
939-900..	130.04.012	KH			130.06.322	KP	NBL		130.00.070
950	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
					130.06.320	KP	NBL		130.00.090
951 (-900/..)	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
951-900/..	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
951-926/01	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
953 (-900/..)	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
953-900/..	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
953-926/01	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
1114	130.12.201TTN	KH		TTN coated	130.14.035	KP	NBL		
					130.14.038	KP	w/o NBL		
1163	130.05.537	KH			130.06.298	KP	NBL		
1181	130.05.500	KH		FA	130.06.378	KP	NBL		
	130.05.530	KH		FB	130.06.378	KP	NBL		
1181G	130.04.075	KH			130.06.373	KP	NBL		130.00.336
1183	130.05.500	KH		FA	130.06.378	KP	NBL		
	130.05.530	KH		FB	130.06.378	KP	NBL		
1183-712/02	130.05.500	KH		FA	130.06.378	KP	NBL		
1183G	130.04.075	KH			130.06.373	KP	NBL		130.00.336
1240	130.08.273	KK			130.08.109	KP	w/o NBL		
	130.08.676	KK			130.08.674	KP	NBL		
	130.08.703	KK			130.08.109	KP	w/o NBL		
1240 C	130.08.670	KK			130.08.674	KP	NBL		
1240-900 AB	130.08.678	KK			130.08.674	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
1240-900 CD	130.08.680	KK			130.08.674	KP	NBL		
1240/1290 CD	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
1241 B	130.08.273	KK			130.08.109	KP	w/o NBL		
1241 B/C	130.08.273	KK			130.08.109	KP	w/o NBL		
1241C	130.08.280	KK			130.08.109	KP	w/o NBL		
1241C Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
1241D	130.08.280	KK			130.08.109	KP	w/o NBL		
1241D Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
1241-900/.. B	130.08.678	KK			130.08.674	KP	NBL		
1241-900/.. B/C	130.08.678	KK			130.08.674	KP	NBL		
1241-900/.. C	130.08.283	KK			130.08.284	KP	w/o NBL		
	130.08.288	KK			130.08.284	KP	w/o NBL		
1242	130.08.280	KK			130.08.109	KP	w/o NBL		
1242 Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
1242-720/B (3,2-7,6)	130.08.703	KK			130.08.109	KP	w/o NBL		
1242-720B/C (3,2-7,6)	130.08.667	KK			130.08.109	KP	w/o NBL		
1242-720/02-900/..	130.08.676	KK			130.08.674	KP	NBL		
1242-732/09 B	130.08.273	KK			130.08.109	KP	w/o NBL		
1242-732/09-900/B	130.08.678	KK			130.08.674	KP	NBL		
1242-748/01 B	130.08.273	KK			130.08.109	KP	w/o NBL		
	130.08.280	KK			130.08.109	KP	w/o NBL		
1242-748/01 B Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
1242-748/01 C	130.08.280	KK			130.08.109	KP	w/o NBL		
1242-748/01 C Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
1242-900/.. C	130.08.680	KK			130.08.674	KP	NBL		
1243	130.08.280	KK			130.08.109	KP	w/o NBL		
1243 Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
1243-712/02	130.08.680	KK			130.08.674	KP	NBL		
1243-/900/..	130.08.680	KK			130.08.674	KP	NBL		
1244 C	130.08.280	KK			130.08.109	KP	w/o NBL		
1244 C Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
1244 D	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
1244-720/02	130.08.667	KK			130.08.109	KP	w/o NBL		
1244-900 (720/) B/C	130.08.676	KK			130.08.674	KP	NBL		
1244-900/.. C	130.08.680	KK			130.08.674	KP	NBL		
1244-900/.. C/D	130.08.670	KK			130.08.674	KP	NBL		
1245	130.08.280	KK			130.08.109	KP	w/o NBL		
1245 Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
1245 B	130.08.273	KK			130.08.109	KP	w/o NBL		
1245 C	130.08.280	KK			130.08.109	KP	w/o NBL		
1245 C Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
1245-706/47	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
1245-900/.. B	130.08.678	KK			130.08.674	KP	NBL		
1245-900/.. C	130.08.680	KK			130.08.674	KP	NBL		
1246	130.08.280	KK			130.08.109	KP	w/o NBL		
1246 B	130.08.273	KK			130.08.109	KP	w/o NBL		
1246 B/C	130.08.273	KK			130.08.109	KP	w/o NBL		
1246 C	130.08.280	KK			130.08.109	KP	w/o NBL		
1246 C Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
1246 D	130.08.280	KK			130.08.109	KP	w/o NBL		
1246 D Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
1246-720/.. (3,2-7,6)	130.08.273	KK			130.08.109	KP	w/o NBL		
1246-720/.. (8-30,0)	130.08.283	KK			130.08.284	KP	w/o NBL		
	130.08.288	KK			130.08.284	KP	w/o NBL		
1246-900/.. B	130.08.678	KK			130.08.674	KP	NBL		
1246-900/.. B/C	130.08.678	KK			130.08.674	KP	NBL		
1246-900/.. C	130.08.680	KK			130.08.674	KP	NBL		
1290	130.08.703	KK			130.08.109	KP	w/o NBL		
1290-900	130.08.707	KK			130.08.701	KP	NBL		
1290-900 CD	130.08.697	KK		Under trimming mach.	130.08.701	KP	NBL		
	130.22.527	KL		Drop-in version, under trimming mach.					
1291 B	130.08.703	KK			130.08.109	KP	w/o NBL		
1291 C	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
1291-900/.. B	130.08.707	KK			130.08.701	KP	NBL		
1291-900/.. C	130.08.697	KK		Under trimming mach.	130.08.701	KP	NBL		
	130.22.527	KL		Drop-in version, under trimming mach.					
1293	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
1293-900/.. C	130.08.697	KK		Under trimming mach.	130.08.701	KP	NBL		
	130.22.527	KL		Drop-in version, under trimming mach.					
1294	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
1294-900/..	130.08.697	KK		Under trimming mach.	130.08.701	KP	NBL		
	130.22.527	KL		Drop-in version, under trimming mach.					
1294-944/01 C	130.08.697	KK		Under trimming mach.	130.08.701	KP	NBL		
	130.22.527	KL		Drop-in version, under trimming mach.					
1295 B	130.08.703	KK			130.08.109	KP	w/o NBL		
1295 C	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
1295 D	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
1295-900/.. B	130.08.707	KK			130.08.701	KP	NBL		
1295-900/.. C	130.08.697	KK		Under trimming mach.	130.08.701	KP	NBL		
	130.22.527	KL		Drop-in version, under trimming mach.					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
1296 B	130.08.703	KK			130.08.109	KP	w/o NBL		
1296 C	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
1296 D	130.08.100	KK			130.08.109	KP	w/o NBL		
	130.22.526	KL		Drop-in version					
1296-237/06	130.08.703	KK			130.08.109	KP	w/o NBL		
1296-237/06-900/..	130.08.707	KK			130.08.701	KP	NBL		
1296-900/.. B	130.08.707	KK			130.08.701	KP	NBL		
1296-900/.. C	130.08.697	KK		Under trimming mach.	130.08.701	KP	NBL		
	130.22.527	KL		Drop-in version, under trimming mach.					
1297-900/.. B	130.08.707	KK			130.08.701	KP	NBL		
1421	130.22.522	KL							
1422	130.08.805	KK		Under trimming mach.	130.08.814	KP	NBL		
	130.22.505	KL		Drop-in version, under trimming mach.					
1422-720/.. bis 8,0	130.08.805	KK		Under trimming mach.	130.08.814	KP	NBL		
	130.22.505	KL		Drop-in version, under trimming mach.					
1422-926/04 b 8	130.08.805	KK		Under trimming mach.	130.08.814	KP	NBL		
	130.22.505	KL		Drop-in version, under trimming mach.					
1422-926/06 b 8	130.08.805	KK		Under trimming mach.	130.08.814	KP	NBL		
	130.22.505	KL		Drop-in version, under trimming mach.					
1422-900/..	130.08.805	KK		Under trimming mach.	130.08.814	KP	NBL		
	130.22.505	KL		Drop-in version, under trimming mach.					
1422-926/06	130.08.805	KK		Under trimming mach.	130.08.814	KP	NBL		
	130.22.505	KL		Drop-in version, under trimming mach.					
1425 (-900/..)	130.22.505	KL							
1425-900/..	130.22.505	KL							
1425-926/04	130.22.505	KL							
1425-926/06	130.22.505	KL							
1426-720/..	130.08.805	KK		Under trimming mach.	130.08.814	KP	NBL		
	130.22.505	KL		Drop-in version, under trimming mach.					
1426-720/04..	130.08.805	KK		Under trimming mach.	130.08.814	KP	NBL		
	130.22.505	KL		Drop-in version, under trimming mach.					
1426-900/..	130.08.805	KK		Under trimming mach.	130.08.814	KP	NBL		
	130.22.505	KL		Drop-in version, under trimming mach.					
1426-926/04	130.08.805	KK		Under trimming mach.	130.08.814	KP	NBL		
	130.22.505	KL		Drop-in version, under trimming mach.					
1426-926/06	130.22.505	KL							
1427 (-900/..)	130.22.505	KL							
1427-900/..	130.22.505	KL							
1427-926/04	130.22.505	KL							
1427-926/06	130.22.505	KL							
1428-900/..	130.22.505	KL							
1428-926/04..	130.22.505	KL							
1428-926/06..	130.22.505	KL							
1440	130.08.660	KK		Under trimming mach.					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
1441 B	130.08.273	KK			130.08.109	KP	w/o NBL		
1441 C	130.08.280	KK			130.08.109	KP	w/o NBL		
1441 C Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
1441-900/.. B	130.08.660	KK		Under trimming mach.					
1441-900/.. C	130.08.660	KK		Under trimming mach.					
1441-900/.. G	130.08.660	KK		Under trimming mach.					
1442 B	130.08.273	KK			130.08.109	KP	w/o NBL		
1442 C	130.08.280	KK			130.08.109	KP	w/o NBL		
1442 C Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
1442-720/04 B	130.08.273	KK			130.08.109	KP	w/o NBL		
1442-720/04 B/C	130.08.280	KK			130.08.109	KP	w/o NBL		
1442-720/04 B/C Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
1442-720/04 C	130.08.280	KK			130.08.109	KP	w/o NBL		
1442-720/04 C Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
1442-720-900/B/C	130.08.660	KK		Under trimming mach.					
1442-720-900/C	130.08.660	KK		Under trimming mach.					
1442-720-900/G	130.08.660	KK		Under trimming mach.					
1442-900/B	130.08.660	KK		Under trimming mach.					
1442-900/C	130.08.660	KK		Under trimming mach.					
1442-900/G	130.08.660	KK		Under trimming mach.					
1445 Drop in	130.22.510	KL							
1445 B	130.08.273	KK			130.08.109	KP	w/o NBL		
1445 C	130.08.280	KK			130.08.109	KP	w/o NBL		
1445 C Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
1445-900/..B	130.22.510	KL							
1445-900/.. C	130.22.515	KL							
1445-900/.. Stand.	130.08.660	KK		Under trimming mach.					
1445-900/.. G Stand.	130.08.660	KK		Under trimming mach.					
1446 B	130.08.273	KK			130.08.109	KP	w/o NBL		
1446 C	130.08.280	KK			130.08.109	KP	w/o NBL		
1446 C Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
1446-900/.. B	130.08.660	KK		Under trimming mach.					
1446-900/.. C	130.08.660	KK		Under trimming mach.					
1446-900/.. G	130.08.660	KK		Under trimming mach.					
1471 (E)-900/..	130.08.518	KK			130.08.522	KP	w/o NBL		
1474-900/..	130.08.518	KK			130.08.522	KP	w/o NBL		
1491 (E)-900/.. A	130.08.518	KK			130.08.522	KP	w/o NBL		
1491 (E)-900/.. B	130.08.518	KK			130.08.522	KP	w/o NBL		
1491 (E)-900/.. B/C	130.08.524	KK			130.08.522	KP	w/o NBL		
1493 (E)-900/.. A	130.08.518	KK			130.08.522	KP	w/o NBL		
1493 (E)-900/.. B	130.08.518	KK			130.08.522	KP	w/o NBL		
1493 (E)-900/.. B/C	130.08.524	KK			130.08.522	KP	w/o NBL		
1521	130.22.522	KL							
1525 Fa Kugler	130.22.523	KL							
1525-900/81	130.22.505	KL							
1525-901/01	130.22.519	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
1526-900/81	130.22.505	KL							
1571 A	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
1571 B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
1571 C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
1574 A	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
1574 B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
1574 C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
1574-725/04 A	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
1574-725/04 B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
1574-725/04 C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
1591 A	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
1591 B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
1591 C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
1591-725/04 A	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
1591-725/04 B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
1591-725/04 C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2081	130.05.500	KH		FA	130.06.378	KP	NBL		
2083	130.05.500	KH		FA	130.06.378	KP	NBL		
2081G	130.04.075	KH			130.06.373	KP	NBL		130.00.336
2083G	130.04.075	KH			130.06.373	KP	NBL		130.00.336
2235	130.09.216	KH		Light thread, for needles from 120 to 150	130.10.059	KP	NBL		130.00.360
	130.09.220	KH		Thick thread, for needles from 130 to 180, Greifer mit /12 (12mm Stichlange)	130.10.067	KP	NBL		130.00.361
2438	130.04.012	KH			130.06.416	KP	NBL		
2438-916	130.04.012	KH			130.06.416	KP	NBL		
2481-980/30	130.05.500	KH		FA	130.06.378	KP	NBL		
2545	130.13.350	KL		Under trimming mach.					
	130.13.398	KK		w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
	130.13.610	KL		Under trimming mach., large capacity					
2546	130.13.350	KL		Under trimming mach.					
	130.13.610	KL		Under trimming mach., large capacity					
2571 ME PLUS A	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2571 ME PLUS B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2571 ME PLUS C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2571 ME PREMIUM A	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2571 ME PREMIUM B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2571 ME PREMIUM C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2574 ME PLUS A	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
2574 ME PLUS B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2574 ME PLUS C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2574 ME PREMIUM A	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2574 ME PREMIUM B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2574 ME PREMIUM C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2591 ME PLUS A	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2591 ME PLUS B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2591 ME PLUS C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2591 ME PREMIUM A	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2591 ME PREMIUM B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2591 ME PREMIUM C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2591-725/04 ME PLUS A	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2591-725/04 ME PLUS B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2591-725/04 ME PLUS C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2591-725/04 ME PREMIUM A	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2591-725/04 ME PREMIUM B	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2591-725/04 ME PREMIUM C	130.08.946	KK		Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
2595	130.13.350	KL		Under trimming mach.					
	130.13.398	KK		w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
2596	130.13.350	KL		Under trimming mach.					
	130.13.398	KK		w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
	130.13.398DC10	KK		DC10, w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
3114	130.12.001	KH			130.14.000	KP	w/o NBL		130.12.000
					130.14.007	KP	NBL		130.12.031
					130.14.031	KP	NBL		
3115	130.12.001	KH			130.14.000	KP	w/o NBL		130.12.000
					130.14.007	KP	NBL		130.12.031
3116	130.12.019	KH			130.14.000	KP	w/o NBL		130.12.018
					130.14.007	KP	NBL		130.12.041
					130.14.031	KP	NBL		
3119	130.12.166	KH			130.14.027	KP	NBL		130.12.165
3125 A	115.00.074	KH			115.00.229	KP	MF		
	115.00.257	KH		Chromium plated	115.00.229	KP	MF		
3125 B	115.00.074	KH			115.00.229	KP	MF		
	115.00.257	KH		Chromium plated	115.00.229	KP	MF		
3125 C	115.00.076	KH			115.00.262	KP	MF		
	115.00.269	KH		Chromium plated	115.00.262	KP	MF		
3135 A	115.00.074	KH			115.00.229	KP	MF		
	115.00.257	KH		Chromium plated	115.00.229	KP	MF		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
3135 B	115.00.074	KH			115.00.229	KP	MF		
	115.00.257	KH		Chromium plated	115.00.229	KP	MF		
3135 C	115.00.076	KH			115.00.262	KP	MF		
	115.00.269	KH		Chromium plated	115.00.262	KP	MF		
3136	115.00.074	KH			115.00.262	KP	MF		
	115.00.076	KH			115.00.262	KP	MF		
	115.00.257	KH		Chromium plated	115.00.262	KP	MF		
	115.00.269	KH		Chromium plated	115.00.262	KP	MF		
3331	115.00.074	KH			115.00.262	KP	MF		
	115.00.076	KH			115.00.262	KP	MF		
	115.00.257	KH		Chromium plated	115.00.262	KP	MF		
	115.00.269	KH		Chromium plated	115.00.262	KP	MF		
3334	115.00.074	KH			115.00.229	KP	MF		
	115.00.257	KH		Chromium plated	115.00.229	KP	MF		
3335	115.00.074	KH			115.00.229	KP	MF		
	115.00.257	KH		Chromium plated	115.00.229	KP	MF		
3336 A	115.00.074	KH			115.00.229	KP	MF		
	115.00.257	KH		Chromium plated	115.00.229	KP	MF		
3336 B	115.00.074	KH			115.00.229	KP	MF		
	115.00.257	KH		Chromium plated	115.00.229	KP	MF		
3336 C	115.00.076	KH			115.00.262	KP	MF		
	115.00.269	KH		Chromium plated	115.00.262	KP	MF		
3337 A	115.00.074	KH			115.00.229	KP	MF		
	115.00.257	KH		Chromium plated	115.00.229	KP	MF		
3337 B	115.00.074	KH			115.00.229	KP	MF		
	115.00.257	KH		Chromium plated	115.00.229	KP	MF		
3337 C	115.00.076	KH			115.00.262	KP	MF		
	115.00.269	KH		Chromium plated	115.00.262	KP	MF		
3339 A	115.00.280	KH		Chromium plated	115.00.229	KP	MF		
3339 B	115.00.280	KH		Chromium plated	115.00.229	KP	MF		
3339 C	115.00.280	KH		Chromium plated	115.00.262	KP	MF		
3370 A	115.00.074	KH			115.00.229	KP	MF		
	115.00.257	KH		Chromium plated	115.00.229	KP	MF		
3370 B	115.00.074	KH			115.00.229	KP	MF		
	115.00.257	KH		Chromium plated	115.00.229	KP	MF		
3370 C	115.00.076	KH			115.00.262	KP	MF		
	115.00.269	KH		Chromium plated	115.00.262	KP	MF		
3371-1/..	115.00.303	KH			115.00.304	KP	NBL		
3371-1/01	115.00.303	KH			115.00.304	KP	NBL		
3371-1/11	115.00.303	KH			115.00.304	KP	NBL		
3371-10/01	115.00.303	KH			115.00.304	KP	NBL		
3371-10/..	115.00.273	KH		Hard chromium plated; light thread					
3511-2/01	130.05.500	KH		FA	130.06.378	KP	NBL		
	130.05.530	KH		FB	130.06.378	KP	NBL		
3518	130.23.009	KH			130.24.000	KP	NBL		
					130.24.005	KP	NBL		130.00.349
	130.23.013	KH			130.24.005	KP	NBL		130.00.350
3518-929/40	130.23.009	KH			130.24.000	KP	NBL		
					130.24.005	KP	NBL		130.00.349

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
3518-929/46	130.23.009	KH			130.24.000	KP	NBL		
					130.24.005	KP	NBL		130.00.349
3518-929/47	130.23.009	KH			130.24.000	KP	NBL		
					130.24.005	KP	NBL		130.00.349
3518-929/70	130.23.009	KH			130.24.000	KP	NBL		
					130.24.005	KP	NBL		130.00.349
3518-929/76	130.23.009	KH			130.24.000	KP	NBL		
					130.24.005	KP	NBL		130.00.349
3518-929/77	130.23.009	KH			130.24.000	KP	NBL		
					130.24.005	KP	NBL		130.00.349
3518 Multidirectional sewing	130.23.013	KH			130.24.005	KP	NBL		130.00.350
3518-928/62	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
3519-3	130.04.075	KH			130.06.373	KP	NBL		130.00.336
3519-12	130.04.075	KH			130.06.373	KP	NBL		130.00.336
3557	130.04.075	KH			130.06.373	KP	NBL		130.00.336
3566-2/01	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
3566-G-2/01	130.04.075	KH			130.06.373	KP	NBL		130.00.336
3568	130.23.050	KH			130.24.050	KP	NBL		130.00.351
	130.23.050DC10	KH			130.24.050	KP	NBL		
3568-2/01	130.23.050	KH			130.24.050	KP	NBL		130.00.351
	130.23.050DC10	KH			130.24.050	KP	NBL		
3568-2/11	130.23.050	KH			130.24.050	KP	NBL		130.00.351
	130.23.050DC10	KH			130.24.050	KP	NBL		
3568-12/21	130.23.050	KH			130.24.050	KP	NBL		130.00.351
	130.23.050DC10	KH			130.24.050	KP	NBL		
3568-G-1/12	130.04.075	KH			130.06.373	KP	NBL		130.00.336
3574-6/01	130.03.017	KH		w/ hook fastening screw	130.06.106	KP	w/o NBL		130.00.066
					130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.341
3574-G-2/01	130.04.075	KH			130.06.373	KP	NBL		130.00.336
3574-G-2/02	130.04.075	KH			130.06.373	KP	NBL		130.00.336
3587-2/01	130.22.515	KL							
	130.22.519	KL							
3587-1420	130.22.519	KL							
3588	130.04.098	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		
3588-02/01	130.04.098	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		
3588-04	130.22.505	KL							
3701-4/11	130.05.500	KH		FA	130.06.378	KP	NBL		
	130.05.530	KH		FB	130.06.378	KP	NBL		
3701-G-1/01	130.04.075	KH			130.06.373	KP	NBL		130.00.336
3704-2/02	130.04.012	KH			130.06.322	KP	NBL		130.00.070
3734-12/31	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
3819-2/01	130.08.805	KK		Under trimming mach.	130.08.814	KP	NBL		
	130.22.505	KL		Drop-in version, under trimming mach.					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
3588-05/020	130.22.505	KL							
3588-15/020	130.22.505	KL							
3819-2/03	130.08.805	KK		Under trimming mach.	130.08.814	KP	NBL		
	130.22.505	KL		Drop-in version, under trimming mach.					
3802	130.08.678	KK			130.08.674	KP	NBL		
3822-1/02 (G)	130.04.075	KH			130.06.373	KP	NBL		130.00.336
3822-1/04	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
3822-1/22 (G)	130.04.075	KH			130.06.373	KP	NBL		130.00.336
3822-1/24	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
3823-1/01	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
3826-2/01	130.08.678	KK			130.08.674	KP	NBL		
3828-1/01	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
3828-1/02	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
3834-3/11	130.08.518	KK			130.08.522	KP	w/o NBL		
3834-4/11	130.08.518	KK			130.08.522	KP	w/o NBL		
3834-14/11	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
3834-14/31	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
3834-15/31	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
3844-1/01	130.04.012	KH			130.06.322	KP	NBL		130.00.070
9083	130.05.500	KH		FA	130.06.378	KP	NBL		
	130.05.507DC20	KH		DC20 coated	130.06.378	KP	NBL		
	130.05.530	KH		FB	130.06.378	KP	NBL		
9491	130.08.000	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.304	KK		Leather	130.08.014	KP	w/o NBL		
9493	130.08.000	KK		Fabric	130.08.014	KP	w/o NBL		
	130.08.304	KK		Leather	130.08.014	KP	w/o NBL		
701998	130.04.007	KH			130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.090
1010	130.02.500	KH			130.06.390	KP	w/o NBL		
1025	130.02.500	KH			130.06.390	KP	w/o NBL		
1037	130.02.500	KH			130.06.390	KP	w/o NBL		
1047	130.02.500	KH			130.06.390	KP	w/o NBL		
1050	130.02.500	KH			130.06.390	KP	w/o NBL		
1051	130.05.507DC20	KH		DC20 coated	130.06.378	KP	NBL		
1053	130.05.507DC20	KH		DC20 coated	130.06.378	KP	NBL		
1069	130.02.500	KH			130.06.390	KP	w/o NBL		
1150	130.02.500	KH			130.06.390	KP	w/o NBL		
1151	130.02.500	KH			130.06.390	KP	w/o NBL		
1181D Oil free	130.05.507DC20	KH		DC20 coated	130.06.378	KP	NBL		
1183D Oil free	130.05.507DC20	KH		DC20 coated	130.06.378	KP	NBL		
ECO 45	130.15.210	KL							
ECO 45-P	130.15.210	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

PODOLSK

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
330	130.08.976	KK			130.08.983	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

PRINCE

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
PLM-100	130.15.050	KL							
SPL-100	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

PROTEX (TONGYU)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 39-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 628	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 5550	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GG-20U	130.01.129	KH		Full gib	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
TY-1130H	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
TY-1130M	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
TY-2000	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
TY-2000-5	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
TY-2000-6	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
TY-6180H	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
TY-6180M	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
TY-8500	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
TY-B211-413	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
TY-B211-415	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

PROTEX (TONGYU) (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
TY-B721-3	130.05.015	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
TY-B842-3	130.11.216	KL		Standard execution					
TY-B842-5	130.11.131	KL		Standard execution					
TY-B845-403	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
	130.16.061	KH		Under trimming mach.	130.17.030	KP	w/o NBL		
TY-B875-5					130.20.035	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

REFREY

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
417	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
427	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
427VZ	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
428	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
430	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
527	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
537	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
901	130.08.482	KK			130.08.014	KP	w/o NBL		
	130.08.591	KK			130.08.014	KP	w/o NBL		
901/41	130.08.470	KK			130.08.474	KP	w/o NBL		
902	130.08.482	KK			130.08.014	KP	w/o NBL		
	130.08.591	KK			130.08.014	KP	w/o NBL		
902/41	130.08.470	KK			130.08.474	KP	w/o NBL		
905	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
906	130.01.000	KH			130.06.125	KP	MF		
910	130.01.000	KH			130.06.125	KP	MF		
918	130.01.000	KH			130.06.125	KP	MF		
920	130.05.124	KH			130.06.128	KP	MF		130.00.145
920/3	130.05.127	KH			130.06.128	KP	MF		
921	130.05.124	KH			130.06.128	KP	MF		130.00.145
921/3	130.05.127	KH			130.06.128	KP	MF		
925	130.05.124	KH			130.06.128	KP	MF		130.00.145
925/3	130.05.127	KH			130.06.128	KP	MF		
927/3	130.05.127	KH			130.06.128	KP	MF		
1901	130.08.269	KK			130.08.109	KP	w/o NBL		
1901/41	130.08.261	KK			130.08.267	KP	w/o NBL		
1902	130.08.269	KK			130.08.109	KP	w/o NBL		
1902/41	130.08.261	KK			130.08.267	KP	w/o NBL		
1920	130.09.011	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		130.00.235
1922	130.09.011	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		130.00.235
1923	130.09.011	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		130.00.235
1925	130.09.011	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		130.00.235
1927	130.09.011	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		130.00.235
1930-51/52					130.14.010	KP	w/o NBL		
1930-81/82					130.14.010	KP	w/o NBL		
1931					130.14.010	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

RESTA

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
H220-CNK1	130.09.097	KH		FB SPECIAL "RESTA"	130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.205	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
H220-CNK2	130.09.097	KH		FB SPECIAL "RESTA"	130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.205	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
H220-CNK3	130.09.097	KH		FB SPECIAL "RESTA"	130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.205	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
H220-G2	130.09.097	KH		FB SPECIAL "RESTA"	130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.205	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
H220-G2L	130.09.097	KH		FB SPECIAL "RESTA"	130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.205	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
H220-G3	130.09.097	KH		FB SPECIAL "RESTA"	130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.205	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
H220-G3L	130.09.097	KH		FB SPECIAL "RESTA"	130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.205	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
H220-G3N	130.09.097	KH		FB SPECIAL "RESTA"	130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.205	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
H228	130.01.111	KH			130.06.061	KP	w/o NBL		
	130.03.017	KH			130.06.106	KP	w/o NBL		130.00.066
					130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.341
	130.03.040	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
H292	130.09.097	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

RESTA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
H304	130.03.017	KH			130.06.106	KP	w/o NBL		130.00.066
					130.06.172	KP	MF		
					130.06.320	KP	NBL		130.00.341
	130.03.040	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
MILLI	130.09.143	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
MPUC	130.09.143	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
MPUS	130.09.143	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
MPUT	130.09.143	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

RICHPEACE

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
RP-CEM (ALL CLASSES)	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
Various classes	130.01.399	KH			130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
RPEB-CL	130.01.399	KH			130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
RPEB-FN	130.01.399	KH			130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
RPEB-MC	130.01.399	KH			130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
RPEC-T	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
RPED-CS	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
RPED-FN	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
RPED-MC	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
RPED-TC	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
RPMR	130.01.399	KH			130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
RPQ-E	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
RPQ-ST	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
Various classes quilting	130.09.535	KH		For quilting machine	130.10.500	KP	NBL		
	130.09.537	KH		For quilting machine	130.10.535	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

SANGOOD

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 0501	130.16.010	KH			130.17.010	KP	w/o NBL		130.18.010
GC 0602	130.09.180	KH			130.10.052	KP	NBL		
GC 31	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 32	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 33	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 34	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 40-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 45-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GF 11001	130.12.068	KH			130.14.010	KP	w/o NBL		130.12.067
					130.14.015	KP	NBL		130.12.066

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

SANHWA

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LT2-B961	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

SEIKO

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
BBW (ALL CLASSES)	130.13.291	KL		Under trimming mach.					
	130.13.294	KK		Cap System, Under trimming mach.	130.08.824	KP	w/o NBL		
	130.13.400	KL		Under trimming mach., thick thread					
BBW-8BL	130.13.291	KL		Under trimming mach.					
	130.13.294	KK		Cap System, Under trimming mach.	130.08.824	KP	w/o NBL		
	130.13.400	KL		Under trimming mach., thick thread					
BBW-8BLC	130.13.291	KL		Under trimming mach.					
	130.13.294	KK		Cap System, Under trimming mach.	130.08.824	KP	w/o NBL		
	130.13.400	KL		Under trimming mach., thick thread					
BBW-8BLC-BTFL-CD DS	130.13.291	KL		Under trimming mach.					
	130.13.294	KK		Cap System, Under trimming mach.	130.08.824	KP	w/o NBL		
	130.13.400	KL		Under trimming mach., thick thread					
BEW (ALL CLASSES) except BEW-8BLCS; -8BLS; -28BLCS; -28BLS	130.13.291	KL		Under trimming mach.					
	130.13.294	KK		Cap System, Under trimming mach.	130.08.824	KP	w/o NBL		
	130.13.400	KL		Under trimming mach., thick thread					
BEW-8BL	130.13.291	KL		Under trimming mach.					
	130.13.294	KK		Cap System, Under trimming mach.	130.08.824	KP	w/o NBL		
	130.13.400	KL		Under trimming mach., thick thread					
CH-2B	112.00.050	KK							
CH-6B	112.00.050	KK							
CH-7B	112.00.050	KK							
CH-8B	112.00.050	KK							
CW (ALL CLASSES)	130.11.076	KL							
GPB-8W	130.08.319	KK		Full gib, for Europe market	130.08.014	KP	w/o NBL		
	130.08.319R	KK		Full gib, regulating needle guard	130.08.014	KP	w/o NBL		
	130.08.900	KK		Full gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
H-2B	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
H-2BL	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SEIKO (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
H-2BL-AE	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
HC-2B	130.03.040	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
HC-2BL	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
LAH-1LC	130.09.054	KH			130.10.028	KP	MF		
					130.10.030	KP	MF		
LCW-8	130.11.076	KL							
LCW-8B	130.15.189	KL							
LCW-8BL	130.15.189	KL							
LCW-8BL-1	130.15.189	KL							
LCW-28BL	130.15.189	KL							
LHPW-8B-1	130.08.919	KK			130.08.926	KP	w/o NBL		
LHPW-8BL	130.19.000	KH			130.20.020	KP	w/o NBL		130.21.000
LHPW-8BL-1-LP	130.19.000	KH			130.20.020	KP	w/o NBL		130.21.000
LHPW-28BL	130.08.919	KK			130.08.926	KP	w/o NBL		
LHPWN-8B-1-SF-LP	130.08.919	KK			130.08.926	KP	w/o NBL		
LLW-7BL	130.15.155	KL							
LLW-7L	130.15.155	KL							
LLW-8BL	130.15.155	KL							
LLW-8BL/CS	130.15.181	KL							
LLW-8BL-TA	130.15.155	KL							
LLW-8L	130.15.155	KL							
LLW-8L-TA	130.15.155	KL							
LLW-27BL	130.15.061	KL							
LLW-27L	130.15.061	KL							
LLW-28	130.15.061	KL							
LLW-28BL	130.15.061	KL							
LLW-28BL/CS	130.15.178	KL							
LLW-28BL-TA	130.15.155	KL							
LLW-28L	130.15.061	KL							
LLW-28L-TA	130.15.155	KL							
LLWH-8BL/CS	130.15.178	KL							
LLWH-28BL/CS	130.15.178	KL							
LLWH-28BL-TA	130.15.155	KL							
LLWN-8BL/CS	130.15.178	KL							
LLWN-28BL/CS	130.15.178	KL							
LPW-6	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
LPW-6B	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
LPW-6BL	130.15.075	KL							
LPW-6L	130.15.075	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SEIKO (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LPW-7	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
LPW-7B	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
LPW-7BL	130.15.075	KL							
LPW-7L	130.15.075	KL							
LPW-8	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
LPW-8B	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
LPW-8BL	130.15.075	KL							
LPW-8L	130.15.075	KL							
LPW-26	130.11.187	KL							
LPW-26B	130.11.075	KL							
	130.11.187	KL							
LPW-26BL	130.15.064	KL							
LPW-26L	130.15.064	KL							
LPW-27	130.11.075	KL							
	130.11.187	KL							
LPW-27B	130.11.075	KL							
	130.11.187	KL							
LPW-27BL	130.15.064	KL							
LPW-27BLK	130.19.000	KH			130.20.020	KP	w/o NBL		130.21.000
LPW-27L	130.15.064	KL							
LPW-28	130.11.187	KL							
LPW-28B	130.11.187	KL							
LPW-28BL	130.15.064	KL							
LPW-28BLK	130.19.000	KH			130.20.020	KP	w/o NBL		130.21.000
LPW-28L	130.15.064	KL							
LPWN -8BL	130.15.075	KL							
LPWN-28BL	130.15.064	KL							
LSC-8B	130.03.040	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
LSC-8BHC	130.03.040	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
LSC-8BV	130.03.040	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
LSW-6L	130.15.155	KL							
LSW-6L-G	130.19.040	KH		Short gib	130.20.020	KP	w/o NBL		130.21.040
LSW-7BL	130.15.155	KL							
LSW-7BL-T	130.15.155	KL							
LSW-7L	130.15.155	KL							
LSW-7L-G	130.19.035	KH		Full gib	130.20.020	KP	w/o NBL		130.21.035
LSW-7L-T	130.15.155	KL							
LSW-8BL series	130.15.155	KL							
LSW-8BLM	130.15.155	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SEIKO (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LSW-8BL-TA	130.15.155	KL							
LSW-8BLV	130.15.155	KL							
LSW-8BLVMF	130.15.155	KL							
LSW-8BLVP	130.15.155	KL							
LSW-8L	130.15.155	KL							
LSW-8LM	130.15.155	KL							
LSW-8L-T	130.15.155	KL							
LSW-8LV	130.15.155	KL							
LSW-8LVMF	130.15.155	KL							
LSW-8LVP	130.15.155	KL							
LSW-26BL	130.15.155	KL							
LSW-26BL-R	130.19.035	KH		Full gib	130.20.020	KP	w/o NBL		130.21.035
LSW-26L	130.15.155	KL							
LSW-26LH	130.15.155	KL							
LSW-26L-R	130.19.035	KH		Full gib	130.20.020	KP	w/o NBL		130.21.035
LSW-27BL	130.15.061	KL							
LSW-27BLK	130.19.040	KH		Short gib	130.20.020	KP	w/o NBL		130.21.040
LSW-27BLM	130.15.061	KL							
LSW-27L	130.15.061	KL							
LSW-28BL	130.15.061	KL							
LSW-28BLK	130.19.040	KH		Short gib	130.20.020	KP	w/o NBL		130.21.040
LSW-28BL-TA	130.15.155	KL							
LSW-28L	130.15.061	KL							
LSWN series	130.15.181	KL							
LSWN-8BL	130.15.181	KL							
LSWN-8BLV	130.15.181	KL							
LSWN-28B	130.15.178	KL							
LSWN-28BL	130.15.178	KL							
LSWN-28L	130.15.178	KL							
LSWH series	130.15.181	KL							
LTW-26	130.11.078	KL							
LTW-27	130.11.078	KL							
LTW-27B	130.11.078	KL							
LTW-27BK	130.16.000	KH			130.17.000	KP	w/o NBL		130.18.000
LTW-27BLM	130.15.061	KL							
LTW-27BM	130.11.078	KL							
LW-27L	130.15.064	KL							
LZ2-990	130.09.223	KH			130.10.050	KP	NBL		130.00.362
NCL-2BL	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
PW-6	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
PW-6-1	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SEIKO (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
PW-6B	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
PW-6B-1	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
PW-7	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
PW-7B	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
PW-8BM	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
PW-8M	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
PW-26	130.11.187	KL							
PW-26B	130.11.187	KL							
PW-26B-1	130.11.187	KL							
PW-27	130.11.187	KL							
PW-27B	130.11.187	KL							
PW-28	130.11.187	KL							
PW-28B	130.11.187	KL							
PWB-8GW	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
PWB-8GW-1	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
PWB-8GW-LP	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
PWB-8GWC	130.08.580	KK		Under trimming mach.	130.08.971	KP	NBL		
PWB-8GWC-FL	130.08.580	KK		Under trimming mach.	130.08.971	KP	NBL		
PWB-8GWC-LC	130.08.580	KK		Under trimming mach.	130.08.971	KP	NBL		
PWB-8GWC-LP	130.08.580	KK		Under trimming mach.	130.08.971	KP	NBL		
PWB-8W	130.08.900	KK		Full gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
PWB-22GW	130.08.900	KK		Full gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
PWB-22GW-1	130.08.900	KK		Full gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
PWB-22GWC	130.08.580	KK		Under trimming mach.	130.08.971	KP	NBL		
PWB-22WC-FL	130.08.580	KK		Under trimming mach.	130.08.971	KP	NBL		
SPW-6	130.16.025	KH			130.17.020	KP	w/o NBL		130.18.025
SPW-26	130.16.025	KH			130.17.020	KP	w/o NBL		130.18.025
SSH-8BLD	130.09.123	KH			130.10.052	KP	NBL		
	130.09.123L	KH		Noiseless system	130.10.052	KP	NBL		
SSH-8BLDC	130.09.123	KH			130.10.052	KP	NBL		
	130.09.123L	KH		Noiseless system	130.10.052	KP	NBL		
SSH-8BLD-25	130.09.123	KH			130.10.052	KP	NBL		
	130.09.123L	KH		Noiseless system	130.10.052	KP	NBL		
STH-8BL	130.09.123	KH			130.10.052	KP	NBL		
	130.09.123L	KH		Noiseless system	130.10.052	KP	NBL		
STH-series	130.09.123	KH			130.10.052	KP	NBL		
	130.09.123L	KH		Noiseless system	130.10.052	KP	NBL		
STW-6	130.11.000	KL							
STW-7	130.11.000	KL							
STW-7B	130.11.000	KL							
STW-8	130.11.000	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SEIKO (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
STW-8B	130.11.000	KL							
STW-8BV	130.11.000	KL							
STW-8BVPM	130.11.000	KL							
STW-8V	130.11.000	KL							
STW-8VM	130.11.000	KL							
TH-6B	112.00.050	KK							
TH-8B	112.00.050	KK							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

SHANGGONG

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
8800	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
G15	130.12.068	KH			130.14.010	KP	w/o NBL		130.12.067
					130.14.015	KP	NBL		130.12.066
GC0301	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC0601-1	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC1-3	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC8-2	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC15-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC15-2	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC15-3	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC15-4	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC15-5-4D	130.11.101	KL							
GC22	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC30-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC30-2	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC30-3	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SHANGGONG (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC30-4-5D	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC45-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC505-1	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC555-4-5D	130.05.376	KH		Under Trimming Mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC5550	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GD9	130.11.101	KL							
GD2302	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
GDB	130.11.101	KL							
GF108	130.12.186	KH			130.14.050	KP	w/o NBL		
					130.14.052	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

SHEEN

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GG 758-615	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GG 758-920	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

SICAMA (TASICO)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
BEISLER 842	130.16.061	KH		Cap system, under trimming mach.	130.17.035	KP	w/o NBL		130.18.061
BEISLER 845	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
LT2-B842	130.11.078	KL							
LT2-B842-3	130.11.084	KL		Lacth system					
LT2-B842-5	130.11.084	KL							
	130.16.062	KH		Cap system	130.17.000	KP	w/o NBL		130.18.062
LT2-B842-380	130.11.219	KL		Standard execution					
LT2-B842-580	130.11.219	KL		Standard execution					
LT2-B845	130.16.000	KH			130.17.000	KP	w/o NBL		130.18.000
LT2-B845-3	130.16.062	KH		Cap system	130.17.000	KP	w/o NBL		130.18.062
LT2-B845-5	130.16.062	KH		Cap system	130.17.000	KP	w/o NBL		130.18.062
LT2-B848-3	130.11.084	KL							
LT2-B872	130.15.016	KL							
LT2-B872-3	130.15.016	KL							
LT2-B872-5	130.15.016	KL							
LT2-B872-380	130.15.030	KL		Under trimming mach.					
	130.15.030R	KL		Under trimming mach., regulating needle guard					
LT2-B872-580	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
LT2-B875	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
LT2-B875-3	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
LT2-B875-5	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
LT2-B875-380	130.19.030	KH			130.20.015	KP	w/o NBL		130.21.031
LT2-B875-580	130.19.030	KH			130.20.015	KP	w/o NBL		130.21.031
YAZICI 842	130.16.061	KH		Cap system, under trimming mach.	130.17.035	KP	w/o NBL		130.18.061
YAZICI 845	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

SINGER

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
15-30	115.00.018	KH			115.00.019	KP	w/o NBL		
					115.00.050	KP	w/o NBL		
16	115.00.018	KH			115.00.019	KP	w/o NBL		
					115.00.050	KP	w/o NBL		
20U-13	130.01.113	KH		Short gib	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.129	KH		Full gib	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
20U-23	130.01.113	KH		Short gib	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.129	KH		Full gib	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
20U-31	130.01.129	KH		Full gib	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
20U-34	130.01.129	KH		Full gib	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
21W 110K	130.11.160	KL							
21W 110W 124	130.11.160	KL							
21W 110W 128	130.11.160	KL							
21W 162	130.11.160	KL							
21W 180	130.11.065	KL		Short gib					
	130.11.075	KL							
21W 182	130.11.065	KL		Short gib					
	130.11.075	KL							
31-15	115.00.110	KH			115.00.111	KP	w/o NBL		
44	115.00.110	KH			115.00.111	KP	w/o NBL		
45K	112.00.031	KK							
46W	130.11.065	KL		Short gib					
47W 62	130.11.065	KL		Short gib					
47W 63	130.11.065	KL		Short gib					
47W 70	130.11.076	KL							
52K	130.16.020	KH			130.17.020	KP	w/o NBL		130.18.020
52W 22	130.16.020	KH			130.17.020	KP	w/o NBL		130.18.020
52W 30	130.11.065	KL		Short gib					
52W 31	130.11.065	KL		Short gib					
68-39	115.00.018	KH							
69	115.00.018	KH			115.00.019	KP	w/o NBL		
					115.00.050	KP	w/o NBL		
71					115.00.187	KP	w/o NBL		
71-101					115.00.187	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SINGER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
95-10	130.01.018	KH		Full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.01.126	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
95-40	130.01.000	KH		Full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.01.124	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
96-10	130.01.018	KH		Full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.01.126	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
96-40	130.01.000	KH		Full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.01.124	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
103K	130.01.018	KH		Full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.01.126	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
107G	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042
107U02	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042
107U202	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042
107W	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042
107W 1	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042
107W 3	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042
107W 5	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042
107W 17	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042
111W 100	130.11.045	KL							
111W 102	130.11.045	KL							
111W 103	130.11.045	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SINGER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
111W 113	130.11.045	KL							
111W 153	130.11.045	KL							
111W 154	130.11.045	KL							
111W 155	130.11.000	KL							
111W 156	130.11.000	KL							
112W 110	130.11.060	KL							
112W 115~139	130.11.060	KL		Short gib					
	130.11.062	KL		Full gib					
112W 140	130.11.051	KL							
112W 145	130.11.051	KL							
112W 146	130.11.051	KL							
118W	130.16.045	KH			130.17.020	KP	w/o NBL		130.18.045
121C 300	130.09.000	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.006	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.009	KH		Under trimming mach.	130.10.015	KP	MF		
					130.10.048	KP	NBL		
121C 330	130.09.000	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.006	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.009	KH		Under trimming mach.	130.10.015	KP	MF		
					130.10.048	KP	NBL		
121C 330AA	130.09.000	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.006	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.009	KH		Under trimming mach.	130.10.015	KP	MF		
					130.10.045	KP	NBL		
					130.10.048	KP	NBL		
121D 300	130.09.000	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.006	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.009	KH		Under trimming mach.	130.10.015	KP	MF		
					130.10.048	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SINGER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
121D 330	130.09.000	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.006	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.009	KH		Under trimming mach.	130.10.015	KP	MF		
					130.10.048	KP	NBL		
121D 330AA	130.09.000	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.006	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.009	KH		Under trimming mach.	130.10.015	KP	MF		
					130.10.045	KP	NBL		
					130.10.048	KP	NBL		
131W	130.11.065	KL		Short gib					
	130.11.075	KL							
	130.11.076	KL		Full gib					
131W 103	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
131W 104	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
131W 110	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
131W 113	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
136W	130.16.020	KH		Short gib	130.17.020	KP	w/o NBL		130.18.020
	130.16.025	KH		Full gib	130.17.020	KP	w/o NBL		130.18.025
138G 102	130.16.020	KH			130.17.020	KP	w/o NBL		130.18.020
138W	130.16.045	KH			130.17.020	KP	w/o NBL		130.18.045
138W 102	130.16.020	KH			130.17.020	KP	w/o NBL		130.18.020
143W1	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042
153K	130.11.065	KL		Short gib					
153W	130.11.065	KL		Short gib					
188K	130.01.139	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
191D	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
191D 200 A	130.05.151	KH		Full gib, under trimming mach.	130.06.135	KP	MF		
					130.06.300	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SINGER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
191D 200 AA	130.05.151	KH		Full gib, under trimming mach.	130.06.135	KP	MF		
					130.06.300	KP	NBL		
	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
191D 200 BA	130.05.151	KH		Full gib, under trimming mach.	130.06.135	KP	MF		
					130.06.300	KP	NBL		
191D 240 AA	130.05.151	KH		Full gib, under trimming mach.	130.06.135	KP	MF		
					130.06.300	KP	NBL		
191D 300 AA	130.05.151	KH		Full gib, under trimming mach.	130.06.135	KP	MF		
					130.06.300	KP	NBL		
	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
191D 300 BA	130.05.151	KH		Full gib, under trimming mach.	130.06.135	KP	MF		
					130.06.300	KP	NBL		
	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
191DX241	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
191DX250A	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
191DX251	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SINGER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
191DX258A	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
195K	130.01.139	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
196K	130.01.139	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
211A	130.11.084	KL							
211A 157JA	130.11.084	KL							
211A 165JA	130.11.084	KL							
211A 166JA	130.11.084	KL							
211A 166KA	130.11.084	KL							
211A 566	130.15.040	KL							
211G 146	130.11.016	KL							
211G 151	130.11.016	KL							
211G 155	130.11.000	KL							
211G 156	130.11.000	KL							
211G 157	130.11.016	KL							
211G 157A	130.11.016	KL							
211G 158	130.11.016	KL							
211G 166	130.11.016	KL							
211G 265	130.11.016	KL							
211G 266	130.11.016	KL							
211G 557	130.15.040	KL							
211G 558	130.15.040	KL							
211G 566	130.15.040	KL							
211G 566A	130.15.040	KL							
211G 866	130.15.040	KL							
211G 866A	130.15.040	KL							
211G 867A	130.15.040	KL							
211GX 104	130.15.040	KL							
211GX 106	130.15.040	KL							
211GX 109	130.15.040	KL							
211GX 110	130.11.016	KL							
211GX 114	130.15.040	KL							
211GX 115	130.11.016	KL							
211GX 117	130.15.040	KL							
211U 157	130.11.016	KL							
211U 165	130.11.000	KL							
211U 166	130.11.000	KL							
211U 257	130.11.016	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SINGER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
211U 341	130.11.000	KL							
211U 365	130.11.000	KL							
211U 566	130.15.040	KL							
211U 567	130.15.010	KL							
211U 567A	130.15.010	KL							
211U 866	130.15.040	KL							
211U 867	130.15.010	KL							
211U 867A	130.15.010	KL							
211UX 157	130.11.016	KL							
211UX 165	130.11.000	KL							
211UX 166	130.11.000	KL							
211UX 566	130.15.040	KL							
211UX 567	130.15.010	KL							
211W 151	130.11.000	KL							
211W 155	130.11.000	KL							
211X 104	130.15.040	KL							
211X 106	130.15.040	KL							
212A 141	130.11.084	KL							
212A 141BA	130.11.084	KL							
212A 141GA	130.11.084	KL							
212A 143	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
212A 147	130.11.016	KL							
212A 939JA	130.15.061	KL							
212A 939JB	130.15.061	KL							
212G	130.15.040	KL							
212G 140	130.11.016	KL							
212G 141	130.11.016	KL							
212G 145	130.11.016	KL							
212G 440	130.11.016	KL							
212G 539	130.15.040	KL							
212G 541	130.15.040	KL							
212GX 2	130.15.040	KL							
212GX 4	130.11.016	KL							
212GX 5	130.11.016	KL							
212GX 6	130.11.016	KL							
212GX 106	130.15.040	KL							
212GX 109	130.15.040	KL							
212GX 110	130.11.016	KL							
212GX 114	130.15.040	KL							
212GX 115	130.11.016	KL							
212LX 670	130.11.016	KL							
212U	130.15.040	KL							
212U 41	130.11.016	KL							
212U 141	130.11.016	KL							
212U 143	130.16.050	KH			130.17.000	KP	w/o NBL		130.18.050
212U 143A	130.16.050	KH			130.17.000	KP	w/o NBL		130.18.050
212U 144	130.16.050	KH			130.17.000	KP	w/o NBL		130.18.050
212U 442	130.11.016	KL							
212U 443A	130.16.050	KH			130.17.000	KP	w/o NBL		130.18.050

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SINGER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
212U 444	130.16.050	KH			130.17.000	KP	w/o NBL		130.18.050
212U 539A	130.15.010	KL							
212U 541A	130.15.040	KL							
212U 839A	130.15.010	KL							
212U 841A	130.15.040	KL							
212W	130.11.160	KL							
212W 140	130.11.016	KL							
212W 145	130.11.016	KL							
212W 146	130.11.016	KL							
220U	130.05.235	KH		FB, full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
220U-22	130.05.235	KH		FB, full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
220U-23	130.05.235	KH		FB, full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
236G	130.16.028	KH			130.17.020	KP	w/o NBL		130.18.028
236G 120	130.16.028	KH			130.17.020	KP	w/o NBL		130.18.028
236G 124	130.16.028	KH			130.17.020	KP	w/o NBL		130.18.028
236G 125	130.16.028	KH			130.17.020	KP	w/o NBL		130.18.028
236G 130	130.16.028	KH			130.17.020	KP	w/o NBL		130.18.028
236G 131	130.16.028	KH			130.17.020	KP	w/o NBL		130.18.028
236G 132	130.16.028	KH			130.17.020	KP	w/o NBL		130.18.028
236W	130.16.028	KH			130.17.020	KP	w/o NBL		130.18.028
238G	130.16.025	KH		Full gib	130.17.020	KP	w/o NBL		130.18.025
241	130.05.000	KH		FA, full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
					130.06.346	KP	w/o NBL		
	130.05.008	KH		Synthetic thread	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235	KH		FB, full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.250	KH		Tacking gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.271	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.350	KH		3 hub screws	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SINGER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
251	130.05.000	KH		FA, full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
					130.06.346	KP	w/o NBL		
	130.05.008	KH		Synthetic thread	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235	KH		FB, full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.250	KH		Tacking gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.271	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.350	KH		3 hub screws	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
269W	115.00.129	KH			115.00.248	KP	w/o NBL		
	115.00.233	KH		Hard chromium plated	115.00.248	KP	w/o NBL		
271K					130.14.062	KP	w/o NBL		
					130.14.064	KP	NBL		
281	130.05.000	KH		FA, full gib	130.06.346	KP	w/o NBL		
	130.05.008	KH		Synthetic thread	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.151	KH		Full gib, under trimming mach.	130.06.135	KP	MF		
					130.06.300	KP	NBL		
	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.250	KH		Tacking gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.350	KH		3 hub screws	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SINGER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
281-41	130.05.151	KH		Full gib, under trimming mach.	130.06.135	KP	MF		
					130.06.300	KP	NBL		
	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.250	KH		Tacking gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.350	KH		3 hub screws	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
281-81	130.05.008	KH		Synthetic thread	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.250	KH		Tacking gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.350	KH		3 hub screws	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
281-83	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.250	KH		Tacking gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.350	KH		3 hub screws	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
281-181	130.05.151	KH		Full gib, under trimming mach.	130.06.135	KP	MF		
					130.06.300	KP	NBL		
	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.250	KH		Tacking gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.350	KH		3 hub screws	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SINGER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
281-183	130.05.151	KH		Full gib, under trimming mach.	130.06.135	KP	MF		
					130.06.300	KP	NBL		
	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.250	KH		Tacking gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.350	KH		3 hub screws	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
281-41291U	130.05.151	KH		Full gib, under trimming mach.	130.06.135	KP	MF		
					130.06.300	KP	NBL		
281UTT	130.05.151	KH		Full gib, under trimming mach.	130.06.135	KP	MF		
					130.06.300	KP	NBL		
291U	130.05.151	KH		Full gib, under trimming mach.	130.06.135	KP	MF		
					130.06.300	KP	NBL		
306					130.06.065	KP	w/o NBL		
306M	130.01.049	KH		D. 5,53 mm	130.06.056	KP	w/o NBL		
	130.01.052	KH		D. 7,24 mm	130.06.056	KP	w/o NBL		
312U	130.11.084	KL							
319	130.01.025	KH			130.06.019	KP	w/o NBL		
					130.06.065	KP	w/o NBL		
	130.01.049	KH		D. 5,53 mm	130.06.056	KP	w/o NBL		
	130.01.052	KH		D. 7,24 mm	130.06.056	KP	w/o NBL		
320	130.01.025	KH			130.06.019	KP	w/o NBL		
					130.06.065	KP	w/o NBL		
	130.01.049	KH		D. 5,53 mm	130.06.056	KP	w/o NBL		
	130.01.052	KH		D. 7,24 mm	130.06.056	KP	w/o NBL		
331K	115.00.110	KH			115.00.111	KP	w/o NBL		
366	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
369W	130.09.009	KH			130.10.015	KP	MF		
					130.10.048	KP	NBL		
391U	130.05.151	KH		Full gib, under trimming mach.	130.06.135	KP	MF		
					130.06.300	KP	NBL		
	130.05.250	KH		Tacking gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.271	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SINGER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
400W	130.05.008	KH		Synthetic thread	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.028	KH		Synthetic thread	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.250	KH		Tacking gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.271	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.350	KH		3 hub screws	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SINGER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
402W	130.05.008	KH		Synthetic thread	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.108	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.028	KH		Synthetic thread	130.06.019	KP	w/o NBL		
					130.06.108	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.108	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.108	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.250	KH		Tacking gib	130.06.019	KP	w/o NBL		
					130.06.108	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.271	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.108	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.350	KH		3 hub screws	130.06.019	KP	w/o NBL		
					130.06.108	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
412U	130.11.084	KL							
431D 200A	115.00.110	KH			115.00.111	KP	w/o NBL		
431D 201A	115.00.110	KH			115.00.111	KP	w/o NBL		
431F 200A	115.00.110	KH			115.00.111	KP	w/o NBL		
431T 200A	115.00.110	KH			115.00.111	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SINGER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
451K	130.05.008	KH		Synthetic thread	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.028	KH		Synthetic thread	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.250	KH		Tacking gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.271	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.350	KH		3 hub screws	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
457G	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051DC10	KH		DC10 coated	130.14.017	KP	w/o NBL		130.12.050DC1(
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
	130.12.099	KH		Long point	130.14.017	KP	w/o NBL		130.12.098
					130.14.021	KP	NBL		
	130.12.099TTN	KH		Long point, TTN coated	130.14.017	KP	w/o NBL		
					130.14.021	KP	NBL		
469U	115.00.285	KH		Hard chromium plated	115.00.277	KP	w/o NBL		
	115.10.000	KH		Thick thread	115.11.020	KP	NBL		
	115.10.001	KH			115.11.020	KP	NBL		
469U 108H	115.00.285	KH		Hard chromium plated	115.00.277	KP	w/o NBL		
469U 109H	115.00.285	KH		Hard chromium plated	115.00.277	KP	w/o NBL		
469U 111H	115.00.285	KH		Hard chromium plated	115.00.277	KP	w/o NBL		
469U 139H	115.00.285	KH		Hard chromium plated	115.00.277	KP	w/o NBL		
469U 141H	115.00.285	KH		Hard chromium plated	115.00.277	KP	w/o NBL		
469U 142H	115.00.285	KH		Hard chromium plated	115.00.277	KP	w/o NBL		
471U	130.12.084	KH			130.14.040	KP	NBL		
491D	130.05.151	KH		Full gib, under trimming mach.	130.06.135	KP	MF		
					130.06.300	KP	NBL		
	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SINGER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
491D 100GA	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
491D 200	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
491D 200GA	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
491D 300GA	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
491D 308GA	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
491DX 201GA	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
491UX100	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
491UX110B	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
491UX110G	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
491UX110H	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
491UX200	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
491UX210B	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
491UX210G	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
491UX210H	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
491UX300	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
491UX310B	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
491UX310G	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
491UX310H	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
569U	115.00.285	KH		Hard chromium plated	115.00.277	KP	w/o NBL		
	115.10.000	KH		Thick thread	115.11.020	KP	NBL		
	115.10.001	KH			115.11.020	KP	NBL		
569U 108-H	115.00.285	KH		Hard chromium plated	115.00.277	KP	w/o NBL		
569U 139 H	115.00.285	KH		Hard chromium plated	115.00.277	KP	w/o NBL		
569U 141-M	115.00.285	KH		Hard chromium plated	115.00.277	KP	w/o NBL		
569U 142-H	115.00.285	KH		Hard chromium plated	115.00.277	KP	w/o NBL		
569U2108M	115.10.001	KH			115.11.020	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SINGER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
591C	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591C 200AA	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
591C 200GA	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591C 300AA	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
591C 300GA	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 30	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 200	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 200AA	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 200GA	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 203	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 205	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 205AA	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 210BD	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 210BF	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 210GA	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 210GD	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 210GF	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 215	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 240AD	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SINGER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
591D 240AF	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 240BD	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 240BF	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 240GD	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 240GF	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 300	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 300AA	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 300GA	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 302	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 302AF	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 303	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 303AA	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 305AA	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 308AA	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 310BD	130.05.416	KH		Under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 310BF	130.05.416	KH		Under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 310GA	130.05.416	KH		Under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 310GD	130.05.416	KH		Under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 310GF	130.05.416	KH		Under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 315	130.05.416	KH		Under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SINGER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
591D 315GA	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 318BD	130.05.416	KH		Under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 318BF	130.05.416	KH		Under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 318GD	130.05.416	KH		Under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 318GF	130.05.416	KH		Under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
591D 3051	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
591DUX 100	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
591DX 200GX	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591DX 210GA	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591DX 300GA	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591DX 310GA	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591E 200A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
591E 200G	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591E 210G	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591U	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591UX 100	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591UX 220	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591UX 312	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591UX 313BF	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591UX 313GAE	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591UX 313GF	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591UX 320GF	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SINGER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
591V 200 A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
591V 200 B	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
591V 300 A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
591V 300 B	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
600W	130.05.015	KH		Full gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.028	KH		Synthetic thread	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.250	KH		Tacking gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.271	KH		Short gib	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.350	KH		3 hub screws	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
601D 100AD	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
601D 100AF	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
601D 100BD	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
601D 100BF	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
601D 100GD	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
601D 100GF	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
650E	130.09.082	KH		Full gib	130.10.015	KP	MF		
					130.10.048	KP	NBL		
	130.09.228	KH		Short gib	130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SINGER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
691D	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
691D 100GD	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
691D 110GD	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
691D 150GD	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
691D 200GD	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
691D 210GD	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
691D 250GD	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
691D 300GD	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
691D 310GD	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
691D 350GD	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
770	130.05.242	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
771G	130.05.242	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
807	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
827	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500
1191D 300A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
1191D 300G	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
1650E	130.09.082	KH		Full gib	130.10.015	KP	MF		
					130.10.048	KP	NBL		
	130.09.228	KH		Short gib	130.10.007	KP	MF		
					130.10.045	KP	NBL		
1691D	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
2110X-104	130.15.040	KL							
2110X-106	130.15.040	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

SIROKUMA

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LM-600	130.01.113	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

SIRUBA

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DL889-L2 _	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DL889-M1 _	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DL889-M2 _	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L818-F1	130.05.235	KH			130.06.019	KP	w/o NBL		
L818-F1-_ Under trimming mach.	130.05.477	KH			130.06.298	KP	NBL		
L818-H1	130.05.271	KH			130.06.019	KP	w/o NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L818-H1-_ Under trimming mach.	130.05.479	KH			130.06.298	KP	NBL		
L818-K1	130.05.235	KH			130.06.019	KP	w/o NBL		
L818-K1-_ Under trimming mach.	130.05.376	KH		w/ sharp hook point	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		w/ sharp hook point, DC20 coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH			130.06.298	KP	NBL		
L818-L1	130.05.235	KH			130.06.019	KP	w/o NBL		
L818-L1-_ Under trimming mach.	130.05.376	KH		w/ sharp hook point	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		w/ sharp hook point, DC20 coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH			130.06.298	KP	NBL		
L818-M1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376	KH		w/ sharp hook point	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SIRUBA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
L818-M1-_ Under trimming mach.	130.05.376	KH		w/ sharp hook point	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		w/ sharp hook point, DC20 coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH			130.06.298	KP	NBL		
L818-X1	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L818F-DM	130.05.235	KH			130.06.019	KP	w/o NBL		
L818F-DM1	130.05.235	KH			130.06.019	KP	w/o NBL		
L818F-DM1A	130.05.235	KH			130.06.019	KP	w/o NBL		
L818F-F1	130.05.235	KH			130.06.019	KP	w/o NBL		
L818F-F1-_ Under trimming mach.	130.05.477	KH			130.06.298	KP	NBL		
L818F-H	130.05.271	KH			130.06.019	KP	w/o NBL		
L818F-H1	130.05.271	KH			130.06.019	KP	w/o NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L818F-H1-13	130.05.479	KH			130.06.298	KP	NBL		
L818F-H1A	130.05.271	KH			130.06.019	KP	w/o NBL		
L818F-H1C	130.05.271	KH			130.06.019	KP	w/o NBL		
L818F-H1-_ Under trimming mach.	130.05.479	KH			130.06.298	KP	NBL		
L818F-K1	130.05.235	KH			130.06.019	KP	w/o NBL		
L818F-K1-_ Under trimming mach.	130.05.376	KH		w/ sharp hook point	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		w/ sharp hook point, DC20 coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH			130.06.298	KP	NBL		
L818F-L	130.05.235	KH			130.06.019	KP	w/o NBL		
L818F-L1	130.05.235	KH			130.06.019	KP	w/o NBL		
L818F-L1-_ Under trimming mach.	130.05.376	KH		w/ sharp hook point	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		w/ sharp hook point, DC20 coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH			130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SIRUBA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
L818F-HM1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L818F-M	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L818F-M1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L818F-M1-_ Under trimming mach.	130.05.376	KH		w/ sharp hook point	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		w/ sharp hook point, DC20 coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH			130.06.298	KP	NBL		
L818F-M1A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L818F-M1C	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L818F-NM1	130.05.376	KH		w/ sharp hook point	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L818F-RM1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L819	130.05.271	KH			130.06.019	KP	w/o NBL		
L819-X1	130.05.271	KH			130.06.019	KP	w/o NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L819-X1-13	130.05.479	KH			130.06.298	KP	NBL		
L819-X1-U	130.05.479	KH			130.06.298	KP	NBL		
L819-X1-_ Under trimming mach.	130.05.479	KH			130.06.298	KP	NBL		
L819-X2	130.09.210	KH			130.10.000	KP	w/o NBL		
L819-X2-U	130.09.207	KH		Under trimming mach.	130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.045	KP	NBL		
L819-X2-_ Under trimming mach.	130.09.207	KH		Under trimming mach.	130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.045	KP	NBL		
L918-H1	130.05.271	KH			130.06.019	KP	w/o NBL		
L918-H1A	130.05.271	KH			130.06.019	KP	w/o NBL		
L918-H1C	130.05.271	KH			130.06.019	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SIRUBA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
L918-HM1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L918-HM1A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L918-L1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L918-M1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L918-M1A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L918-M1C	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L918-NF	130.05.543	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
P717	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
P727	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
PK533	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
PK533_L	115.10.001	KH		Light thread	115.11.020	KP	NBL		
PK533-H	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
PK533-M	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
PK588	115.10.001	KH		Light thread	115.11.020	KP	NBL		
PK588-L	115.10.001	KH		Light thread	115.11.020	KP	NBL		
PK588-H	115.10.000	KH		Thick thread	115.11.020	KP	NBL		
PK588-M	115.10.000	KH		Thick thread	115.11.020	KP	NBL		
PK599-H	115.10.000	KH		Thick thread	115.11.020	KP	NBL		
PK599-M	115.10.000	KH		Thick thread	115.11.020	KP	NBL		
R718	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
R718-01	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
R718-01-13	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		
R718-01-U	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		
R718-01-_ Under trimming mach.	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		
R718-01H	130.08.919	KK		X-thick thread	130.08.926	KP	w/o NBL		
R718-02	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
R728	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
R728-_ _	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
R728-01-13	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		
R728-U	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SIRUBA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
R728-_ _-_ Under trimming mach.	130.08.594	KK			130.08.971	KP	NBL		
R728-_ _H	130.08.919	KK			130.08.926	KP	w/o NBL		
R728-xxH	130.08.919	KK			130.08.926	KP	w/o NBL		
T828-41					130.17.035	KP	w/o NBL		
T828-41-_ _ _	130.16.055	KH		Standard execution	130.17.035	KP	w/o NBL		130.18.055
T828-41-_ _ _ _					130.17.035	KP	w/o NBL		
T828-41-_ _ _ HL	130.11.131	KL		Standard execution					
T828-41-_ _ _ LL	130.11.216	KL		Standard execution					
T828-41-_ _ _ ML	130.11.216	KL		Standard execution					
T828-42					130.17.035	KP	w/o NBL		
T828-42-_ _ _	130.16.055	KH		Standard execution	130.17.035	KP	w/o NBL		130.18.055
T828-42-_ _ _ _					130.17.035	KP	w/o NBL		
T828-42-_ _ _ _ _ /_ _ Under trimming mach.	130.16.061	KH		Under trimming mach.	130.17.035	KP	w/o NBL		130.18.061
T828-42-048-H	130.11.131	KL		Standard execution					
T828-42-048-M	130.11.216	KL							
T828-42-_ _ _ HL	130.11.131	KL		Standard execution					
T828-42-_ _ _ HL /_ _U	130.11.219	KL							
T828-42-_ _ _ HL /_ _ Under trimming mach.	130.11.219	KL							
T828-42-_ _ _ LL	130.11.216	KL		Standard execution					
T828-42-_ _ _ ML	130.11.216	KL		Standard execution					
T828-42-_ _ _ ML /_ _U	130.11.219	KL							
T828-42-_ _ _ ML /_ _ Under trimming mach.	130.11.219	KL							
T828-42-U	130.16.061	KH		Under trimming mach.	130.17.035	KP	w/o NBL		130.18.061
T828-45-048-M	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
T828-45-H	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
T828-45-_ _ _H	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
T828-45-H-U	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
T828-45-_ _ _H /_ _ U	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
	130.16.061	KH		Under trimming mach.	130.17.035	KP	w/o NBL		130.18.061
T828-45-_ _ _H /_ _ Under trimming mach	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
T828-45-_ _ _M	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
T828-45-_ _ _M /_ _ U	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
	130.16.061	KH		Under trimming mach.	130.17.035	KP	w/o NBL		130.18.061
T828-45-_ _ _M /_ _ Under trimming mach	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
T828-45-_ _ _X	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
T828-45-_ _ _X /_ _ U	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
	130.16.061	KH		Under trimming mach.	130.17.035	KP	w/o NBL		130.18.061
T828-45-_ _ _X /_ _ Under trimming mach	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
T828-45-L	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
T828-45-M	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
T828-45-M-U	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
T828-47					130.17.035	KP	w/o NBL		
T828-47-_ _ _ _					130.17.035	KP	w/o NBL		
T828-47-LL	130.11.216	KL		Standard execution					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SIRUBA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
T828-47-ML	130.11.216	KL		Standard execution					
T828-47-_ _ _ _ _ /_ _ Under trimming mach.	130.16.061	KH		Under trimming mach.	130.17.035	KP	w/o NBL		130.18.061
T828-45-X	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
T828-45-X-U	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
T828-48-L	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
T828-48-_ _ _L	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
T828-48-L-U	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
T828-48-_ _ _L /_ _ U	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
	130.16.061	KH		Under trimming mach.	130.17.035	KP	w/o NBL		130.18.061
T828-47-U	130.16.061	KH		Under trimming mach.	130.17.035	KP	w/o NBL		130.18.061
T828-72-_ _ _H /_ _ Under trimming mach.					130.20.030	KP	w/o NBL		
T828-72-HL	130.15.128	KL		Standard execution					
T828-72-H-U					130.20.030	KP	w/o NBL		
T828-72-_ _ _HL	130.15.128	KL		Standard execution					
T828-72-_ _ _M /_ _ Under trimming mach.	130.19.045	KH		Standard execution, under trimming mach.	130.20.040	KP	w/o NBL		130.21.046
T828-72-_ _ _ML	130.15.128	KL		Standard execution					
T828-72-M-U					130.20.030	KP	w/o NBL		
T828-72-048-H	130.15.128	KL							
T828-72-048-M	130.15.128	KL							
T828-75-048-M	130.19.050	KH			130.20.035	KP	w/o NBL		130.21.048
T828-75-H					130.20.035	KP	w/o NBL		
T828-75-_ _ _H	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
T828-75-_ _ _H /_ _ U	130.19.045	KH		Standard execution, under trimming mach.	130.20.040	KP	w/o NBL		130.21.046
T828-75-_ _ _M	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
T828-75-_ _ _M /_ _ U	130.19.045	KH		Standard execution, under trimming mach.	130.20.040	KP	w/o NBL		130.21.046
T828-75-_ _ _X	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
T828-75-_ _ _X /_ _ U	130.19.045	KH		Standard execution, under trimming mach.	130.20.040	KP	w/o NBL		130.21.046
T828-75-H-U	130.19.045	KH		Standard execution, under trimming mach.	130.20.040	KP	w/o NBL		130.21.046
T828-75-M	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
T828-75-M-U					130.20.040	KP	w/o NBL		
T828-75-X	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
T828-75-X-U					130.20.040	KP	w/o NBL		
UC918-H1	130.08.758	KK			130.08.766	KP	w/o NBL		
UF916-X2	130.15.024	KL							
UF916-X2-_	130.15.166	KL							
UF916-X2L-_	130.19.005	KH			130.20.025	KP	w/o NBL		130.21.005
	130.19.005R	KH		Regulating needle guard	130.20.025	KP	w/o NBL		
UF916-X2-U	130.15.166	KL		Under trimming mach.					
UF918	130.09.180	KH			130.10.052	KP	NBL		
UF918-X2	130.13.291	KL		Under trimming mach.					
	130.13.400	KL		Under trimming mach., thick thread					
UF918-X2-U	130.13.291	KL		Under trimming mach.					
	130.13.400	KL		Under trimming mach., thick thread					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SIRUBA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
UF918-X2-_ Under trimming mach.	130.13.291	KL		Under trimming mach.					
	130.13.400	KL		Under trimming mach., thick thread					
UF926-X2-_ Under trimming mach.	130.15.166	KL							
UF926-X2-U	130.15.166	KL		Under trimming mach.					
UF926-X2L-_	130.19.005	KH			130.20.025	KP	w/o NBL		130.21.005
UF928-X2	130.13.291	KL		Under trimming mach.					
	130.13.400	KL		Under trimming mach., thick thread					
UF928-X2-U	130.13.291	KL		Under trimming mach.					
	130.13.400	KL		Under trimming mach., thick thread					
UF928-X2-_ Under trimming mach.	130.13.291	KL		Under trimming mach.					
	130.13.400	KL		Under trimming mach., thick thread					
YF616-X2	130.09.210	KH			130.10.000	KP	w/o NBL		
YF616-X2-12	130.09.207	KH		Under trimming mach.	130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.045	KP	NBL		
YF616-X2-_ Under trimming mach.	130.09.207	KH		Under trimming mach.	130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.045	KP	NBL		
YF616-X2-U	130.09.207	KH		Under trimming mach.	130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.045	KP	NBL		
YF619-X2	130.09.006	KH		Old type	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.210	KH		New type	130.10.000	KP	w/o NBL		
YF619-X2-_ Under trimming mach.	130.09.207	KH		Under trimming mach.	130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.045	KP	NBL		
YF619-X2-U	130.09.207	KH		Under trimming mach.	130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

SOTEXI

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
L2000	130.09.535	KH		For quilting machine	130.10.510	KP	w/o NBL		
	130.09.537	KH		For quilting machine, coreless bobbin	130.10.520	KP	w/o NBL		
					130.10.535	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

STAGER

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DZ S310	130.12.099	KH		Long point	130.14.017	KP	w/o NBL		130.12.098
					130.14.021	KP	NBL		
	130.12.099TTN	KH		Long point, TTN coated	130.14.017	KP	w/o NBL		
					130.14.021	KP	NBL		
DZ-S310	130.12.150	KH			130.14.017	KP	w/o NBL		130.12.160
					130.14.021	KP	NBL		
SE 12	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
SZ 21	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
SZ 21-1BN	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
SZ 21-1BNL	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
SZ 21-1N	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
SZ 21-2N	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
SZ 21-3N	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
SZ 21-3BNL	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
SZ 21-3NL	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
SZ 21-4N	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
SZ 21-4BNL	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
SZ 21-4NL	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
SZ 21-5	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
SZ 21-5-3N	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
SZ 21-5-3NL	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
SZ 21-5-4N	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
SZ 21-5-4NL	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
SZ 21-5-5NL	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

STAGER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
SZ 21-5-5WN	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
SZ 21-5N	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
SZ 21-5NL	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
SZ 25N	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
SZ 72N	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
SZ 72N-8N	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
SZ 310	130.12.150	KH			130.14.017	KP	w/o NBL		130.12.160
					130.14.021	KP	NBL		
SZ 310-1N	130.12.150	KH			130.14.017	KP	w/o NBL		130.12.160
					130.14.021	KP	NBL		
SZ 310-3N	130.12.150	KH			130.14.017	KP	w/o NBL		130.12.160
					130.14.021	KP	NBL		
SZ 310-4N	130.12.150	KH			130.14.017	KP	w/o NBL		130.12.160
					130.14.021	KP	NBL		
SZ 310-5-1N	130.12.150	KH			130.14.017	KP	w/o NBL		130.12.160
					130.14.021	KP	NBL		
SZ 310-5-1WN	130.12.150	KH			130.14.017	KP	w/o NBL		130.12.160
					130.14.021	KP	NBL		
SZ 310-5-3N	130.12.150	KH			130.14.017	KP	w/o NBL		130.12.160
					130.14.021	KP	NBL		
SZ 310-5-4N	130.12.150	KH			130.14.017	KP	w/o NBL		130.12.160
					130.14.021	KP	NBL		
SZ 310-5-11N	130.12.150	KH			130.14.017	KP	w/o NBL		130.12.160
					130.14.021	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

SUNNUN

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB-620	130.01.139	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB-622	130.01.139	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DY-637	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
EB-883	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
YU-740	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

SUNSTAR

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
T828-75-M-U	130.19.045	KH		Standard execution, under trimming mach.	130.20.040	KP	w/o NBL		130.21.046
T828-75-X-U	130.19.045	KH		Standard execution, under trimming mach.	130.20.040	KP	w/o NBL		130.21.046
BH-3000	130.12.193	KH		Standard execution	130.14.058	KP	NBL		
	130.12.193TTN	KH		TTN coated	130.14.058	KP	NBL		
DPK-2	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042
KLZ-371	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
KM-123A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-123B	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-137A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-137B	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-146BL	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
KM-180	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-235A	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-235B	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SUNSTAR (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
KM-250A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-250A-7	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-250A-7S	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-250AU	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-250AU-7	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-250B	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-250B-7	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-250B-7S	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-250BH-7	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-340BL	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
KM-350	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-350-7	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SUNSTAR (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
KM-350A	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-350A-7	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-350B	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-350B-7	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-380	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
KM-380BL	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
KM-390BL	130.15.189	KL							
KM-505A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-506	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-506-7S	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-530	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-530-7	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SUNSTAR (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
KM-530-7S	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-530A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-530A-7	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
KM-560	130.15.050	KL		Drop-in version					
	130.19.035	KH		Cap system, short gib	130.20.020	KP	w/o NBL		130.21.035
	130.19.040	KH		Cap system, short gib	130.20.020	KP	w/o NBL		130.21.040
KM-590BL	130.09.180	KH			130.10.052	KP	NBL		
KM-640BL	130.09.210	KH			130.10.000	KP	w/o NBL		
KM-640BL-7	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
KM-650-BL	130.15.128	KL							
KM-650-BL-7	130.19.045	KH			130.20.040	KP	w/o NBL		130.21.046
KM-740	130.11.078	KL							
KM-740B	130.11.078	KL							
KM-740BL	130.15.016	KL							
KM-750	130.11.216	KL							
KM-750-7	130.11.219	KL							
KM-750-BL	130.15.128	KL							
KM-750-BL-7	130.19.045	KH			130.20.030	KP	w/o NBL		130.21.045
KM-757-BL	130.15.128	KL							
KM-757-BL-7	130.15.128	KL							
KM-790	130.16.053	KH			130.17.040	KP	w/o NBL		130.18.058
KM-790-7	130.16.059	KH			130.17.030	KP	w/o NBL		130.18.059
KM-790-BL	130.19.050	KH			130.20.035	KP	w/o NBL		130.21.048
KM-790-BL-7	130.19.045	KH			130.20.040	KP	w/o NBL		130.21.046
KM-797	130.19.050	KH			130.20.035	KP	w/o NBL		130.21.048
KM-797-BL	130.19.050	KH			130.20.035	KP	w/o NBL		130.21.048
KM-813	130.11.076	KL							
	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
KM-816B	130.11.165	KL							
KM-817	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
KM-817B	130.11.076	KL							
	130.11.165	KL							
KM-818	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SUNSTAR (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
KM-823	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
KM-826B	130.11.165	KL							
KM-827B	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
KM-857	130.11.165	KL							
KM-857-7	130.08.594	KK		Short gib, under trimming mach.	130.08.971	KP	NBL		
	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
KM-867	130.11.075	KL							
	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
KM-867-7	130.08.580	KK		Full gib	130.08.460	KP	NBL		
	130.08.594	KK		Short gib, under trimming mach.	130.08.971	KP	NBL		
KM-875-7	130.08.580	KK		Full gib	130.08.460	KP	NBL		
	130.08.594	KK		Short gib, under trimming mach.	130.08.971	KP	NBL		
KM-957	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
KM-1060BL	130.13.291	KL		Under trimming mach.					
	130.13.400	KL		Under trimming mach., thick thread					
KM-1060BL-7	130.13.282	KK		Cap System, Under trimming mach.	130.13.287	KP	w/o NBL		
KM-1070BLX	130.13.350	KL		Under trimming mach.					
	130.13.398	KK		w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
KM-1070BLX-7	130.13.350	KL		Under trimming mach.					
	130.13.398	KK		w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
	130.13.398DC10	KK		w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
KM-1070BL-7	130.13.251	KL		Under trimming mach.					
KM-1072BLX	130.13.350	KL		Under trimming mach.					
	130.13.398	KK		w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
KM-1072BLX-7	130.13.350	KL		Under trimming mach.					
	130.13.398	KK		w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
KM-1080BL	130.22.000DC10	KL							
KM-1080BL-7	130.22.016DC10	KL							
KM-1082BL	130.22.000DC10	KL							
KM-1082BL-7	130.22.016DC10	KL							
KM2-740B	130.11.078	KL							
KM2-740BL	130.15.016	KL							
KPW-827B	130.11.165	KL							
SPS/A-1306(HS)	115.10.013	KH		Thick thread					
SPS/B-2516 Series	115.10.013	KH		Thick thread					
SPS/A-B1201(H)	115.00.274	KH		Hard chromium plated: thick thread					
SPS/C-5050	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
SWF/A-T 1201	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

SUNSTAR (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
SWF/A-UK 1204-45	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
SWF/AWE1218	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
Various classes	130.01.399	KH			130.06.240	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

TAILOR

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
TN-310S	130.12.150	KH			130.14.017	KP	w/o NBL		130.12.160
					130.14.021	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

TAJIMA

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
TEJT	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.239	KH		Elliptical	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
TFGN	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.239	KH		Elliptical	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
TFMX	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.239	KH		Elliptical	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
TFKN	130.09.239	KH		Elliptical	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
TFMX-II C	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

TAJIMA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
TMBE	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.103	KH			130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.103TS	KH		TS coated	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
TFCE	130.09.239	KH		Elliptical	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
TME	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.103	KH			130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.103TS	KH		TS coated	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
TMCE	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
TMEX	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.103	KH			130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.103TS	KH		TS coated	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

TAJIMA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
TMEX-C901	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
TMFD-C	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.103	KH			130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.103TS	KH		TS coated	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
TMFN	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.103	KH			130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.103TS	KH		TS coated	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

TAJIMA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
TMFX-IIC, IIIC, IV	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.103	KH			130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.103TS	KH		TS coated	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
TMLE	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.103	KH			130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.103TS	KH		TS coated	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
TMLH	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.408TS	KH		Under trimming mach., TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.239	KH		Elliptical	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
TMLG	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.103	KH			130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.103TS	KH		TS coated	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
	130.09.150TS	KH		TS coated, under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

TAJIMA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
Various classes	130.01.399	KH			130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.415	KH		Elliptical	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.415TS	KH		Elliptical, TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.09.150	KH		Under trimming mach.	130.10.039	KP	NBL		
					130.10.056	KP	w/o NBL		
Model					115.11.030	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

TAKING

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
K-1800	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
K-1814	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
K-1818	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
K-1821	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
K-1828	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
K-1836	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
K-1842	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
TK-8BL	130.09.123	KH			130.10.052	KP	NBL		
	130.09.123L	KH		Noiseless system	130.10.052	KP	NBL		
TK-86	130.15.000	KL							
	130.15.000R	KL		Regulating needle guard					
TK-89	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
TK-89H	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
TK-335	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
TK-335LB	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
TK-335N	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
TK-335NLB	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
TK-341	130.08.758	KK			130.08.766	KP	w/o NBL		
TK-341N	130.08.758	KK			130.08.766	KP	w/o NBL		
TK-457A	130.12.099	KH			130.14.017	KP	w/o NBL		130.12.098
					130.14.021	KP	NBL		
	130.12.150	KH			130.14.017	KP	w/o NBL		130.12.160
					130.14.021	KP	NBL		
TK-545	130.08.100	KK			130.08.109	KP	w/o NBL		
TK-546	130.08.100	KK			130.08.109	KP	w/o NBL		
TK-551	130.08.100	KK			130.08.109	KP	w/o NBL		
TK-591	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

TAKING (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
TK-591B	130.08.594	KK		Short gib, under trimming mach.	130.08.971	KP	NBL		
	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
TK-591BF	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
TK-591T	130.08.580	KK		Full gib, under trimming mach.	130.08.460	KP	NBL		
	130.08.594	KK		Short gib, under trimming mach.	130.08.971	KP	NBL		
TK-591TB	130.08.594	KK		Short gib, under trimming mach.	130.08.971	KP	NBL		
TK-592	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
TK-592B	130.08.594	KK		Short gib, under trimming mach.	130.08.971	KP	NBL		
	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
TK-592BF	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
TK-592T	130.08.580	KK		Full gib, under trimming mach.	130.08.460	KP	NBL		
	130.08.594	KK		Short gib, under trimming mach.	130.08.971	KP	NBL		
TK-592TB	130.08.594	KK		Short gib, under trimming mach.	130.08.971	KP	NBL		
TK-652	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
TK-691	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
TK-691B	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
TK-691BF	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
TK-691T	130.08.580	KK		Full gib, under trimming mach.	130.08.460	KP	NBL		
	130.08.594	KK		Short gib, under trimming mach.	130.08.971	KP	NBL		
TK-691TB	130.08.594	KK		Short gib, under trimming mach.	130.08.971	KP	NBL		
TK-692	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
TK-692B	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
TK-692BF	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
TK-692T	130.08.580	KK		Full gib, under trimming mach.	130.08.460	KP	NBL		
	130.08.594	KK		Short gib, under trimming mach.	130.08.971	KP	NBL		
TK-692TB	130.08.594	KK		Short gib, under trimming mach.	130.08.971	KP	NBL		
TK-735	130.03.017	KH			130.06.106	KP	w/o NBL		130.00.066
TK-735N	130.03.017	KH			130.06.106	KP	w/o NBL		130.00.066
TK-810	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
TK-820	130.11.075	KL							
	130.11.165	KL							
	130.11.205	KL		Short gib, thick thread					
TK-832	130.11.084	KL							
TK-832-LB-5	130.15.016	KL							
TK-842-3	130.11.084	KL							
TK-842-5	130.11.084	KL							
TK-845-3	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
TK-845-5	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
TK-872	130.15.016	KL							
TK-872-3	130.15.016	KL							
TK-872-5	130.15.016	KL							
TK-875-3	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
TK-875-5	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

TAKING (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
TK-888	130.12.186	KH			130.14.050	KP	w/o NBL		
					130.14.052	KP	NBL		
TK-888VB	130.12.186	KH			130.14.050	KP	w/o NBL		
					130.14.052	KP	NBL		
TK-991	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
TK-992	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
TK-1245	130.08.273	KK		Full gib	130.08.109	KP	w/o NBL		
	130.08.280	KK			130.08.109	KP	w/o NBL		
TK-1245L	130.08.280	KK			130.08.109	KP	w/o NBL		
TK-1245 Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
TK-1246	130.08.273	KK		Full gib	130.08.109	KP	w/o NBL		
	130.08.280	KK			130.08.109	KP	w/o NBL		
TK-1246L	130.08.280	KK			130.08.109	KP	w/o NBL		
TK-1246 Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
TK-1800	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
TK-1814	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
TK-1818	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
TK-1821	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
TK-1828	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
TK-1828H	115.00.274	KH		Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		
TK-1836	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
TK-1836H	115.00.274	KH		Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		
TK-1842	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
TK-1842H	115.00.274	KH		Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

TONY

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
H-130-LHA	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
H-370-LHA	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
H-861	130.01.129	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

TOYOTA

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
AD 140B	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 146	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 146A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 146G	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 146M	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 147	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 147A	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 148	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 148B	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 148M	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 150G	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 156	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

TOYOTA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
AD 156G	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 156M	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 157-500~503	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 157-623~666	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 157A-622	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 157G	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 157G-500	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 331 L	130.15.061	KL							
AD 331 LP	130.15.061	KL							
AD 338	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 340-622	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 340-625	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 340B	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

TOYOTA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
AD 340B-22	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 340B-622	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 340B-625	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 345	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 345-22	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 345-622	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 345-625	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 352	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 352-702	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 352-705	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 352-705D	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 550	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
AD 551	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
AD 552	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
AD 553	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
AD 555	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
AD 740	130.11.016	KL							
AD 740B	130.11.016	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

TOYOTA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
AD 830	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
AD851	130.01.408DC20	KH		Under trimming mach., DC20 coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
AD 950	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 1000	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 1012G	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 2000	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 3000	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
AD 5022	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
AT 101 XH71	130.01.000	KH			130.06.019	KP	w/o NBL		
D 134	130.01.000	KH			130.06.019	KP	w/o NBL		
D 134B	130.01.124	KH			130.06.019	KP	w/o NBL		
D 134 H	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
D 146	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
D 324	130.09.000	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

TOYOTA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
D 347	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
D 348	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
D 352	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
D 530	130.09.023	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
	130.09.023TS	KH		TS coated	130.10.013	KP	MF		
					130.10.050	KP	NBL		
D 530-E	130.09.023	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
	130.09.023TS	KH		TS coated	130.10.013	KP	MF		
					130.10.050	KP	NBL		
D 532	130.09.023	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
	130.09.023TS	KH		TS coated	130.10.013	KP	MF		
					130.10.050	KP	NBL		
D 533	130.09.023	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
	130.09.023TS	KH		TS coated	130.10.013	KP	MF		
					130.10.050	KP	NBL		
D 534	130.09.023	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
	130.09.023TS	KH		TS coated	130.10.013	KP	MF		
					130.10.050	KP	NBL		
D 1332-11	130.01.000	KH			130.06.019	KP	w/o NBL		
D 1412-61	130.05.250	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
D 1422	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
D 1422-42	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

TYPICAL BROTHER

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB2-C101	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-C101-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-C101-3	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-C101-5	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-C101-6	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-C101-7	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-C111	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

TYPICAL WANPING

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
842	130.11.219	KL		Drop-in version, under trimming mach., standard execution					
845	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
872	130.19.045	KH		Under trimming mach., standard execution	130.20.030	KP	w/o NBL		130.21.045
875	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
TW1-1245	130.08.280	KK			130.08.109	KP	w/o NBL		
	130.08.280	KK			130.08.109	KP	w/o NBL		
B727	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 0302	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC0302-D2	130.09.256	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-5	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-6	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

TYPICAL WANPING (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 6-7	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-7-D	130.09.193	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 201	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 202	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 203	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 2301	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 2603	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 2605	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 20606	130.15.016	KL							
	130.15.024	KL							
GC 24016	130.11.075	KL							
	130.11.165	KL							
GC 24026	130.11.187	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

TYPICAL WANPING (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 24660	130.08.900	KK		Full gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
GC 24680	130.08.900	KK		Full gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
PWB-8GW	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
PWB-84W	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
TW1-1245 Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
TW2-B842	130.11.216	KL		Standard execution					
TW2-B842-3	130.11.216	KL		Standard execution					
TW2-B842-5	130.11.216	KL							
TW2-B842-905	130.11.219	KL		Standard execution					
TW2-B845	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
TW2-B845-3	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
TW2-B845-5	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
TW2-B845-905	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
	130.16.061	KH		Under trimming mach.	130.17.030	KP	w/o NBL		
TW2-B872	130.15.128	KL		Standard execution					
TW2-B872-905	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
TW2-B875	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
TW2-B875-5	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
TW2-B875-905	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
TW2-B891	130.13.251	KL		Under trimming mach.					
	130.13.251DC10	KL		DC10 coated, under trimming mach.					
	130.13.294	KK		Cap System, Under trimming mach.	130.08.824	KP	w/o NBL		
TW3-8B	130.11.076	KL							
TW3-8BV	130.11.076	KL							
TW3-335	130.03.040	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
TW3-335V	130.03.040	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
TW3-341	130.08.758	KK			130.08.766	KP	w/o NBL		
	130.08.776	KK		Short gib	130.08.766	KP	w/o NBL		
	130.08.776R	KK		Short gib, regulating needle guard	130.08.766	KP	w/o NBL		
TW3-P335	130.03.017	KH			130.06.106	KP	w/o NBL		130.00.066
TW3-P335B	130.03.057	KH			130.06.373	KP	NBL		130.00.335
TW5-810	130.11.075	KL							
	130.11.165	KL							
TW5-820	130.11.187	KL							
TW5-8370	130.19.000	KH			130.20.000	KP	w/o NBL		
TW5-8372	130.19.000	KH			130.20.000	KP	w/o NBL		
TWB-22GW	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

TYPICAL

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CS-8370	130.19.000	KH			130.20.000	KP	w/o NBL		
CS-8372	130.19.000	KH			130.20.000	KP	w/o NBL		
GC 0302	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6-1-D3	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.424	KH		Under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6-1-D3E	130.05.430	KH		Under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6-1-D3T	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6-5	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

TYPICAL (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 6-6	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-7	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-7A	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-7B	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-8	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6-8A	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6-8B	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6-8-D2	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6-8-D3A	130.05.430	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6-9	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.210	KH			130.10.000	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

TYPICAL (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 6-9-D2	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-9-D3A	130.09.193	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-10	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6-11	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6-28	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 34	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 38-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 38-2	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 38-8	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 40-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 40-2	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 40-4	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 69-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 201	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

TYPICAL (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 202	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 203	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 2001	130.09.193	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 2605	130.09.193	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6150M	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6150H	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6730MD3	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6160	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6160H	130.05.543	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6220	130.11.084	KL							
GC 6220B	130.15.016	KL		Drop-in version					
	130.19.010	KH		Cap system	130.20.000	KP	w/o NBL		130.21.010
GC 6220BD	130.15.030	KL							
	130.15.030R	KL		Under trimming mach., regulating needle guard					
GC 6220M	130.11.084	KL							
GC 6240	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
GC 6240B	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
GC 6240M	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
GC 6240MD	130.16.005	KH			130.17.000	KP	w/o NBL		130.18.005
GC 6240MD2	130.16.005	KH			130.17.015	KP	w/o NBL		130.18.006
GC 6710M	130.05.430	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6710MHD3	130.05.430	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6730HD3	130.05.543	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 6842H	130.11.131	KL		Standard execution					
GC 6842HD3	130.11.219	KL		Drop-in version, under trimming mach., standard execution					
	130.16.061	KH		Cap system, under trimming mach.	130.17.035	KP	w/o NBL		130.18.061

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

TYPICAL (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 6842HD4	130.11.219	KL		Drop-in version, under trimming mach., standard execution					
	130.16.061	KH		Cap system, under trimming mach.	130.17.035	KP	w/o NBL		130.18.061
GC 6842M	130.11.216	KL		Standard execution					
GC 6842MD3	130.11.219	KL		Drop-in version, under trimming mach., standard execution					
	130.16.061	KH		Cap system, under trimming mach.	130.17.035	KP	w/o NBL		130.18.061
GC 6842MD4	130.11.219	KL		Drop-in version, under trimming mach., standard execution					
	130.16.061	KH		Cap system, under trimming mach.	130.17.035	KP	w/o NBL		130.18.061
GC 6845	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
GC 6845H	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
GC 6845HD3	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
GC 6845HD4	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
GC 6845M	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
GC 6845MD3	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
GC 6845MD4	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
GC 6845XH	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
GC 6845XHD3	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
GC 6845XHD4	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
GC 6872	130.15.128	KL		Standard execution					
GC 6872H	130.15.128	KL		Standard execution					
GC 6872HD3	130.19.045	KH		Under trimming mach., standard execution	130.20.030	KP	w/o NBL		130.21.045
GC 6872HD4	130.19.045	KH		Under trimming mach., standard execution	130.20.030	KP	w/o NBL		130.21.045
GC 6872M	130.15.128	KL		Standard execution					
GC 6872MD3	130.19.045	KH		Under trimming mach., standard execution	130.20.030	KP	w/o NBL		130.21.045
GC 6872MD4	130.19.045	KH		Under trimming mach., standard execution	130.20.030	KP	w/o NBL		130.21.045
GC 6875H	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
GC 6875HD3	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
GC 6875HD4	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
GC 6875M	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
GC 6875MD3	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
GC 6875MD4	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
GC 6875XH	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
GC 6875XHD3	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
GC 6875XHD4	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
GC 9420H	130.11.131	KL		Standard execution					
GC 9420M	130.11.216	KL		Standard execution					
	130.16.061	KH		Under trimming mach.	130.17.035	KP	w/o NBL		130.18.061
GC 9420MHD3	130.16.061	KH		Under trimming mach.	130.17.035	KP	w/o NBL		130.18.061
GC 9450	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
GC 9450M	130.16.061	KH		Under trimming mach.	130.17.030	KP	w/o NBL		
GC 9450MHD3	130.16.061	KH		Under trimming mach.	130.17.030	KP	w/o NBL		
GC 9720	130.15.128	KL		Standard execution					
GC 9720M	130.19.045	KH		Under trimming mach., standard execution	130.20.030	KP	w/o NBL		130.21.045

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

TYPICAL (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 9720MHD3	130.19.045	KH		Under trimming mach., standard execution	130.20.030	KP	w/o NBL		130.21.045
GC 9750	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
GC 9750M	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
GC 9750MHD3	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
GC 20201	130.11.084	KL							
GC 20201-1	130.15.016	KL							
GC 20202	130.15.016	KL							
	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
GC 20202-1	130.15.022	KL							
	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
GC 20606 series	130.15.016	KL							
GC 24016	130.11.165	KL							
	130.11.165R	KL							
GC 24026	130.11.187	KL							
GC 24080	130.11.165	KL							
	130.11.165R	KL							
GC 24090	130.11.165	KL							
GC 24660	130.08.900	KK		Full gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
GC 24680	130.08.900	KK		Full gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
GG1-1	130.01.135	KH			130.06.348	KP	w/o NBL		
GG1-2	130.01.135	KH			130.06.348	KP	w/o NBL		
GG 732	130.01.135	KH			130.06.348	KP	w/o NBL		
GYD7-6	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GYD12-6	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GYD20-6	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
TW1-591	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
TW1-898-D2	130.13.251	KL		Under trimming mach.					
TW1-898-D2T3	130.13.251	KL		Under trimming mach.					
TW1-1245	130.08.280	KK			130.08.109	KP	w/o NBL		
TW1-1245 Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
TW1-1245-D2	130.08.678	KK		Under trimming mach.	130.08.674	KP	NBL		
	130.08.680	KK		Under trimming mach.	130.08.674	KP	NBL		
TW1-4401	130.15.016	KL							
TW3-8B (CW8B)	130.11.076	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

TYPICAL (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
TW3-8BV	130.11.076	KL							
TW3-P335	130.03.017	KH			130.06.320	KP	NBL		130.00.341
TW3-P335B	130.03.057	KH			130.06.373	KP	NBL		130.00.335
TW5-810	130.11.075	KL							
	130.11.165	KL							
	130.11.165R	KL							
TW5-810F	130.11.075	KL							
	130.11.165	KL							
TW5-820	130.11.075	KL							
	130.11.165	KL							
TW5-820F	130.11.075	KL							
	130.11.165	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

UNICORN

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB2-H310	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-H311	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-H312	130.09.210	KH			130.10.000	KP	w/o NBL		
DB2-H320	130.11.084	KL							
DB2-H321	130.11.084	KL							
DB2-H322	130.15.016	KL							
DB2-H323	130.15.016	KL							
DB2-H360KM-10	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-H360KM-12	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-H510	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-H510H	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-H510XH	130.09.210	KH			130.10.000	KP	w/o NBL		
DB2-H515	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-H515H	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-H515XH	130.09.210	KH			130.10.000	KP	w/o NBL		
DY-H340	130.09.210	KH			130.10.000	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

UNICORN (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LS2-H5200	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-H530	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-H540	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.210	KH			130.10.000	KP	w/o NBL		
LS2-H620H	130.15.016	KL							
LS2-H620M	130.11.084	KL							
LS2-H5100	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-H5100H	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-H5100M	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-H5100XH	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
LS2-H5110XH	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
LS2-H5150H	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-H5150M	130.05.376	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

UNICORN (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LS2-H5150XH	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
LS2-H5300	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
LS2-H5400	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
LT2-H240-BOB	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
LT2-H240-MOB	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
LT2-H320	130.11.084	KL							
LT2-H321	130.11.084	KL							
LT2-H322	130.15.016	KL							
LT2-H323	130.15.016	KL							
LT2-H620	130.11.084	KL							
	130.15.022	KL							
LT2-H620H	130.15.022	KL		Under trimming mach.					
LT2-H625H	130.19.010	KH		Under trimming mach.	130.20.000	KP	w/o NBL		130.21.010
LT2-H625M	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
LT2-H6200	130.11.084	KL		Under trimming mach.					
LT2-H6200H	130.15.030	KL							
	130.15.030R	KL		Under trimming mach., regulating needle guard					
LT2-H6250H	130.19.030	KH		Large capacity, under trimming mach.	130.20.015	KP	w/o NBL		130.21.031
LT2-H6250M	130.16.005	KH		For basting stitch	130.17.015	KP	w/o NBL		130.18.006
LT2-H6250L	130.16.005	KH		For basting stitch	130.17.015	KP	w/o NBL		130.18.006
LT2-H6500	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
LT5-H710	130.11.187	KL							
LT5-H720	130.11.187	KL							
LT5-H7200	130.08.580	KK		Full gib, under trimming mach.	130.08.460	KP	NBL		
	130.08.594	KK		Short gib, under trimming mach.	130.08.971	KP	NBL		
LT5-H7600	130.08.580	KK		Full gib, under trimming mach.	130.08.460	KP	NBL		
	130.08.594	KK		Short gib, under trimming mach.	130.08.971	KP	NBL		
LT5-HP331	130.11.187	KL		1 needle					
LT5-HP331AT	130.08.580	KK		1 needle	130.08.460	KP	NBL		
LT5-HP333	130.11.187	KL		2 needles					
LT5-HP333AT	130.08.580	KK		2 needles	130.08.460	KP	NBL		
LZ2-720	130.12.051	KH							
	130.12.051TTN	KH		TTN coated					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

UNICORN (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LZ2-780	130.12.051	KH							
	130.12.051TTN	KH		TTN coated					
LZ2-H272	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
PLN-7	130.11.187	KL		1 needle					
PLN-7B	130.11.187	KL		1 needle					
PLN-27	130.11.187	KL		2 needles					
PLN-27B	130.11.187	KL		2 needles					
TZ1-B652	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

UNION SPECIAL

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
61200	130.05.035	KH		Full gib	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.035TS	KH		Full gib, TS coated	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.050	KH		Synthetic thread	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.252	KH		Tacking gib	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.252TS	KH		Tacking gib, TS coated	130.06.178	KP	MF		
					130.06.304	KP	NBL		
61300	130.05.035	KH		Full gib	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.035TS	KH		Full gib, TS coated	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.050	KH		Synthetic thread	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.252	KH		Tacking gib	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.252TS	KH		Tacking gib, TS coated	130.06.178	KP	MF		
					130.06.304	KP	NBL		
61400	130.05.035	KH		Full gib	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.035TS	KH		Full gib, TS coated	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.050	KH		Synthetic thread	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.252	KH		Tacking gib	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.252TS	KH		Tacking gib, TS coated	130.06.178	KP	MF		
					130.06.304	KP	NBL		
61800	130.11.068	KL							
61900	130.05.035	KH		Full gib	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.035TS	KH		Full gib, TS coated	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.050	KH		Synthetic thread	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.252	KH		Tacking gib	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.252TS	KH		Tacking gib, TS coated	130.06.178	KP	MF		
					130.06.304	KP	NBL		
62200	130.11.068	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

UNION SPECIAL (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
63400	130.05.035	KH		Full gib	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.035TS	KH		Full gib, TS coated	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.050	KH		Synthetic thread	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.252	KH		Tacking gib	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.252TS	KH		Tacking gib, TS coated	130.06.178	KP	MF		
					130.06.304	KP	NBL		
63900	130.05.035	KH		Full gib	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.035TS	KH		Full gib, TS coated	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.050	KH		Synthetic thread	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.252	KH		Tacking gib	130.06.178	KP	MF		
					130.06.304	KP	NBL		
	130.05.252TS	KH		Tacking gib, TS coated	130.06.178	KP	MF		
					130.06.304	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

VI.BE.MAC

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
591 V300	130.05.416	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
650 EV	130.09.082	KH		Full gib	130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.228	KH		Short gib	130.10.007	KP	MF		
					130.10.045	KP	NBL		
1006 series	115.10.001	KH		Light thread					
2220 CG	130.15.016	KL							
2516 series	115.10.001	KH		Light thread					
2650 EV5	130.09.082	KH		Full gib	130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.228	KH		Short gib	130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

VIGORELLI

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
V439	130.12.501	KH			130.14.500	KP	w/o NBL		130.12.500

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

WANPING

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
842	130.11.219	KL		Drop-in version, under trimming mach., standard execution					
845	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
872	130.19.045	KH		Under trimming mach., standard execution	130.20.030	KP	w/o NBL		130.21.045
875	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
1245	130.08.280	KK			130.08.109	KP	w/o NBL		
B727	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 0302	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC0302-D2	130.09.256	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-5	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-6	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

WANPING (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 6-7	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-7-D	130.09.193	KH			130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 201	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 202	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 203	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC 2301	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 2603	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 2605	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 20606	130.15.024	KL							
	130.15.016	KL							
GC 24016	130.11.165	KL							
	130.11.075	KL							
GC 24026	130.11.187	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

WANPING (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 24660	130.08.900	KK		Full gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
GC 24680	130.08.900	KK		Full gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
PWB-8GW	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
PWB-84W	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
TW1-1245	130.08.280	KK			130.08.109	KP	w/o NBL		
TW1-1245 Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
TW2-B842	130.11.216	KL		Standard execution					
TW2-B842-3	130.11.216	KL		Standard execution					
TW2-B842-5	130.11.216	KL							
TW2-B842-905	130.11.219	KL		Standard execution					
TW2-B845	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
TW2-B845-3	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
TW2-B845-5	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
TW2-B845-905	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
	130.16.061	KH		Under trimming mach.	130.17.030	KP	w/o NBL		
TW2-B872	130.15.128	KL		Standard execution					
TW2-B872-905	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
TW2-B875	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
TW2-B875-5	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
TW2-B875-905	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
TW2-B891	130.13.251DC10	KL		DC10 coated, under trimming mach.					
	130.13.251	KL		Under trimming mach.					
	130.13.294	KK		Cap System, Under trimming mach.	130.08.824	KP	w/o NBL		
TW3-8B	130.11.076	KL							
TW3-8BV	130.11.076	KL							
TW3-335	130.03.040	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
TW3-335V	130.03.040	KH			130.06.106	KP	w/o NBL		
					130.06.172	KP	MF		
					130.06.320	KP	NBL		
TW3-341	130.08.776	KK		Short gib	130.08.766	KP	w/o NBL		
	130.08.776R	KK		Short gib, regulating needle guard	130.08.766	KP	w/o NBL		
	130.08.758	KK			130.08.766	KP	w/o NBL		
TW3-P335	130.03.017	KH			130.06.106	KP	w/o NBL		130.00.066
TW3-P335B	130.03.057	KH			130.06.373	KP	NBL		130.00.335
TW5-810	130.11.165	KL							
	130.11.075	KL							
TW5-820	130.11.187	KL							
TW5-8370	130.19.000	KH			130.20.000	KP	w/o NBL		
TW5-8372	130.19.000	KH			130.20.000	KP	w/o NBL		
TWB-22GW	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

WOEI RONG (SW-JK)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
WR-204	112.00.050	KK							
WR-335	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
WR-341	130.08.758	KK			130.08.766	KP	w/o NBL		
WR-467	130.13.251	KL		Under trimming mach.					
	130.13.294	KK		Cap System, Under trimming mach.	130.08.824	KP	w/o NBL		
WR-652	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
WR-810	130.11.165	KL							
	130.11.205	KL		Short gib, thick thread					
WR-820	130.11.165	KL							
	130.11.205	KL		Short gib, thick thread					
WR-842-5	130.11.084	KL							
WR-991	130.08.826	KK		Short gib, large capacity hook	130.08.766	KP	w/o NBL		
	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
WR-991-T	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		
WR-992	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
WR-992-T	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		
WR-998-A	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
WR-998-B	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
WR-998-C	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
WR-998-D	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
WR-1130	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
WR-3750	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
WR-3750-T	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
WR-3811	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

WOEI RONG (SW-JK) (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
WR-5705	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
WR-9910-1	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
WR-9910-DMT	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		
WR-9910-H	130.08.919	KK			130.08.926	KP	w/o NBL		
WR-9910-T	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		
WR-9918-1	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
WR-9920-1	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
WR-9920-DMT	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		
WR-9920-H	130.08.919	KK			130.08.926	KP	w/o NBL		
WR-9920-T	130.08.594	KK		Under trimming mach.	130.08.971	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

WUGONG

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GG 0805-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GG 0805-2	130.01.135	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

XINGONG

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 37-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

YAKUMO(NAKAJIMA)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
171 L	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
178 Y-2	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.424	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
178 Y-3	130.05.479	KH		Under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
180LY-2	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
181LY	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
241L	130.15.010	KL							
242L	130.19.025	KH			130.20.000	KP	w/o NBL		130.21.025
280L	130.09.180	KH			130.10.052	KP	NBL		
280LY	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
281LY	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

YAKUMO(NAKAJIMA) (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
281LY-B	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
321L	130.08.758	KK			130.08.766	KP	w/o NBL		
340	130.11.076	KL							
341	130.22.040	KL							
341L	130.08.758	KK			130.08.766	KP	w/o NBL		
381L	130.09.180	KH			130.10.052	KP	NBL		
381LY	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
381Y	130.05.496	KH			130.06.380	KP	NBL		
480L	130.19.025	KH			130.20.000	KP	w/o NBL		130.21.025
481L	130.15.010	KL							
482 L	130.15.010	KL							
561	130.08.900	KK		Full gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
562	130.08.900	KK		Full gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
563	130.08.900	KK		Full gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
564	130.08.900	KK		Full gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
580 L	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
680LY	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
681LY-B	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
880 LM	130.09.180	KH			130.10.052	KP	NBL		
981	130.11.165	KL							
982	130.11.165	KL							
985	130.11.165	KL							
986	130.11.165	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

YAKUMO(NAKAJIMA) (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DBE-780	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DBE-N63	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DBU-175-1	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DBU-175-2	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DBU-175-3	130.01.124	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DBU-175L	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DBU-175L-1	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DBU-175L-2	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DBU-180	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DBU-180-2	130.01.124	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DBU-180L-2	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DBU-181LY	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DBU-681LY	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DEU-750	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

YAKUMO(NAKAJIMA) (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DEU-780	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DEU-N70	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DSC-245	130.05.496	KH			130.06.380	KP	NBL		
DSC-246	130.09.180	KH			130.10.052	KP	NBL		
DSN-78	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DSN-80-2	130.01.000	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DSN-80-3	130.01.124	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DSN-80L	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DSN-165	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DSN-170	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DSN-178-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DSN-178-2	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DSN-178-3	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DSN-178L-2	130.09.000	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DSN-178L-3	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

YAKUMO(NAKAJIMA) (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DU-141H	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DU-141H-5	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DU-141H-6	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DU-141H-7	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
PLN-985	130.11.165	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

YAMATO

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DP 2	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042
DP 3	130.12.026	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		130.12.042
LG series	130.12.223TTN	KH			130.14.010	KP	w/o NBL		
					130.14.015	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

YESONG

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 24810	130.11.165	KL							
GC 24820	130.11.165	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

YING LUNG

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GY 101-1	130.01.399	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

YULUN-HWA SHYANG

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
457A-105L	130.12.099	KH			130.14.017	KP	w/o NBL		130.12.098
					130.14.021	KP	NBL		
	130.12.099TTN	KH		Long point, TTN coated	130.14.017	KP	w/o NBL		
					130.14.021	KP	NBL		
457A-125L	130.12.099	KH			130.14.017	KP	w/o NBL		130.12.098
					130.14.021	KP	NBL		
	130.12.099TTN	KH		Long point, TTN coated	130.14.017	KP	w/o NBL		
					130.14.021	KP	NBL		
457A-135L	130.12.099	KH			130.14.017	KP	w/o NBL		130.12.098
					130.14.021	KP	NBL		
	130.12.099TTN	KH		Long point, TTN coated	130.14.017	KP	w/o NBL		
					130.14.021	KP	NBL		
457A-140L	130.12.099	KH			130.14.017	KP	w/o NBL		130.12.098
					130.14.021	KP	NBL		
	130.12.099TTN	KH		Long point, TTN coated	130.14.017	KP	w/o NBL		
					130.14.021	KP	NBL		
457A-505-PBG-NHL	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
457A-525-PBG-NHL	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
457A-605-NCB-LG	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
457A-605-PBG-NHL	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
457A-625-NCB-LG	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
457A-625-PBG-NHL	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
547U205	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

YULUN-HWA SHYANG (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
547U225	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
	130.12.051TTN	KH		TTN coated	130.14.017	KP	w/o NBL		130.12.050TTN
					130.14.021	KP	NBL		
547U432L	130.12.099	KH			130.14.017	KP	w/o NBL		130.12.098
					130.14.021	KP	NBL		
	130.12.099TTN	KH		Long point, TTN coated	130.14.017	KP	w/o NBL		
					130.14.021	KP	NBL		
547U435L	130.12.099	KH			130.14.017	KP	w/o NBL		130.12.098
					130.14.021	KP	NBL		
	130.12.099TTN	KH		Long point, TTN coated	130.14.017	KP	w/o NBL		
					130.14.021	KP	NBL		
YLM-335	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
YLM-340	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
YLM-350-22	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
YLM-457A	130.12.099	KH			130.14.017	KP	w/o NBL		130.12.098
					130.14.021	KP	NBL		
	130.12.099TTN	KH		Long point, TTN coated	130.14.017	KP	w/o NBL		
					130.14.021	KP	NBL		
YLM-545	130.08.273	KK		Full gib	130.08.109	KP	w/o NBL		
	130.08.280	KK		Short gib	130.08.109	KP	w/o NBL		
YLM-545 Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
YLM-546	130.08.273	KK		Full gib	130.08.109	KP	w/o NBL		
	130.08.280	KK		Short gib	130.08.109	KP	w/o NBL		
YLM-546 Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
YLM-572-W	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
YLM-671-W	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
YLM-810-G	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
YLM-820-G	130.11.075	KL							
	130.11.205	KL		Short gib, thick thread					
YLM-1245	130.08.273	KK		Full gib	130.08.109	KP	w/o NBL		
	130.08.280	KK		Short gib	130.08.109	KP	w/o NBL		
YLM-1245 Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
YLM-1246	130.08.280	KK		Short gib	130.08.109	KP	w/o NBL		
YLM-1246 Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

YXSM

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
YU-1850-M	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
YU-1850-XL	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

ZGM

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GG798-1	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
GG798-2	130.05.521	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GG798-3	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

ZOJE

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
842-5	130.11.131	KL		Standard execution					
842-D3	130.11.219	KL		Standard execution					
845	130.16.053	KH		Under trimming mach.	130.17.025	KP	w/o NBL		130.18.053
845-D3	130.16.061	KH		Cap system, under trimming mach.	130.17.030	KP	w/o NBL		
872-D3	130.19.045	KH		Standard execution	130.20.030	KP	w/o NBL		130.21.045
875	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
875-D3	130.19.045	KH		Standard execution	130.20.040	KP	w/o NBL		130.21.046
1163	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
1163-5	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL8500-7	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
FB-200	130.09.168DC20	KH		DC20 coated					
GC15-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC80-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC80-5	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC90-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC90-5	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC5580	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC5580-5	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

ZOJE (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GCZ201-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GG457	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
ZJ15-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ20U93	130.01.113	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
ZJ80-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ90-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ201-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ457A series	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
ZJ457A105	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
ZJ457A125	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
ZJ457A135	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
ZJ457A143	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
ZJ457B series	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
ZJ457C series	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
ZJ457D series	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
ZJ842	130.11.216	KL		Standard execution					
ZJ842-5	130.11.131	KL		Standard execution					
ZJ842-D3	130.16.053	KH		Under trimming mach.	130.17.025	KP	w/o NBL		130.18.053
ZJ845	130.16.053	KH		Under trimming mach.	130.17.025	KP	w/o NBL		130.18.053
					130.17.040	KP	w/o NBL		130.18.058
ZJ845-5	130.16.053	KH		Under trimming mach.	130.17.025	KP	w/o NBL		130.18.053
					130.17.040	KP	w/o NBL		130.18.058
ZJ845-D3	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
	130.16.061	KH		Cap system, under trimming mach.	130.17.030	KP	w/o NBL		
ZJ872-D3	130.19.045	KH		Standard execution, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
ZJ875	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
ZJ875-5	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
ZJ875-D3	130.19.045	KH		Standard execution, under trimming mach.	130.20.040	KP	w/o NBL		130.21.046

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

ZOJE (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
ZJ999	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ1900	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
ZJ1900HS	115.00.274	KH		Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		
ZJ1900SS	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
ZJ1903	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
ZJ1903-303	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
ZJ1903-304	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
ZJ1903-305	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
ZJ2628	130.05.496	KH			130.06.380	KP	NBL		
ZJ5550	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ5580	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ5780	130.12.193	KH		Standard execution	130.14.058	KP	NBL		
	130.12.193TTN	KH		Standard execution	130.14.058	KP	NBL		
ZJ5580-5	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ5580-5-D3	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

ZOJE (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
ZJ5580-D3	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ5600N	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ8500-5	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ8500-D3	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ8500H	130.09.210	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
ZJ8500N	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ8600	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ8800	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ8800-5	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ8800-D3	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

ZOJE (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
ZJ8850-5-D3	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ8850-D3	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ9610-D	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
ZJ9610-D3	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
ZJ9630-D3	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

Reference Table by Machine Manufacturer

ZSK

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
166	120.00.027	KH							
166E	120.00.027	KH							
166M	130.03.043	KH			130.06.397	KP	NBL		130.00.344
	130.03.043DC20	KH		DC20 coated	130.06.397	KP	NBL		
	130.03.059	KH		Shorten full gib	130.06.397	KP	NBL		130.00.345
	130.03.059DC20	KH		Shorten full gib, DC20 coated	130.06.397	KP	NBL		
167	130.03.043	KH			130.06.397	KP	NBL		130.00.344
	130.03.043DC20	KH		DC20 coated	130.06.397	KP	NBL		
167E	130.03.059	KH		Shorten full gib	130.06.397	KP	NBL		130.00.345
	130.03.059DC20	KH		Shorten full gib, DC20 coated	130.06.397	KP	NBL		
168	130.03.043	KH			130.06.397	KP	NBL		130.00.344
	130.03.043DC20	KH		DC20 coated	130.06.397	KP	NBL		
168E	130.03.059	KH		Shorten full gib	130.06.397	KP	NBL		130.00.345
	130.03.059DC20	KH		Shorten full gib, DC20 coated	130.06.397	KP	NBL		
169E	130.03.059	KH		Shorten full gib	130.06.397	KP	NBL		130.00.345
	130.03.059DC20	KH		Shorten full gib, DC20 coated	130.06.397	KP	NBL		
170~174	130.03.043	KH			130.06.397	KP	NBL		130.00.344
	130.03.043DC20	KH		DC20 coated	130.06.397	KP	NBL		
170E	130.03.059	KH		Shorten full gib	130.06.397	KP	NBL		130.00.345
	130.03.059DC20	KH		Shorten full gib, DC20 coated	130.06.397	KP	NBL		
171E	130.03.059	KH		Shorten full gib	130.06.397	KP	NBL		130.00.345
	130.03.059DC20	KH		Shorten full gib, DC20 coated	130.06.397	KP	NBL		
172	130.03.059	KH		Shorten full gib	130.06.397	KP	NBL		130.00.345
	130.03.059DC20	KH		Shorten full gib, DC20 coated	130.06.397	KP	NBL		
174	130.03.059	KH		Shorten full gib	130.06.397	KP	NBL		130.00.345
	130.03.059DC20	KH		Shorten full gib, DC20 coated	130.06.397	KP	NBL		
7000	120.00.027	KH							
8000	120.00.027	KH							
Serie J	130.03.043	KH			130.06.397	KP	NBL		130.00.344
	130.03.059	KH		Shorten full gib	130.06.397	KP	NBL		130.00.345
	130.03.059DC20	KH		Shorten full gib, DC20 coated	130.06.397	KP	NBL		
Serie L	130.03.043	KH			130.06.397	KP	NBL		130.00.344
	130.03.059	KH		Shorten full gib	130.06.397	KP	NBL		130.00.345
	130.03.059DC20	KH		Shorten full gib, DC20 coated	130.06.397	KP	NBL		
Serie M	130.03.043	KH			130.06.397	KP	NBL		130.00.344
	130.03.059	KH		Shorten full gib	130.06.397	KP	NBL		130.00.345
	130.03.059DC20	KH		Shorten full gib, DC20 coated	130.06.397	KP	NBL		
Serie T	130.03.043	KH			130.06.397	KP	NBL		130.00.344
	130.03.059	KH		Shorten full gib	130.06.397	KP	NBL		130.00.345
	130.03.059DC20	KH		Shorten full gib, DC20 coated	130.06.397	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.

ZSK (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
Serie X	130.03.043	KH			130.06.397	KP	NBL		130.00.344
	130.03.059	KH		Shorten full gib	130.06.397	KP	NBL		130.00.345
	130.03.059DC20	KH		Shorten full gib, DC20 coated	130.06.397	KP	NBL		
Serie XB	130.03.043	KH			130.06.397	KP	NBL		130.00.344
	130.03.059	KH		Shorten full gib	130.06.397	KP	NBL		130.00.345
	130.03.059DC20	KH		Shorten full gib, DC20 coated	130.06.397	KP	NBL		
Serie XL	130.03.043	KH			130.06.397	KP	NBL		130.00.344
	130.03.059	KH		Shorten full gib	130.06.397	KP	NBL		130.00.345
	130.03.059DC20	KH		Shorten full gib, DC20 coated	130.06.397	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl
Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
Tel.: +39/0382/423413
Fax.: +39/0382/423319
E-Mail.: info@cerliani.it
URL: http://www.cerliani.it

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
C.F. e P.IVA (VAT Nr.) 02175920186
IMPORT - EXPORT PV019626
CAP.SOC € 1.010.000 INT.VERS.